

# MATERIAL SAFETY DATA SHEET

## Section 1 – Product and Company Information

### Adapt Paste

**Product Code:** 79300 (2 oz.), 79301 (0.5 oz.) **Product CAS Number:** Mixture

**Company Information:**

Hollister Incorporated  
2000 Hollister Drive  
Libertyville, IL 60048

**Product Safety Information:**

Contact : Anne Riba  
Phone: (847)680-1000

## Section 2 – Hazards Identification

<u>Hazardous Component</u>	<u>CAS Number</u>	<u>%</u>	<u>Type of Hazard</u>
Ethanol	64-17-5	26.55	Flammable/ Health
1-Butanol	71-36-3	2.95	Flammable/ Health


## Section 3 – Composition / Information on Ingredients

Proprietary Composition

## Section 4 – First Aid Measures

Eye / Skin Contact: In case of contact with eyes, immediately flush with water. In case of skin irritation, discontinue contact and wash area with soap and water.

Excessive Inhalation: Remove from exposure to fresh air. Consult a physician if necessary.



## **Section 5 - Fire Fighting Measures**

### 5.1 Flammable Properties:

Flash Point:	66°F / 19°C – Seta Flash Method
Flammability Limits:	
LFL –	3.3% as ethanol
UFL –	19.0% as ethanol

### 5.2 Extinguishing Media

Water, Foam, Carbon Dioxide, Dry Chemical

### 5.3 Protection of Firefighters

None anticipated

## **Section 6 – Accidental Release Measures**

No special precautions for spills or leaks anticipated.

## **Section 7 – Handling and Storage**

Avoid contact with eyes.

Keep away from heat, sparks or flames.

Use only with adequate ventilation

Avoid contact with irritated or excoriated skin, or directly over open cuts or sores.

## **Section 8 – Exposure Control / Personal Protection**

Exposure Guidelines:	None established for mixture.
Ventilation:	Use only with adequate ventilation
Eye Protection:	None anticipated
Skin Protection:	None anticipated
Respiratory Protection:	None anticipated



## Section 9 – Physical and Chemical Properties

Appearance / Physical State / Odor:	Cream-colored viscous paste with sweet alcoholic odor
Boiling Point:	78.5°C as ethanol
Vapor Pressure:	40.00 mm Hg at 19°C as ethanol
Vapor Density:	> 1 (heavier than air)
Specific Gravity:	1.127 at 25°C as mixture
Solubility in Water:	Swells in water

## Section 10 – Stability and Reactivity

Chemical Stability:	Material is stable.
Conditions to Avoid:	Avoid heat, sparks and open flames.
Incompatible Materials:	Avoid oxidizing agents
Hazardous Decomposition Products:	Burning can produce carbon monoxide and carbon dioxide
Possibility of Hazardous Reactions:	Will not occur


## Section 11 – Toxicological Information

Acute and chronic toxic reactions are not anticipated as a result of use following package instructions.

Contains no known carcinogens or materials under investigation as potential carcinogens.

## Section 12 – Ecological Information

Not Available



### **Section 13 – Disposal Considerations**

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

### **Section 14 – Transport Information**

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment.

U.S. DOT Hazard Class: Not Restricted  
UN Number: Not Applicable

### **Section 15 – Regulatory Information**

Not Available

### **Section 16 – Other Information**

Not Applicable

The information contained in this Material Safety Data Sheet (MSDS) is offered as a guide to the handling of this specific material. It has been prepared in good faith by technically knowledgeable personnel and is believed to be correct as of the effective date listed. Hollister Incorporated shall not be held liable for any damages, losses or injuries of any nature which may result from the use of or reliance upon any information contained in this MSDS.