according to WHMIS 2015 and ANSI Z400.1-2010

Power wire brushes with carbon steel

Material number 020

 Revision date:
 22/4/2016

 Version:
 1

 Language: en-CA,US
 Page:

 1 of 8

1. Product and company identification

Product identifier

Trade name: Power wire brushes with carbon steel

Relevant identified uses of the substance or mixture and uses advised against

General use: Material removal and/or surface finishing.

For industrial purposes only

Details of the supplier of the safety data sheet

Company name:

PFERD INC. PFERD CANADA INC.

Street/POB-No.: 9201 W. Heather Ave. Street/POB-No.: 5570 McAdam Road

Postal Code, city: Milwaukee, WI 53224, Postal Code, city: Mississauga, Ontario L4Z 1P1,

SA Canada

WWW: www.pferdusa.com
E-mail: sales@pferdusa.com
Telephone: 262-509-5614
Telefax: 262-255-2840

WWW: www.pferdusa.com
E-mail: sales@pferdusa.com
Telephone: (905) 501-1555
Telefax: (905) 501-1554

Dept. responsible for information: 1-800-342-9015 Dept. responsible for information: 1-866-245-1555

Emergency phone number

USA: 1-800-342-9015 (7:00 a.m.-5:00 p.m. Central Time)

Canada: 1-866-245-1555 (8:00 a.m. - 4:30 p.m. eastern standard time)

2. Hazards identification

Emergency overview

Appearance: Form: solid

Color: gray-black

Odor: odorless

Classification: Article not subject to hazard labeling or classification.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication

Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Hazards not otherwise classified

Mechanical processing can produce particles and dust.

Inhalation of dust may cause irritation of the respiratory system. Dust contact with the

eyes can lead to mechanical irritation.

In the case of the formation of dust: Harmful by inhalation and if swallowed.

see section 11: Toxicological information

3. Composition / Information on ingredients

Chemical characterisation: The components listed below represent the chemical composition of the wire material:

according to WHMIS 2015 and ANSI Z400.1-2010

Power wire brushes with carbon steel

Material number 020

 Revision date:
 22/4/2016

 Version:
 1

 Language: en-CA,US
 Page:
 2 of 8

Relevant ingredients:

CAS No.	Designation	Content	Classification	
CAS 7439-89-6	Iron	95 - 99 %	not applicable	
CAS 7439-96-5	Manganese	<= 1.65 %	not applicable	
CAS 7440-21-3	Silicon	<= 1.6 %	not applicable	
CAS 7440-47-3	Chromium	<= 1.5 %	not applicable	
CAS 7440-44-0	Carbon	<= 1.1 %	not applicable	
CAS 7440-62-2	Vanadium	<= 0.35 %	not applicable	
CAS 7704-34-9	Sulfur	<= 0.05 %	Skin Irritation 2.	
CAS 7723-14-0	phosphorus	<= 0.04 %	not applicable	
CAS 7439-92-1	Lead	<= 0.005 %	not applicable	

Additional information: The specific identity and/or exact percentage has been withheld as a trade secret.

4. First aid measures

In case of inhalation: In the case of the formation of dust: Provide fresh air. If you feel unwell, seek medical

advice.

Following skin contact: In the case of the formation of dust: Remove residues with soap and water. Take off

contaminated clothing and wash it before reuse. In case of skin reactions, consult a

physician.

After eye contact: In the case of the formation of dust: Immediately flush eyes with plenty of flowing water for

10 to 15 minutes holding eyelids apart. In case of eye irritation consult an ophthalmologist.

After swallowing: In the case of the formation of dust:

Rinse mouth with water. Seek medical attention.

Most important symptoms and effects, both acute and delayed

Inhalation of dust may cause irritation of the respiratory system. Dust contact with the

eves can lead to mechanical irritation.

In the case of the formation of dust: Harmful by inhalation and if swallowed.

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:

not combustible

Auto-ignition temperature: No data available

Suitable extinguishing media:

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Specific hazards arising from the chemical

On heating or in case of fire toxic gases may form.

Protective equipment and precautions for firefighters:

Wear self-contained breathing apparatus. Wear suitable protective clothing.

according to WHMIS 2015 and ANSI Z400.1-2010

Power wire brushes with carbon steel

Material number 020

 Revision date:
 22/4/2016

 Version:
 1

 Language: en-CA,US
 Page:
 3 of 8

Additional information: Do not allow fire water to penetrate into surface or ground water.

6. Accidental release measures

Personal precautions: For mechanical processing: Avoid generation of dust. Do not inhale substance.

Provide adequate ventilation. Wear appropriate protective equipment. Avoid contact with the substance. Keep unprotected people away.

Environmental precautions:

Do not allow to penetrate into soil, waterbodies or drains.

In case of release, notify competent authorities.

Methods for clean-up: Take up mechanically, placing in appropriate containers for disposal.

7. Handling and storage

Handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed.

Avoid generation of dust. Do not inhale substance.

Wear appropriate protective equipment. When using do not eat, drink or smoke. Wash hands before breaks and after work.

Storage

Requirements for storerooms and containers:

Keep container tightly closed and dry.

according to WHMIS 2015 and ANSI Z400.1-2010

Power wire brushes with carbon steel

Material number 020

 Revision date:
 22/4/2016

 Version:
 1

 Language: en-CA,US
 Page:
 4 of 8

8. Exposure controls / personal protection

Exposure guidelines

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
7439-89-6	Iron	USA: ACGIH: TWA USA: OSHA: TWA	10 mg/m³ smoke, dust 10 mg/m³ smoke
7439-96-5	Manganese	Canada, Alberta: OEL 8 hour Canada, BC: OEL TWA Canada, Québec: VEMP OSHA: Ceiling USA: ACGIH: TWA USA: ACGIH: TWA USA: NIOSH: STEL USA: NIOSH: TWA	0.2 mg/m³ 0.2 mg/m³ 0.2 mg/m³ Smoke, inhalable fraction 5 mg/m³ 0.02 mg/m³ respirable fraction 0.1 mg/m³ inhalable fraction 3 mg/m³ 1 mg/m³
7440-21-3	Silicon	Canada, Ontario: OEL TWA Canada, Québec: VEMP USA: NIOSH: TWA USA: NIOSH: TWA USA: OSHA: TWA USA: OSHA: TWA	10 mg/m³ 10 mg/m³ (inhalable fraction) 10 mg/m³ inhalable fraction 5 mg/m³ (respirable fraction) 15 mg/m³ inhalable fraction 5 mg/m³ (respirable fraction)
7440-47-3	Chromium	Canada, Alberta: OEL 8 hour Canada, BC: OEL TWA Canada, Québec: VEMP USA: ACGIH: TWA USA: NIOSH: TWA USA: OSHA: TWA	0.5 mg/m³ 0.5 mg/m³ 0.5 mg/m³ 0.5 mg/m³ 0.5 mg/m³ 0.5 mg/m³
7440-44-0	Carbon	Canada, Alberta: OEL 8 hour Canada, Alberta: OEL 8 hour Canada, BC: OEL TWA Canada, Ontario: OEL TWA Canada, Ontario: OEL TWA Canada, Québec: VEMP USA: OSHA: TWA USA: OSHA: TWA	10 mg/m³ Dust limit value inhalable fraction 3 mg/m³ Dust limit value respirable fraction 10 mg/m³ Dust limit value inhalable fraction 10 mg/m³ Dust limit value inhalable fraction 3 mg/m³ Dust limit value respirable fraction 10 mg/m³ Dust limit value inhalable fraction 15 mg/m³ inhalable fraction 5 mg/m³ (respirable fraction)
7704-34-9	Sulfur	Canada, Alberta: OEL 8 hour	10 mg/m³
7723-14-0	phosphorus	Canada, Alberta: OEL 8 hour Canada, Québec: VEMP USA: NIOSH: TWA	0.1 mg/m³ 0.1 mg/m³ 0.1 mg/m³
7439-92-1	Lead	Canada, Alberta: OEL 8 hour Canada, BC: OEL TWA Canada, Ontario: OEL TWA Canada, Québec: VEMP USA: ACGIH: TWA USA: NIOSH: TWA USA: OSHA: TWA	0.05 mg/m³

according to WHMIS 2015 and ANSI Z400.1-2010

Power wire brushes with carbon steel

Material number 020

 Revision date:
 22/4/2016

 Version:
 1

 Language: en-CA,US
 Page:
 5 of 8

Biological limit values:

CAS No.	Designation	Туре	Limit value	Parameter	Sampling
7439-92-1	Lead	USA: ACGIH-BEI, blood	30 μg/100mL	Lead in blood	no restriction

Engineering controls

In the case of the formation of dust: Provide good ventilation and/or an exhaust system in

the work area.

See also information in chapter 7, section storage.

Personal protection equipment (PPE)

Eye/face protection For mechanical processing: Tightly sealed goggles according to OSHA Standard - 29

CFR: 1910.133 or ANSI Z87.1-2010.

Skin protection For mechanical processing: Wear suitable protective clothing and shoes.

For mechanical processing: Protective gloves according to OSHA Standard - 29 CFR:

1910.138.

Respiratory protection: In case of dust formation:

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

General hygiene considerations:

For mechanical processing: Do not inhale substance.

Avoid contact with skin and eyes.

When using do not eat, drink or smoke. Change contaminated clothing.

Wash hands before breaks and after work.

Work place should be equipped with a shower and an eye rinsing apparatus.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance: Form: solid

Color: gray-black

Odor: odorless

Odor threshold: No data available

pH value: No data available

Melting point/freezing point: 2499.98 - 2649.92 °F (1371.1 - 1454.4 °C)

Initial boiling point and boiling range: No data available Flash point/flash point range: not combustible Evaporation rate: No data available Flammability: non-flammable **Explosion limits:** No data available Vapor pressure: No data available Vapor density: No data available Density: No data available

Water solubility: insoluble

Partition coefficient: n-octanol/water: No data available

according to WHMIS 2015 and ANSI Z400.1-2010

Power wire brushes with carbon steel

Material number 020

 Revision date:
 22/4/2016

 Version:
 1

 Language: en-CA,US
 Page:
 6 of 8

Auto-ignition temperature:

Thermal decomposition:

No data available

No data available

Additional information:

No data available

10. Stability and reactivity

Reactivity: no data available

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Conditions to avoid: No data available

Incompatible materials: Acids

Hazardous decomposition products:

On heating or in case of fire toxic gases may form.

Thermal decomposition: No data available

11. Toxicological information

Toxicological tests

Toxicological effects: The statements are derived from the properties of the single components. No toxicological

data is available for the product as such.

Acute toxicity (oral): Lack of data.

Acute toxicity (dermal): Lack of data.

Acute toxicity (inhalative): Lack of data.

Skin corrosion/irritation: Lack of data.

Eye damage/irritation: Lack of data.

Sensitisation to the respiratory tract: Lack of data.

Skin sensitisation: Lack of data.

Germ cell mutagenicity/Genotoxicity: Lack of data.

Carcinogenicity: Lack of data.

Reproductive toxicity: Lack of data.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Lack of data. Specific target organ toxicity (repeated exposure): Lack of data.

Aspiration hazard: Lack of data.

Other information: Chronic toxicity carcinogenic effect:

Information about Chromium: IARC Rating: Group 3
OSHA Carcinogen: not listed

NTP Rating: not listed

according to WHMIS 2015 and ANSI Z400.1-2010

Power wire brushes with carbon steel

Material number 020

 Revision date:
 22/4/2016

 Version:
 1

 Language: en-CA,US
 Page:
 7 of 8

Symptoms

In case of inhalation:

Inhalation of dust may cause irritation of the respiratory system. Cough, shortage of breath. Harmful by inhalation. Lung damage is possible in a chronic situation.

In case of ingestion:

Iron: Absorption can lead to kidney and liver damage. May be harmful if swallowed.

vomiting, Diarrhea. After contact with skin:

In the case of the formation of dust: Can be irritating because of mechanical abrasion. After eye contact: Dust contact with the eyes can lead to mechanical irritation.

12. Ecological information

Ecotoxicity

Further details: No data available

Mobility in soil

No data available

Persistence and degradability

Further details: No data available

Additional ecological information

General information: Do not allow to enter into ground-water, surface water or drains.

13. Disposal considerations

Product

Recommendation: Dispose of waste according to applicable legislation.

Contaminated packaging

Recommendation: Dispose of waste according to applicable legislation. Packing can be recycled or

disposed of.

14. Transport information

USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

Canada: Transportation of Dangerous Goods (TDG)

Shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: no

according to WHMIS 2015 and ANSI Z400.1-2010

Power wire brushes with carbon steel

Material number 020

 Revision date:
 22/4/2016

 Version:
 1

 Language: en-CA,US
 Page:
 8 of 8

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

National regulations - Canada

No data available

National regulations - U.S. Federal Regulations

This product is an article as defined by TSCA regulations, and is exempt from TSCA Inventory listing requirements.

16. Other information

Hazard rating systems:

NFPA Hazard Rating: Health: 0 (Minimal)

0 0

Fire: 0 (Minimal) Reactivity: 0 (Minimal) HMIS Version III Rating:

Health: 0 (Minimal)
Flammability: 0 (Minimal)
Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

Date of first version: 22/4/2016

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products.

