MATERIAL SAFETY DATA SHEET

	This MSDS complies with OSHA'S Hazard	Communica	tion Standard 29 CFR 19	10.1200 a	nd OSHA For	m 174	
			URER'S INFORMATIO				
			HMIS Rating: Health-1; Flammability-1; Reactivity-0; Personal Protection-B				
			DOT Hazard Classification: ORM-D				
Address: 990 Industrial Park Drive Marietta, GA 30062			Identity (trade name as used on label):				
			MISTY GLASS & MIRROR CLEANER				
Date Prepared: 12/06/01 Prepared By: ES/TR			MSDS Number: A00121 Revision-19				
Information Calls: (770)422-2071			NOTICE: JUDGEMENT BASED ON INDIRECT TEST DATA				
EMERGENCY RESPONS	E NUMBER: 1(800)255-3924						
	SECTION 1 - MATERIAL	L IDENTIF	ICATION AND INFOR	MATION			
COMPONENTS-CHEMIC/	AL NAMES AND COMMON NAMES		CAS Number	SARA	OSHA PEL	ACGIH	Carcinogen
(Hazardous Components 1% or greater; Carcinogens 0.1% or greater)				III LIST	(ppm)	TLV (ppm)	Ref. Source **
ISOBUTANE / PROPANE BLEND			75-28-5	No	800	800	d
			74-98-6	No	1000	1000	d
AMMONIUM HYDROXIDE			1336-21-6	No	35	25	d
ISOPROPANOL			67-63-0	No	400	400	d
	SECTION 2 - PHYSIC	CAL/CHEN	IICAL CHARACTERIS	STICS	•	•	
Boiling Point: N/A Specific Gravity (H2O=1): Concentrate Only = 0.980							
			Vapor Pressure (Non-Aerosols)(mm Hg and Temperature): N/A				
			Evaporation Rate (= 1): N/E				
Solubility in Water: Soluble Water Reactive: No							
			ater Reactive. NO				
Appearance and Odor: White foam, mint fragrance and alcohol odor. SECTION 3 - FIRE AND EXPLOSION HAZARD DATA							
	USA FLAME PROJECTION TEST						in Maluman
		Auto I	gnition Temperature		ability Limits		IEL: N/E
			N/E				
	ETHOD USED (non-aerosols): N/A		KTINGUISHER MEDIA	∖: ⊦oam,	, ary chemica	al, carbon di	oxide, water.
	ING PROCEDURES: Self-contained bre	eathing					
apparatus.	<u> </u>						
Unusual Fire & Explosion Hazards: Do not expose aerosols to temperatures above 130°F or the container may rupture.							
SECTION 4 - REACTIVITY HAZARD DATA							
STABILITY [X]S	TABLE [] UNSTABLE		AZARDOUS POLYME	RIZATIC	n [] Wi	l [x]w	ILL NOT
			CCUR				
Incompatibility (Mat. to avoid): Strong oxidizers. Conditions to Avoid: Open flame, welding arcs, heat.							
Hazardous Decompos	sition Products: Carbon monoxide, car						
SECTION 5 - HEALTH HAZARD DATA							
PRIMARY ROUTES OF ENTRY: [X] INHALATION [] INGESTION [X] SKIN ABSORPTION [] EYE [] NOT HAZARDOUS							
ACUTE EFFECTS:							
Inhalation: Excessive i	inhalation of vapors can be harmful & ma	ay cause h	eadache, dizziness, a	sphyxia,	anesthetic e	ffects & pos	sible
unconsciousness.	····	,	,-	- , , - ,			
Eye Contact: Slight irritation. Skin Contact: Slight irritation.							
Ingestion: Possible chemical pneumonitis if aspirated into lungs. Nausea.							
CHRONIC EFFECTS: May cause headache, dizziness, nausea, possible unconsciousness if vapor concentration exceeds TLV.							
Medical Conditions Generally Aggravated by Exposure: May aggravate existing eye, skin, or upper respiratory conditions.							
EMERGENCY FIRST AID PROCEDURES							
Eye Contact: Flush with water for 15 minutes. If irritated, seek medical attention.							
Skin Contact: Wash with soap and water. If irritated, seek medical attention.							
	fresh air. Resuscitate if necessary. Ge						
Ingestion: DO NOT IN	DUCE VOMITING. Drink two large gla				tention.		
	SECTION 6 - CONTR	ROL AND I	PROTECTIVE MEASU	JRES			
Respiratory Protection pressure mode.	n (specify type): If vapor concentration	exceeds -	ΓLV, use respirator ap	proved by	y NIOSH to I	be used in a	positive
Protective Gloves: Di	sposable latex gloves suggested.	Εy	ye Protection: Safety	glasses	recommend	ed.	
Ventilation Requirements: Adequate ventilation to keep vapor concentration below TLV.							
Other Protective Clothing & Equipment: None							
Hygienic Work Practices: Wash with soap and water before handling food. Remove contaminated clothing.							
SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE							
Steps To Be Taken If Material Is Spilled Or Released: Flush to sewer with water.							
Waste Disposal Methods: Aerosol cans when vented to atmospheric pressure through normal use, pose no disposal hazard.							
Precautions To Be Taken In Handling & Storage: Do not puncture or incinerate containers. Do not store at temperatures above 130°F. Other Precautions &/or Special Hazards: KEEP OUT OF REACH OF CHILDREN. Avoid food contamination. Avoid breathing vapors.							
	nts, technical information and recommendation						
	cal Listed as Carcinogen or Potential Carcinog	усп. [ај МТР					

THIS MSDS IS CURRENT AS OF January 20, 2006. The DATE PREPARED section is the original date assembled and remains current until a change is necessary. This is tracked internally at the manufacturer by these date codes and therefore must remain as the originating date.