

Version: 1.0 Revision Date: 09/12/2019

# SAFETY DATA SHEET

#### 1. Identification

Product identifier: DUTCH APPLE METERED AIR FRESHENER

Other means of identification SDS number: RE1000003937

Recommended restrictions Product Use: Air Freshener Restrictions on use: Not known.

#### Manufacturer/Importer/Distributor Information

#### Manufacturer

Company Name:	CLAIRE MANUFACTURING COMPANY
Address:	1000 Integram Dr
	Pacific, MO 63069
Telephone:	1-630-543-7600
Fax:	

Emergency telephone number: 1-866-836-8855

### 2. Hazard(s) identification

#### Hazard Classification

Physical Hazards	
Flammable aerosol	Category 1
Health Hazards	
Serious Eye Damage/Eye Irritation	Category 2A
Specific Target Organ Toxicity - Single Exposure	Category 3 <sup>1.</sup>
Target Organs           1.         Narcotic effect.	
Environmental Hazards	Cotogon ( )

Acute hazards to the aquatic environment

Category 3

#### **Label Elements**



Hazard Symbol:

Signal Word:	Danger
Hazard Statement:	Extremely flammable aerosol. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful to aquatic life.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

# 3. Composition/information on ingredients


#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
2-Propanone	67-64-1	50 - <100%
Propane	74-98-6	10 - <20%
Butane	106-97-8	10 - <20%
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8-hexamethyl-	1222-05-5	0.1 - <1%



40D				
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	84-66-2	0.1 - <1%		
Proprietary Fragrance		0.1 - <1%		
* All concentrations are percent	by weight unless	ingredient is a gas. Gas concentrations are in percent by volume.		
4. First-aid measures				
Ingestion:	Call a PO	ISON CENTER/doctor if you feel unwell. Rinse mouth.		
Inhalation:	Move to fr	Move to fresh air.		
Skin Contact:		Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.		
Eye contact:		Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.		
Most important symptoms/effe	ects, acute an	d delayed		
Symptoms:	No data a	vailable.		
Hazards:	No data a	vailable.		
Indication of immediate medic	al attention a	nd special treatment needed		
Treatment:	No data a	vailable.		
5. Fire-fighting measures				
General Fire Hazards:		spray to keep fire-exposed containers cool. Fight fire from a		
	protected risk.	location. Move containers from fire area if you can do so without		
Suitable (and unsuitable) extir	risk.			
Suitable (and unsuitable) extir Suitable extinguishing media:	risk. Iguishing med			
Suitable extinguishing	risk. Iguishing med Use fire-e	dia		
Suitable extinguishing media: Unsuitable extinguishing	risk. Iguishing med Use fire-e Do not use	<b>dia</b> xtinguishing media appropriate for surrounding materials.		
Suitable extinguishing media: Unsuitable extinguishing media: Specific hazards arising from	risk. <b>Iguishing med</b> Use fire-e Do not use Vapors me back.	dia xtinguishing media appropriate for surrounding materials. e water jet as an extinguisher, as this will spread the fire. ay travel considerable distance to a source of ignition and flash		
Suitable extinguishing media: Unsuitable extinguishing media: Specific hazards arising from the chemical:	risk. <b>Iguishing med</b> Use fire-e Do not use Vapors me back.	dia xtinguishing media appropriate for surrounding materials. e water jet as an extinguisher, as this will spread the fire. ay travel considerable distance to a source of ignition and flash		

# 6. Accidental release measures





Personal precautions, protective equipment and emergency procedures:	Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.
Methods and material for containment and cleaning up:	Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.
Notification Procedures:	Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.
Environmental Precautions:	Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.
7. Handling and storage	
Precautions for safe handling:	Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.
Conditions for safe storage, including any incompatibilities:	Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

# 8. Exposure controls/personal protection

#### **Control Parameters**

#### **Occupational Exposure Limits**

Chemical Identity	Туре	Exposure Limit Values	Source
2-Propanone	STEL	1,000 ppm 2,400 mg/	m3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	1,000 ppm 2,400 mg/	m3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	250 ppm	US. ACGIH Threshold Limit Values (03 2015)
	TWA	750 ppm 1,800 mg/	m3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	500 ppm	US. ACGIH Threshold Limit Values (03 2015)
	REL	250 ppm 590 mg/	m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005)
Propane	REL	1,000 ppm 1,800 mg/	m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/	M3 US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm 1,800 mg/	m3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Butane	REL	800 ppm 1,900 mg/	m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm 1,900 mg/	m3 US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	REL	5 mg,	m3 US. NIOSH: Pocket Guide to Chemical Hazards (2005)
•	TWA	5 mg,	m3 US. ACGIH Threshold Limit Values (2008)
	TWA	5 mg/	m3 US. OSHA Table Z-1-A (29 CFR 1910.1000)



				(1989)
Ethanol, 2,2',2"-nitrilotris-	TWA		5 mg/m3	US. ACGIH Threshold Limit Values (2008)
Ethanol, 2,2'-iminobis-	REL	3 ppm	15 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	3 ppm	15 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Ethanol, 2,2'-iminobis Inhalable fraction and vapor.	TWA		1 mg/m3	US. ACGIH Threshold Limit Values (2009)

#### **Biological Limit Values**

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone:	25 mg/l (Urine)	ACGIH BEL (03 2015)
Sampling time: End of shift.)		

#### Appropriate Engineering Controls

No data available.

#### Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection Hand Protection:	No data available.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke.

#### 9. Physical and chemical properties

#### Appearance

Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	-104.44 °C
Evaporation rate:	No data available.

SDS\_US - RE1000003937

Version: 1.0 Revision Date: 09/12/2019



Flammability (solid, gas):	No data available.	
Upper/lower limit on flammabilit		
Flammability limit - upper (		
Flammability limit - lower (		
Explosive limit - upper (%):	•	
Explosive limit - lower (%):		
Vapor pressure:	3,102.6408 - 4,481.5922 hPa (20 °C)	
Vapor density:	No data available.	
Density:	No data available.	
Relative density:	No data available.	
Solubility(ies)		
Solubility in water:	No data available.	
Solubility (other):	No data available.	
Partition coefficient (n-octanol/	water): No data available.	
Auto-ignition temperature:	No data available.	
Decomposition temperature:	No data available.	
Viscosity:	No data available.	
Other information		
Minimum ignition temperatur	re: -104.44 °C	
	-104.44 C	
10. Stability and reactivity		
Reactivity:	No data available.	
Chemical Stability:	Material is stable under normal conditions.	
Possibility of hazardous reactions:	No data available.	
Conditions to avoid:	Avoid heat or contamination.	
Incompatible Materials:	No data available.	
Hazardous Decomposition Products:	No data available.	

# 11. Toxicological information

Information on likely routes of exposure Inhalation: No data available.		
Skin Contact:	No data available.	
Eye contact:	No data available.	
Ingestion:	No data available.	



#### Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

#### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
Specified substance(s): 2-Propanone	LD 50 (Rat): 5,800 mg/kg
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	LD 50 (Rat): > 4,640 mg/kg
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	LD 50 (Mouse): 2,500 mg/kg
Proprietary Fragrance	LD 50: > 2,000 mg/kg
Dermal Product:	Not classified for acute toxicity based on available data.
Specified substance(s): 2-Propanone	LD 50 (Rabbit): > 7,426 mg/kg
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	LD 50 (Rat): > 10,000 mg/kg
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	LD 50: > 2,000 mg/kg
Proprietary Fragrance	LD 50: > 2,000 mg/kg
Inhalation Product:	Not classified for acute toxicity based on available data.
Specified substance(s): 2-Propanone	LC 50 (Rat): 50.1 mg/l LC 50: > 5 mg/l



Propane	LC 50: > 100 mg/l LC 50: > 100 mg/l
Butane	LC 50: > 100 mg/l LC 50: > 100 mg/l
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	LC 50: > 5 mg/l LC 50: > 20 mg/l
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	LC 50: > 20 mg/l LC 50: > 5 mg/l
Proprietary Fragrance	LC 50: > 5 mg/l LC 50: > 20 mg/l
Repeated dose toxicity Product:	No data available.
Specified substance(s): 2-Propanone	NOAEL (Bet(Mele), Oral 12 Weeke); 10 000 ppm(m) Oral Experimental
Propane	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation
Butane	Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	Experimental result, Key study NOAEL (Rat(Female, Male), Oral, 13 Weeks): 150 mg/kg Oral Experimental result, Key study
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	NOAEL (Rat(Female, Male), Oral, 6 - 16 Weeks): 150 mg/kg Oral Experimental result, Key study
Skin Corrosion/Irritation Product:	No data available.
Specified substance(s): 2-Propanone	in vivo (Rabbit): Not irritant Experimental result, Supporting study
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8-hexahydro-	in vivo (Rabbit): Irritating Experimental result, Key study

SDS\_US - RE1000003937

4,6,6,7,8,8-hexamethyl-



1,2- Benzenedicarboxylic acid, 1,2-diethyl ester	in vivo (Rabbit): Not irritant Experimental result, Key study	
Serious Eye Damage/Eye Irritatio Product: Specified substance(s):	on No data available.	
2-Propanone	Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant	
Respiratory or Skin Sensitization Product:	<b>n</b> No data available.	
Specified substance(s): 2-Propanone Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8-hexahydro- 4,6,6,7,8,8-hexamethyl- 1,2- Benzenedicarboxylic acid, 1,2-diethyl ester	Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising	
Carcinogenicity Product:	No data available.	
IARC Monographs on the Evaluation No carcinogenic components	ation of Carcinogenic Risks to Humans: s identified	
US. National Toxicology Program No carcinogenic components		
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050): No carcinogenic components identified		
Germ Cell Mutagenicity		
In vitro Product:	No data available.	
In vivo Product:	No data available.	
Reproductive toxicity Product:	No data available.	
Specific Target Organ Toxicity - Product: Specified substance(s): 2-Propanone	Single Exposure No data available. Inhalation - vapor: Narcotic effect Category 3 with narcotic effects.	



# Specific Target Organ Toxicity - Repeated Exposure Product: No data available. Target Organs Specific Target Organ Toxicity - Single Exposure: Narcotic effect. Aspiration Hazard Product: No data available.

Specified substance(s):<br/>Proprietary FragranceMay be fatal if swallowed and enters airways.Other effects:No data available.

## 12. Ecological information

#### **Ecotoxicity:**

#### Acute hazards to the aquatic environment:

Fish Product:	No data available.
Specified substance(s): 2-Propanone	LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/I QSAR QSAR, Key study
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	LC 50 (Lepomis macrochirus, 96 h): 1.36 mg/l Experimental result, Key study
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	NOAEL (Oncorhynchus mykiss, 96 h): 1.9 mg/l Experimental result, Key study LC 50 (Oncorhynchus mykiss, 96 h): 12 mg/l Experimental result, Key study
Aquatic Invertebrates Product:	No data available.
Specified substance(s): 2-Propanone	LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/I QSAR QSAR, Key study
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	EC 50 (Daphnia magna, 48 h): 0.885 mg/l Experimental result, Not specified
1,2-Benzenedicarboxylic	NOAEL (Daphnia magna, 48 h): 43 mg/l Experimental result, Key study



acid, 1,2-diethyl ester	LC 50 (Daphnia magna, 48 h): 90 mg/l Experimental result, Key study
Chronic hazards to the aquation	c environment:
Fish Product:	No data available.
Specified substance(s): Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	LC 50 (Lepomis macrochirus): 0.452 mg/l Experimental result, Key study LOAEL (Pimephales promelas): 0.14 mg/l Experimental result, Key study
Aquatic Invertebrates Product:	No data available.
Specified substance(s): 2-Propanone	LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	NOAEL (Daphnia magna): 111 μg/l Experimental result, Key study EC 50 (Daphnia magna): 282 μg/l Experimental result, Key study
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	NOAEL (Daphnia magna): 25 mg/l Experimental result, Key study
Toxicity to Aquatic Plants Product:	No data available.
	No data available.
Product:	No data available.
Product: Persistence and Degradability Biodegradation	
Product: Persistence and Degradability Biodegradation Product: Specified substance(s):	No data available.
Product: Persistence and Degradability Biodegradation Product: Specified substance(s): 2-Propanone	No data available. 90.9 % (28 d) Detected in water. Experimental result, Key study 100 % (385.5 h) Detected in water. Experimental result, Key study
Product: Persistence and Degradability Biodegradation Product: Specified substance(s): 2-Propanone Propane	No data available. 90.9 % (28 d) Detected in water. Experimental result, Key study 100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Product: Persistence and Degradability Biodegradation Product: Specified substance(s): 2-Propanone Propane Butane Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8-	No data available. 90.9 % (28 d) Detected in water. Experimental result, Key study 100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study 100 % (385.5 h) Detected in water. Experimental result, Key study



Product:	No data available.
Specified substance(s): 2-Propanone	Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment Experimental result, Not specified
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	Lepomis macrochirus, Bioconcentration Factor (BCF): 1,550 Aquatic sediment Experimental result, Key study
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	Bluegill (Lepomis macrochirus), Bioconcentration Factor (BCF): 117 (Flow through)
Partition Coefficient n-octanol / Product:	water (log Kow) No data available.
Mobility in soil:	No data available.
	ution to environmental compartments
2-Propanone	No data available.
Propane	No data available.
Butane	No data available.
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	No data available.
1,2-Benzenedicarboxylic acid, 1,2-diethyl ester	No data available.
Proprietary Fragrance	No data available.
Other adverse effects:	Harmful to aquatic organisms.
3. Disposal considerations	
Disposal instructions:	Discharge, treatment, or disposal may be subject to national, state, or loca laws.
Contaminated Packaging:	No data available.
14. Transport information	

# DOT

UN Number: UN Proper Shipping Name:	UN 1950 Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	_
Packing Group:	II
Marine Pollutant:	No



Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.
IMDG UN Number: UN Proper Shipping Name: Transport Hazard Class(es) Class:	UN 1950 Aerosols, flammable 2
Label(s): EmS No.:	Ξ
Packing Group:	_
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.
IATA UN Number: Proper Shipping Name: Transport Hazard Class(es): Class: Label(s): Packing Group:	UN 1950 Aerosols, flammable 2.1 –
Environmental Hazards: Marine Pollutant	No No
Special precautions for user:	Not regulated.

#### 15. Regulatory information

#### US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) None present or none present in regulated quantities.

#### CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
2-Propanone	lbs. 5000
Propane	lbs. 100
Butane	lbs. 100
1,2-Benzenedicarboxylic	lbs. 1000
acid, 1,2-diethyl ester	
Ethanol, 2,2'-iminobis-	lbs. 100

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### **Hazard categories**



Fire Hazard Immediate (Acute) Health Hazards Flammable aerosol Serious Eye Damage/Eye Irritation Specific Target Organ Toxicity - Single Exposure

#### SARA 302 Extremely Hazardous Substance

Chemical Identity	<u>Reportable</u> quantity	Threshold Planning Quantity
2-Propanone	quantity	
SARA 304 Emergency Rele	ase Notification	
Chemical Identity	Reportable quantity	
2-Propanone	lbs. 5000	
Propane	lbs. 100	
Butane	lbs. 100	
1,2-Benzenedicarboxylic	lbs. 1000	
acid, 1,2-diethyl ester		
Ethanol, 2,2'-iminobis-	lbs. 100	
SARA 311/312 Hazardous (		
Chemical Identity	Threshold Planning	Quantity
2-Propanone	10000 lbs	
Propane	10000 lbs	
Butane	10000 lbs	
Cyclopenta[g]-2-	10000 lbs	
benzopyran, 1,3,4,6,7,8-		
hexahydro-4,6,6,7,8,8-		
hexamethyl-		
1,2-Benzenedicarboxylic	10000 lbs	
acid, 1,2-diethyl ester		
Proprietary Fragrance	10000 lbs	
Ethanol, 2,2',2"-nitrilotris-	10000 lbs	

#### SARA 313 (TRI Reporting)

Ethanol, 2,2'-iminobis-

None present or none present in regulated quantities.

10000 lbs

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

#### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethanol, 2,2'-iminobis- Carcinogenic. 07 2012

#### US. New Jersey Worker and Community Right-to-Know Act

#### **Chemical Identity**

2-Propanone Propane Butane

#### US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.



Version: 1.0 Revision Date: 09/12/2019

#### US. Pennsylvania RTK - Hazardous Substances

Chemical Identity 2-Propanone Propane Butane

US. Rhode Island RTK No ingredient regulated by RI Right-to-Know Law present.

#### International regulations

# Montreal protocol

Not applicable

Stockholm convention Not applicable

Rotterdam convention Not applicable

Kyoto protocol Not applicable

#### Inventory Status:

Australia AICS:

Canada DSL Inventory List:

EINECS, ELINCS or NLP:

Japan (ENCS) List:

China Inv. Existing Chemical Substances:

Korea Existing Chemicals Inv. (KECI):

Canada NDSL Inventory:

Philippines PICCS:

US TSCA Inventory:

New Zealand Inventory of Chemicals:

Japan ISHL Listing:

Japan Pharmacopoeia Listing:

Mexico INSQ:

SDS\_US - RE1000003937

On or in compliance with the inventory On or in compliance with the inventory Not in compliance with the inventory. On or in compliance with the inventory Not in compliance with the inventory On or in compliance with the inventory On or in compliance with the inventory



Ontario Inventory:

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

On or in compliance with the inventory

# 16.Other information, including date of preparation or last revision

Issue Date:	09/12/2019
Revision Information:	No data available.
Version #:	1.0
Further Information:	No data available.
Disclaimer:	This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.