



SAFETY DATA SHEET

1. Identification

Product identifier: A TOUCH OF VANILLA METERED AIR FRESHENER

Other means of identification

SDS number: RE1000003944

Recommended restrictions

Product use: Air Freshener
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY
Address: 1000 Integram Dr
Pacific, MO 63069
Telephone: 1-630-543-7600
Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A
Specific Target Organ Toxicity - Category 3¹
Single Exposure

Target Organs

1. Narcotic effect.

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary Statements



- Prevention:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.
- Response:** IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell.
- Storage:** Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a well-ventilated place. Keep container tightly closed. Store locked up.
- Disposal:** Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
- Hazard(s) not otherwise classified (HNOC):** None.

3. Composition/information on ingredients

Mixtures

| Chemical Identity | CAS number | Content in percent (%)* |
|-----------------------------------|------------|-------------------------|
| 2-Propanone | 67-64-1 | 50 - <100% |
| Propane | 74-98-6 | 10 - <20% |
| Butane | 106-97-8 | 10 - <20% |
| 2H-1-Benzopyran-2-one | 91-64-5 | 0.1 - <1% |
| 1,3-Benzodioxole-5-carboxaldehyde | 120-57-0 | 0.1 - <1% |
| Ethanol | 64-17-5 | 0.1 - <1% |

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

- Ingestion:** Rinse mouth thoroughly.
- Inhalation:** Move to fresh air.
- Skin Contact:** Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
- Eye contact:** Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.



5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials. Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

Conditions for safe storage, including any incompatibilities: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

8. Exposure controls/personal protection

Control Parameters



Occupational Exposure Limits

| Chemical Identity | Type | Exposure Limit Values | Source |
|---|------|-----------------------|---|
| 2-Propanone | STEL | 1,000 ppm 2,400 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | PEL | 1,000 ppm 2,400 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 250 ppm | US. ACGIH Threshold Limit Values (03 2015) |
| | TWA | 750 ppm 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 500 ppm | US. ACGIH Threshold Limit Values (03 2015) |
| Propane | REL | 1,000 ppm 1,800 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 1,000 ppm 1,800 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Butane | REL | 800 ppm 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | STEL | 1,000 ppm | US. ACGIH Threshold Limit Values (03 2018) |
| | TWA | 800 ppm 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Ethanol | REL | 1,000 ppm 1,900 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | PEL | 1,000 ppm 1,900 mg/m3 | US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006) |
| | TWA | 1,000 ppm 1,900 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 1,000 ppm | US. ACGIH Threshold Limit Values (2009) |
| Ethanol, 2,2',2''-nitrilotris-1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | TWA | 5 mg/m3 | US. ACGIH Threshold Limit Values (2008) |
| | REL | 5 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 5 mg/m3 | US. ACGIH Threshold Limit Values (2008) |
| 2,3-Butanedione | TWA | 5 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| | STEL | 0.02 ppm | US. ACGIH Threshold Limit Values (02 2012) |
| | TWA | 0.01 ppm | US. ACGIH Threshold Limit Values (02 2012) |
| Ethanol, 2,2'-iminobis- | REL | 3 ppm 15 mg/m3 | US. NIOSH: Pocket Guide to Chemical Hazards (2005) |
| | TWA | 3 ppm 15 mg/m3 | US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989) |
| Ethanol, 2,2'-iminobis- - Inhalable fraction and vapor. | TWA | 1 mg/m3 | US. ACGIH Threshold Limit Values (2009) |

Biological Limit Values

| Chemical Identity | Exposure Limit Values | Source |
|---|-----------------------|---------------------|
| 2-Propanone (acetone: Sampling time: End of shift.) | 25 mg/l (Urine) | ACGIH BEL (03 2015) |

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information:

Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.



| | |
|--------------------------------|---|
| Eye/face protection: | Wear safety glasses with side shields (or goggles). |
| Skin Protection | |
| Hand Protection: | No data available. |
| Other: | No data available. |
| Respiratory Protection: | In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor. |
| Hygiene measures: | Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. |

9. Physical and chemical properties

Appearance

| | |
|------------------------|--------------------|
| Physical state: | liquid |
| Form: | Spray Aerosol |
| Color: | No data available. |

Odor: No data available.

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point: No data available.

Initial boiling point and boiling range: No data available.

Flash Point: -104.44 °C

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

Vapor pressure: 3,102.6408 - 4,481.5922 hPa (20 °C)

Vapor density: No data available.

Density: No data available.

Relative density: No data available.

Solubility(ies)

Solubility in water: No data available.

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.

Viscosity: No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.



| | |
|--|------------------------------|
| Possibility of hazardous reactions: | No data available. |
| Conditions to avoid: | Avoid heat or contamination. |
| Incompatible Materials: | No data available. |
| Hazardous Decomposition Products: | No data available. |

11. Toxicological information

Information on likely routes of exposure

| | |
|----------------------|--------------------|
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Ingestion: | No data available. |

Symptoms related to the physical, chemical and toxicological characteristics

| | |
|----------------------|--------------------|
| Inhalation: | No data available. |
| Skin Contact: | No data available. |
| Eye contact: | No data available. |
| Ingestion: | No data available. |

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product: ATEmix: 89,890.69 mg/kg

Dermal

Product: ATEmix: 89,234.72 mg/kg

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanone
LC 50 (Rat): 50.1 mg/l
LC 50: > 5 mg/l

Propane
LC 50: > 100 mg/l
LC 50: > 100 mg/l

Butane
LC 50: > 100 mg/l
LC 50: > 100 mg/l

2H-1-Benzopyran-2-one
LC 50: > 5 mg/l
LC 50: > 20 mg/l

1,3-Benzodioxole-5-carboxaldehyde
LC 50: > 5 mg/l
LC 50: > 20 mg/l

Ethanol
LC 50 (Rat): 124.7 mg/l
LC 50: > 5 mg/l



Repeated dose toxicity

| | |
|-----------------------------------|--|
| Product: | No data available. |
| Specified substance(s): | |
| 2-Propanone | NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study |
| Propane | NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study |
| Butane | LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study |
| 2H-1-Benzopyran-2-one | NOAEL (Rat(Male), Inhalation, 104 - 110 Weeks): 42 mg/kg Inhalation Experimental result, Key study NOAEL : 50 mg/kg Oral Experimental result, Key study NOAEL (Rat(Male), Dermal, 104 - 110 Weeks): 42 mg/kg Dermal Experimental result, Key study |
| 1,3-Benzodioxole-5-carboxaldehyde | NOAEL (Rat(Female, Male), Oral, 12 Weeks): 17 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Supporting study |
| Ethanol | NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result, Key study |

Skin Corrosion/Irritation

| | |
|-----------------------------------|--|
| Product: | No data available. |
| Specified substance(s): | |
| 2-Propanone | in vivo (Rabbit): Not irritant Experimental result, Supporting study |
| 2H-1-Benzopyran-2-one | in vivo (Rabbit): Not irritant Experimental result, Key study |
| 1,3-Benzodioxole-5-carboxaldehyde | in vivo (Guinea pig): Not irritant Experimental result, Weight of Evidence study |
| Ethanol | in vivo (Rabbit): Not irritant Experimental result, Key study |

Serious Eye Damage/Eye Irritation

| | |
|--------------------------------|---|
| Product: | No data available. |
| Specified substance(s): | |
| 2-Propanone | Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant |
| Ethanol | Rabbit, 1 - 24 hrs: Not irritating |

Respiratory or Skin Sensitization

| | |
|--------------------------------|--|
| Product: | No data available. |
| Specified substance(s): | |
| 2-Propanone | Skin sensitization:, in vivo (Guinea pig): Non sensitising |
| Ethanol | Skin sensitization:, in vivo (Guinea pig): Non sensitising |

Carcinogenicity

| | |
|-----------------|--------------------|
| Product: | No data available. |
|-----------------|--------------------|

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified



US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s):

2-Propanone Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

2-Propanone LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

2H-1-Benzopyran-2-one LC 50 (Guppy (Poecilia reticulata), 96 h): 32 - 100 mg/l Mortality

1,3-Benzodioxole-5-carboxaldehyde LC 50 (Cyprinus carpio, 96 h): 2.5 mg/l Experimental result, Key study
NOAEL (Cyprinus carpio, 96 h): 1.6 mg/l Experimental result, Key study

Ethanol LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

2-Propanone LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study



| | |
|-----------------------------------|--|
| 2H-1-Benzopyran-2-one | LC 50 (Water flea (Daphnia magna), 48 h): 10 - 18 mg/l Mortality |
| 1,3-Benzodioxole-5-carboxaldehyde | EC 50 (Daphnia magna, 48 h): 52 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 22 mg/l Experimental result, Key study |
| Ethanol | LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study |

Chronic hazards to the aquatic environment:

Fish

| | |
|---|--|
| Product: | No data available. |
| Specified substance(s): 2H-1-Benzopyran-2-one | NOAEL : 0.191 mg/l QSAR QSAR, Key study |
| Ethanol | NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting substance (structural analogue or surrogate), Supporting study |

Aquatic Invertebrates

| | |
|---|--|
| Product: | No data available. |
| Specified substance(s): 2-Propanone | LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study |
| 2H-1-Benzopyran-2-one | NOAEL (Daphnia sp.): 0.5 mg/l QSAR QSAR, Key study |
| Ethanol | LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study |

Toxicity to Aquatic Plants

| | |
|-----------------|--------------------|
| Product: | No data available. |
|-----------------|--------------------|

Persistence and Degradability

Biodegradation

| | |
|---|--|
| Product: | No data available. |
| Specified substance(s): 2-Propanone | 90.9 % (28 d) Detected in water. Experimental result, Key study |
| Propane | 100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study |
| Butane | 100 % (385.5 h) Detected in water. Experimental result, Key study |
| 2H-1-Benzopyran-2-one | 90 % Detected in water. Experimental result, Key study |
| 1,3-Benzodioxole-5-carboxaldehyde | 82 % Detected in water. Experimental result, Key study |
| Ethanol | 95 % Detected in water. Experimental result, Key study |

BOD/COD Ratio

| | |
|-----------------|--------------------|
| Product: | No data available. |
|-----------------|--------------------|

Bioaccumulative potential

Bioconcentration Factor (BCF)

| | |
|---|--|
| Product: | No data available. |
| Specified substance(s): 2-Propanone | Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment Experimental result, Not specified |



2H-1-Benzopyran-2-one Green algae (*Chlorella fusca vacuolata*), Bioconcentration Factor (BCF): 42 (Static)

Ethanol *Cyprinus carpio*, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Supporting study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

2-Propanone No data available.

Propane No data available.

Butane No data available.

2H-1-Benzopyran-2-one No data available.

1,3-Benzodioxole-5-

carboxaldehyde No data available.

Ethanol No data available.

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1

Label(s): –

Packing Group: II

Marine Pollutant: No

Environmental Hazards: No

Marine Pollutant No

Special precautions for user: Not regulated.

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2

Label(s): –

EmS No.: –

Packing Group: –

Environmental Hazards: No

Marine Pollutant No

Special precautions for user: Not regulated.



IATA

| | |
|-------------------------------|---------------------|
| UN Number: | UN 1950 |
| Proper Shipping Name: | Aerosols, flammable |
| Transport Hazard Class(es): | |
| Class: | 2.1 |
| Label(s): | – |
| Packing Group: | – |
| Environmental Hazards: | No |
| Marine Pollutant | No |
| Special precautions for user: | Not regulated. |

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)
 None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|---|----------------------------|
| 2-Propanone | lbs. 5000 |
| Propane | lbs. 100 |
| Butane | lbs. 100 |
| Ethanol | lbs. 100 |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | lbs. 1000 |
| 2,3-Butanedione | lbs. 100 |
| Ethanol, 2,2'-iminobis- | lbs. 100 |

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

- Fire Hazard
- Immediate (Acute) Health Hazards
- Flammable aerosol
- Serious Eye Damage/Eye Irritation
- Specific Target Organ Toxicity - Single Exposure

SARA 302 Extremely Hazardous Substance

| <u>Chemical Identity</u> | <u>Reportable quantity</u> | <u>Threshold Planning Quantity</u> |
|--------------------------|----------------------------|------------------------------------|
| 2-Propanone | | |

SARA 304 Emergency Release Notification

| <u>Chemical Identity</u> | <u>Reportable quantity</u> |
|---|----------------------------|
| 2-Propanone | lbs. 5000 |
| Propane | lbs. 100 |
| Butane | lbs. 100 |
| Ethanol | lbs. 100 |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | lbs. 1000 |
| 2,3-Butanedione | lbs. 100 |
| Ethanol, 2,2'-iminobis- | lbs. 100 |



SARA 311/312 Hazardous Chemical

| <u>Chemical Identity</u> | <u>Threshold Planning Quantity</u> |
|---|------------------------------------|
| 2-Propanone | 10000 lbs |
| Propane | 10000 lbs |
| Butane | 10000 lbs |
| 2H-1-Benzopyran-2-one | 10000 lbs |
| 1,3-Benzodioxole-5-carboxaldehyde | 10000 lbs |
| Ethanol | 10000 lbs |
| Ethanol, 2,2',2''-nitrotris- | 10000 lbs |
| 1,2-Benzenedicarboxylic acid, 1,2-diethyl ester | 10000 lbs |
| 2,3-Butanedione | 10000 lbs |
| Ethanol, 2,2'-iminobis- | 10000 lbs |

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

Ethanol, 2,2'-iminobis- Carcinogenic. 07 2012

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

2-Propanone
Propane
Butane
Ethanol

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

2-Propanone
Propane
Butane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable



Inventory Status:

| | |
|--|--|
| Australia AICS: | Not in compliance with the inventory. |
| Canada DSL Inventory List: | On or in compliance with the inventory |
| EINECS, ELINCS or NLP: | Not in compliance with the inventory. |
| Japan (ENCS) List: | Not in compliance with the inventory. |
| China Inv. Existing Chemical Substances: | Not in compliance with the inventory. |
| Korea Existing Chemicals Inv. (KECI): | Not in compliance with the inventory. |
| Canada NDSL Inventory: | Not in compliance with the inventory. |
| Philippines PICCS: | Not in compliance with the inventory. |
| US TSCA Inventory: | On or in compliance with the inventory |
| New Zealand Inventory of Chemicals: | Not in compliance with the inventory. |
| Japan ISHL Listing: | Not in compliance with the inventory. |
| Japan Pharmacopoeia Listing: | Not in compliance with the inventory. |
| Mexico INSQ: | Not in compliance with the inventory. |
| Ontario Inventory: | Not in compliance with the inventory. |
| Taiwan Chemical Substance Inventory: | Not in compliance with the inventory. |

16. Other information, including date of preparation or last revision

| | |
|------------------------------|---|
| Issue Date: | 09/30/2019 |
| Revision Information: | No data available. |
| Version #: | 1.0 |
| Further Information: | No data available. |
| Disclaimer: | This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment. |