

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number 163-002

Product name Fresh Linen Air Freshener & Deodorizer

Effective date 24-Feb-2011

Company information Claire Manufacturing Co.

1005 S. Westgate Drive

Addison, IL 60101 United States

Company phone General Assistance 630-543-7600

Emergency telephone US 800-424-9300 Emergency telephone outside US 703-527-3887

Version # 05

Supersedes date 09-Apr-2010

2. Hazards Identification

Emergency overview FLAMMABLE

Aerosol. CONTENTS UNDER PRESSURE. Will be easily ignited by heat, spark or

flames. Prolonged exposure may cause chronic effects.

Potential health effects

Routes of exposure Skin contact. Ingestion.

Eyes Contact with eyes may cause irritation.

Skin Prolonged or repeated contact can result in defatting and drying of the skin which may

result in skin irritation and dermatitis (rash).

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Prolonged inhalation may be harmful.

Ingestion Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage.

Components of the product may be absorbed into the body by ingestion.

Target organs Lungs

Chronic effects May cause delayed lung damage. Prolonged skin contact may defat the skin and

produce dermatitis.

Signs and symptoms Discomfort in the chest. Defatting of the skin. Irritation.

3. Composition / Information on Ingredients

Components	CAS#	Percent
Acetone	67-64-1	60 - 70
Propane	74-98-6	15 - 20
n-Butane	106-97-8	10 - 15
Non-hazardous and other components below reportable levels		1 - 2.5

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops or persists.

Skin contact Immediately take off all contaminated clothing. Wash off with warm water and soap. Get

medical attention if irritation develops or persists.

Inhalation Move to fresh air. If symptoms persist, get medical attention.

Ingestion Have victim rinse mouth thoroughly with water. If vomiting occurs naturally, have victim

lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. In the unlikely

event of swallowing contact a physician or poison control center.

Product name: Fresh Linen Air Freshener & Deodorizer

Product #: 163-002 Revision date: 24-FEB-2011 Print date: 24-FEB-2011

5. Fire Fighting Measures

Flammable properties

Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may cause fire or explosion hazard.

Extinguishing media

Suitable extinguishing media

Protection of firefighters

Protective equipment and precautions for firefighters Alcohol foam. Dry chemical. Carbon dioxide (CO2). Do not use water jet.

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor nozzles; if this is impossible, withdraw from area and let fire burn.

6. Accidental Release Measures

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Do not smoke while using or until sprayed surface is thoroughly dry. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.

Storage

Level 3 Aerosol.

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Do not handle or store near an open flame, heat or other sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Level 3 Aerosol. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

8. Exposure Controls / Personal Protection

Exposure limits

۸	CCIL	

Components	CAS#	TWA	STEL	Ceiling
Acetone	67-64-1	500 ppm	750 ppm	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
n-Butane	106-97-8	1000 ppm	Not established	Not established

OSHA

Components	CAS#	TWA	STEL	Ceiling
Acetone	67-64-1	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established

Personal protective equipment

Skin protection Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant

clothing.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

Revision date: 24-FEB-2011 Print date: 24-FEB-2011 2/5 Product #: 163-002

9. Physical & Chemical Properties

Compressed liquefied gas. **Appearance Boiling point** 77 °F (25 °C) estimated

Color clear colorless

0.6943 g/cm3 estimated **Density** Flammability (HOC) 32.53 kJ/g estimated

Flash back

Flash point -156 °F (-104.4 °C) estimated

Liquid. Aerosol. Form Not available Freezing point Characteristic. Odor Not applicable рH

Physical state Liquid.

50 - 60 psig @70°F **Pressure**

Solubility Completely Specific gravity 0.6944 estimated

10. Chemical Stability & Reactivity Information

Risk of ignition. **Chemical stability**

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological Information

Acute effects Acute LD50: 29401 mg/kg estimated, Rat, Dermal

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

Acetone 67-64-1 Oral LD50 Rat 5800 mg/kg n-Butane 106-97-8 Inhalation LC50 Rat 658 mg/L 4 h Propane 74-98-6 Inhalation LC50 Rat 658 mg/L 4 h Sensitization Not expected to be hazardous by OSHA criteria. **Teratogenicity** Not expected to be hazardous by OSHA criteria.

12. Ecological Information

LC50 8121 mg/L, Fish, 96.00 Hours, **Ecotoxicity**

EC50 19781 mg/L, Daphnia, 48.00 Hours,

Components of this product have been identified as having potential environmental

concerns.

13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

Disposal instructions Contents under pressure. Dispose of this material and its container at hazardous or special waste collection point. Do not incinerate sealed containers. Do not allow this

material to drain into sewers/water supplies. If discarded, this product is considered a

RCRA ignitable waste, D001.

Product name: Fresh Linen Air Freshener & Deodorizer MSDS US 3/5

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name Consumer commodity

Hazard class ORM-D Subsidiary hazard class None

Additional information:

Packaging exceptions 156, 306 Packaging non bulk 156, 306 Packaging bulk None

IMDG

Basic shipping requirements:

Proper shipping name **AEROSOLS**

Hazard class 2.1 **UN** number 1950

Additional information:

LTD QTY Packaging exceptions None Labels required



Basic shipping requirements:

Proper shipping name Aerosols, flammable

Hazard class 2.1 1950 **UN number**

Additional information:

LTD QTY Packaging exceptions 2.1 Labels required





15. Regulatory Information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

Yes

CERCLA (Superfund) reportable quantity

Acetone: 5000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely No

hazardous substance

Section 311 hazardous chemical Yes

Hazard categories (311/312) Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

4/5 Product #: 163-002 Revision date: 24-FEB-2011 Print date: 24-FEB-2011

Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of New and Existing Chemicals (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

Acetone 67-64-1 Environmental hazard

n-Butane 106-97-8 Present 74-98-6 Propane Present

16. Other Information

HMIS® is a registered trade and service mark of the NPCA. **Further information**

HMIS® ratings Flammability: 4

Physical hazard: 0

The information provided in this Safety Data Sheet is correct to the best of our **Disclaimer**

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

MSDS sections updated Product and Company Identification: Product Review

Regulatory Compliance Prepared by

MSDS US Product #: 163-002 Revision date: 24-FEB-2011 Print date: 24-FEB-2011