

## MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

813-002 Product number

**Product name Chewing Gum Remover** 

Effective date 26-Mar-2013

Company information Claire Manufacturing Co.

1005 S. Westgate Drive

Addison, IL 60101 United States

General Assistance 1-630-543-7600 Company phone

**Emergency telephone US** 1-866-836-8855 **Emergency telephone outside US** 1-952-852-4646

Version # 09

16-Apr-2012 Supersedes date

#### 2. Hazards Identification

Aerosol, FLAMMABLE **Emergency overview** 

CONTENTS UNDER PRESSURE.

Will be easily ignited by heat, spark or flames.

Potential health effects

Eye contact. Skin contact. Ingestion. Routes of exposure **Eves** Contact with eyes may cause irritation.

Skin Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis.

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage. Ingestion

Components of the product may be absorbed into the body by ingestion.

Central nervous system. Lungs. **Target organs** 

**Chronic effects** Unconsciousness. Conjunctiva. Cyanosis (blue tissue condition, nails, lips, and/or skin).

May cause central nervous system disorder (e.g., narcosis involving a loss of

coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. Frequent or prolonged contact may defat and dry the skin, leading to discomfort and

dermatitis. May cause delayed lung injury.

Discomfort in the chest. Narcosis. Cyanosis (blue tissue condition, nails, lips, and/or Signs and symptoms

skin). Coughing. Conjunctivitis. Defatting of the skin. Skin irritation.

## 3. Composition / Information on Ingredients

Components	CAS#	Percent
n-Butane	106-97-8	60 - 70
Propane	74-98-6	20 - 30
Ethyl Alcohol	64-17-5	8 - 10
Non-hazardous and other components below reportable levels		0.0001 - 0.1

## 4. First Aid Measures

First aid procedures

Immediately flush eyes with plenty of water for at least 15 minutes. If a contact lens is Eye contact

present, DO NOT delay irrigation or attempt to remove the lens. Continue rinsing. Get

medical attention if irritation develops and persists.

Remove and isolate contaminated clothing and shoes. Wash off with warm water and Skin contact

soap. Get medical attention if irritation develops and persists. For minor skin contact,

avoid spreading material on unaffected skin.

If symptoms develop move victim to fresh air. Oxygen or artificial respiration if needed. Inhalation

Do not use mouth-to-mouth method if victim inhaled the substance. Get medical

attention, if needed.

Product name: Chewing Gum Remover MSDS US Ingestion

If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Do

not induce vomiting without advice from poison control center. Do not use

mouth-to-mouth method if victim ingested the substance.

Keep victim warm. Keep victim under observation. Symptoms may be delayed. Notes to physician

# 5. Fire Fighting Measures

Flammable properties

Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may

cause fire or explosion hazard.

Extinguishing media

Suitable extinguishing media

**Protection of firefighters** 

Foam. Dry chemical. Carbon dioxide (CO2). Do not use water jet.

Protective equipment and precautions for firefighters

In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up.

#### 6. Accidental Release Measures

Methods for containment

Methods for cleaning up

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the

leak is irreparable. Stop the flow of material, if this is without risk.

Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

# 7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not smoke while using or until sprayed surface is thoroughly dry. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not re-use empty containers. Do not get this material in contact with eyes. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin. Avoid prolonged exposure.

**Storage** 

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Do not handle or store near an open flame, heat or other sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 3 Aerosol.

#### 8. Exposure Controls / Personal Protection

## **Exposure limits**

**ACGIH** 

Components	CAS#	TWA	STEL	Ceiling
n-Butane	106-97-8	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
Ethyl Alcohol	64-17-5	1000 ppm	1000 ppm	Not established

#### **OSHA**

Components	CAS#	TWA	STEL	Ceiling
Propane	74-98-6	1000 ppm	Not established	Not established
Ethyl Alcohol	64-17-5	1000 ppm	Not established	Not established

#### Personal protective equipment

Eye / face protection

Wear safety glasses with side shields (or goggles). Do not get in eyes.

Skin protection

Not normally needed. Chemical resistant gloves.

Respiratory protection

If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

## 9. Physical & Chemical Properties

Compressed liquefied gas. **Appearance Boiling point** 21.2 °F (-6.1 °C) estimated

Product name: Chewing Gum Remover MSDS US Color clear colorless

**Density** 0.5699 g/cm3 estimated **Flammability (HOC)** 41.9597 kJ/g estimated

Flash back Yes

Flash point -156 °F (-104.4 °C) Propellant

Form Liquid.
Freezing point Not available

**Odor** fruity

**pH** Not applicable

Physical state Liquid.

**Pressure** 60 - 70 psig @ 70F

Solubility Partially
Specific gravity 0.57 estimated

## 10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition products No hazardous decomposition products are known.

## 11. Toxicological Information

#### Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

Ethyl Alcohol 64-17-5 Oral LD50 Rat 7060 mg/kg; Inhalation LC50 Rat 124.7 mg/L 4 h

n-Butane 106-97-8 Inhalation LC50 Rat 658 mg/L 4 h
Propane 74-98-6 Inhalation LC50 Rat 658 mg/L 4 h

Sensitization Not expected to be hazardous by OSHA criteria.

Carcinogenicity

IARC - Group 1 (Carcinogenic to Humans)

Ethyl Alcohol 64-17-5 Monograph 100E [2012] (in alcoholic beverages); Monograph 96 [2010] (in alcoholic

beverages)

**Teratogenicity** Not expected to be hazardous by OSHA criteria.

## 12. Ecological Information

**Ecotoxicity** Ecological injuries are not known or expected under normal use.

#### 13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

**Disposal instructions**Contents under pressure. Do not puncture, incinerate or crush. Dispose of this material and its container to hazardous or special waste collection point. If discarded, this product

and its container to hazardous or special waste collection point. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable

regulations.

#### 14. Transport Information

#### **Department of Transportation (DOT) Requirements**

Basic shipping requirements:

Proper shipping nameAerosolsHazard class2.1UN numberUN1950

Additional information:

Special provisions153, N82Packaging exceptionsLTD QTYPackaging non bulkNonePackaging bulkNone



Product name: Chewing Gum Remover

**Further information** This product meets the exception requirements of section 173.306 as a limited quantity

and may be shipped as a limited quantity. Until 12/31/2013, the "Consumer Commodity -ORM-D" marking may still be used in place of the new limited quantity diamond mark for packages of UN 1950 Aerosols. Limited quantities require the limited quantity diamond mark on cartons after 12/31/13 and may be used now in place of the "Consumer

Commodity ORM-D" marking and both may be displayed concurrently.

#### **IMDG**

Basic shipping requirements:

Proper shipping name **AEROSOLS** 

**Hazard class** 2.1 1950 **UN** number

Additional information:

LTD QTY Packaging exceptions 5F Labels required None **Transport Category** 2



#### **IATA**

Basic shipping requirements:

Proper shipping name Aerosols, flammable

2.1 **Hazard class UN** number 1950

Additional information:

Packaging exceptions LTD QTY Labels required 2.1



## 15. Regulatory Information

OSHA Process Safety Standard: This material is not known to be hazardous by the **US federal regulations** 

OSHA Highly Hazardous Process Safety Standard, 29 CFR 1910.119.

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

CERCLA/SARA Hazardous Substances - Not applicable.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

Yes

**CERCLA (Superfund) reportable quantity** 

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Immediate Hazard - Yes Hazard categories (311/312)

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

## Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

MSDS US Product #: 813-002 Revision date: 26-MAR-2013 Print date: 26-MAR-2013

#### State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

Ethyl Alcohol 64-17-5 Present n-Butane 106-97-8 Present Propane 74-98-6 Present

#### 16. Other Information

HMIS® is a registered trade and service mark of the NPCA. **Further information** 

**HMIS®** ratings Health: 1

Flammability: 4 Physical hazard: 0

The information provided in this Safety Data Sheet is correct to the best of our Disclaimer

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and

experience currently available.

Product and Company Identification: Product Review MSDS sections updated

Transport Information: Further information

Prepared by Regulatory Compliance

Product name: Chewing Gum Remover MSDS US