

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number 961-003

Product name Peni-Lube Penetrating Oil

Effective date 26-Jul-2011

Company information Claire Manufacturing Co.

1005 S. Westgate Drive

Addison, IL 60101 United States

Company phone General Assistance 630-543-7600

Emergency telephone US 800-424-9300 Emergency telephone outside US 703-527-3887

Version # 11

Supersedes date 01-Mar-2011

2. Hazards Identification

Emergency overview Aerosol. FLAMMABLE

CONTENTS UNDER PRESSURE.

Will be easily ignited by heat, spark or flames. Contact with this material can cause irritation to the skin, eyes and mucous membranes. May be harmful if absorbed through

skin. Prolonged exposure may cause chronic effects.

Potential health effects

Routes of exposure Eye contact. Skin contact. Ingestion.

Eyes Contact may irritate or burn eyes. Health injuries are not known or expected under

normal use.

Skin May be harmful if absorbed through skin. Prolonged or repeated contact can result in

defatting and drying of the skin which may result in skin irritation and dermatitis (rash).

Inhalation Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

Inhalation of aerosol may cause irritation to the upper respiratory tract. Prolonged

inhalation may be harmful.

Ingestion Exposure by ingestion of an aerosol is unlikely. Ingestion may cause gastrointestinal

irritation, nausea, vomiting and diarrhea. Risk of serious damage to the lungs (by aspiration). Components of the product may be absorbed into the body by ingestion.

Target organs Kidneys.

2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged and may cause blood damage. These effects have not been

observed in humans.

Blood. Central nervous system. Liver. Lungs.

Chronic effects Unconsciousness. Cyanosis (blue tissue condition, nails, lips, and/or skin). May be

harmful if absorbed through skin. Liver injury may occur. Kidney injury may occur. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion and blurred vision) and/or damage. None known.

May cause delayed lung injury.

Signs and symptoms Discomfort in the chest. Narcosis. Cyanosis (blue tissue condition, nails, lips, and/or

skin). Coughing. Liver enlargement. Jaundice.

3. Composition / Information on Ingredients

Components	CAS#	Percent
Paraffinic, Naphthenic Solvent	64742-47-8	50 - 60
Propane	74-98-6	8 - 10
2-Butoxyethanol	111-76-2	8 - 10
Non-hazardous and other components below reportable levels		20 - 40

Product name: Peni-Lube Penetrating Oil MSDS US

Product #: 961-003 Revision date: 26-JUL-2011 Print date: 26-JUL-2011

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention

if irritation develops and persists.

Skin contact Immediately flush skin with plenty of water. Remove and isolate contaminated clothing

and shoes. Get medical attention if irritation develops and persists. For minor skin contact, avoid spreading material on unaffected skin. Wash clothing separately before

reuse.

Inhalation Move to fresh air. Get medical attention if symptoms persist.

Ingestion Never give anything by mouth to a victim who is unconscious or is having convulsions.

Do not induce vomiting without advice from poison control center. Do not use

mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Notes to physician Symptoms may be delayed.

5. Fire Fighting Measures

Flammable properties Vapor or gas may spread to distant ignition sources and flash back. Runoff to sewer may

cause fire or explosion hazard.

Extinguishing media

Suitable extinguishing media

Protection of firefighters

Specific hazards arising from

the chemical

Protective equipment and precautions for firefighters

Water. Water spray. Water fog. Alcohol foam. Dry chemical. Carbon dioxide (CO2).

Fire may produce irritating, corrosive and/or toxic gases.

In case of fire and/or explosion do not breathe fumes. Containers should be cooled with water to prevent vapor pressure build up. Cool containers with flooding quantities of water until well after fire is out.

6. Accidental Release Measures

Methods for containment Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the

leak is irreparable. Stop the flow of material, if this is without risk. Use water spray to

reduce vapors or divert vapor cloud drift.

Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later

disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. After removal flush contaminated area

thoroughly with water.

7. Handling and Storage

Handling Pressurized container: Do not pierce or burn, even after use. Do not smoke while using

or until sprayed surface is thoroughly dry. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not re-use empty containers. Do not get this material in contact with skin. Avoid prolonged

exposure.

Storage Store locked up. Contents under pressure. Do not puncture, incinerate or crush. The

pressure in sealed containers can increase under the influence of heat. Do not handle or store near an open flame, heat or other sources of ignition. Avoid exposure to long periods of sunlight. Store in cool place. Keep in an area equipped with sprinklers. Keep out of the reach of children. Keep away from food, drink and animal feedingstuffs. Level 3

Aerosol.

8. Exposure Controls / Personal Protection

Exposure limits

ACGIH

Components	CAS#	TWA	STEL	Ceiling
Propane	74-98-6	1000 ppm	Not established	Not established
2-Butoxyethanol	111-76-2	20 ppm	Not established	Not established

Product name: Peni-Lube Penetrating Oil MSDS US

OSHA

Components	CAS#	TWA	STEL	Ceiling
Propane	74-98-6	1000 ppm	Not established	Not established
2-Butoxyethanol	111-76-2	50 ppm	Not established	Not established

Personal protective equipment

Skin protection Wear appropriate chemical resistant clothing. Wear chemical protective equipment that

is specifically recommended by the manufacturer.

Wear positive pressure self-contained breathing apparatus (SCBA). If permissible levels Respiratory protection

are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied

respirator.

9. Physical & Chemical Properties

Appearance Compressed liquefied gas. **Boiling point** 332.6 °F (167.2 °C) estimated

Dark brown. Color

0.7769 g/cm3 estimated Density Flammability (HOC) 37.9966 kJ/g estimated

Flash back Yes

-156 °F (-104.4 °C) Propellant Flash point

Form Aerosol. Freezing point Not available Odor odourless Not applicable pН

Physical state Liquid.

Pressure 38 - 48 psig @70F

Solubility Negligible Specific gravity 0.777 estimated

10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition.

Conditions to avoid Heat, flames and sparks.

No hazardous decomposition products are known. Hazardous decomposition products

11. Toxicological Information

Acute effects Acute LD50: 1387 mg/kg estimated, Rat, Dermal

Component analysis - LD50

Toxicology Data - Selected LD50s and LC50s

Inhalation LC50 Rat 2.21 mg/L 4 h; Inhalation LC50 Rat 450 ppm 4 h; Oral LD50 Rat 2-Butoxyethanol 111-76-2

470 mg/kg; Dermal LD50 Rat 2270 mg/kg; Dermal LD50 Rabbit 220 mg/kg Paraffinic, Naphthenic Solvent 64742-47-8

Inhalation LC50 Rat >5.2 mg/L 4 h; Oral LD50 Rat >5000 mg/kg; Dermal LD50

Rabbit >2000 mg/kg

74-98-6 Inhalation LC50 Rat 658 mg/L 4 h Propane Not expected to be hazardous by OSHA criteria. Sensitization Not expected to be hazardous by OSHA criteria. **Teratogenicity**

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

LC50 78.96 mg/L, Fish, 96.00 Hours, EC50 7019 mg/L, Daphnia, 48.00 Hours, The product itself has not been tested.

13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

Product name: Peni-Lube Penetrating Oil MSDS US Contents under pressure. Dispose of this material and its container to hazardous or special waste collection point. Do not incinerate sealed containers. If discarded, this product is considered a RCRA ignitable waste, D001.

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name Consumer commodity

ORM-D **Hazard class** Subsidiary hazard class None

Additional information:

156, 306 Packaging exceptions Packaging non bulk 156, 306 Packaging bulk None

IMDG

Basic shipping requirements:

Proper shipping name **AEROSOLS**

Hazard class 2.1 1950 **UN number**

Additional information:

LTD QTY **Packaging exceptions** 5F Item Labels required None 2 **Transport Category**



Basic shipping requirements:

Proper shipping name Aerosols, flammable

Hazard class 2.1 1950 **UN number**

Additional information:

Packaging exceptions LTD QTY Labels required 2.1





15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910,1200.

CERCLA/SARA Hazardous Substances - Not applicable.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

111-76-2 1.0 % de minimis concentration (applies to R-(OCH2CH2)n-OR', where n = 1,2, or 3, 2-Butoxyethanol

R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or

sulfonate, Chemical Category N230)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous Yes

chemical

CERCLA (Superfund) reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

MSDS US Product #: 961-003 Revision date: 26-JUL-2011 Print date: 26-JUL-2011

Hazard categories (311/312) Immediate Hazard - Yes

> Delayed Hazard - Yes Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Inventory status

On inventory (yes/no)* Country(s) or region Inventory name China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe European Inventory of New and Existing Chemicals (EINECS) Yes Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

2-Butoxvethanol 111-76-2 Present Paraffinic, Naphthenic Solvent 64742-47-8 Present 74-98-6 Propane Present

16. Other Information

HMIS® is a registered trade and service mark of the NPCA. **Further information**

Health: 1* **HMIS®** ratings Flammability: 4 Physical hazard: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication, The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification, The information relates only to the specific material designated and

may not be valid for such material used in combination with any other materials or in any

process, unless specified in the text.

MSDS sections updated Product and Company Identification: Product Review

Revision date: 26-JUL-2011 Print date: 26-JUL-2011

Composition / Information on Ingredients: Ingredients

Physical & Chemical Properties: Physical & Chemical Properties

Regulatory Compliance Prepared by

MSDS US

Product #: 961-003