CLUHUX	

The Clorox Company 1221 Broadway Oakland, CA 94612 Tel. (510) 271-7000

## Material Safety Data Sheet

I Product: CLOROX AU	TOMATIC TOILET B	OWL CLEANER I			
Description: WHITE TABL	ET WITH CHLORING	EODOR			
Other Designations	Distributor		Emergency Telephone Nos.		
EPA Reg. No. 5813-65	Clorox Sales Company 1221 Broadway Oakland, CA 94612		For Medical Emergencies call: (800) 446-1014 For Transportation Emergencies Chemtrec (800) 424-9300		
II Health Hazard Data		III Hazardous	Ingredients		
Direct contact with eyes may cause irreversible damage. Harmful if swallowed. Direct contact with mucous membranes may cause severe irritation or irreversible damage. Severe skin irritant. Prolonged contact with skin may cause irreversible damage. Animal ingestion studies in several species, at high doses, indicate that borates cause reproductive and		Ingredient Bromochloro-5,5- dimethylhydantoin C.AS # 126-06-7	<u>Concentration</u> 51%	Worker Exposure Limit Not established.	
developmental effects. A human study of occupational exp dust showed no adverse effect on reproduction.		1,3-Dichloro-5,5- dim ethylhydantoin CAS # 118-52-5	23.3%	0.2 mg/m <sup>3</sup> - TLV-TVVA <sup>a</sup> 0.4 mg/m <sup>3</sup> - TLV-STEL <sup>b</sup>	
No medical conditions are known to be aggravated by exp product. <u>FIRST AID</u> :	osuretotnis	1,3-Dichloro-5-ethyl-5 methylhydantoin CAS # 89415-87-2	5- 9.0%	Nct established.	
EVE CONTACT: Flush eyes immediately with water for a then call a physician.	t least 15 minutes;	Boric Acid CAS #10043-35-3	10-20%	10 mg/m <sup>3</sup> – TLV-TVVA 15 mg/m <sup>3</sup> -PEL <sup>c</sup> (pdaloust) 5 mg/m <sup>3</sup> -PEL <sup>c</sup> (respirable dust)	
INGESTION: Rinse mouth, and drink a glassful of water. vomiting. Call a physician.	Do not induce	<sup>°</sup> PEL = OSHA Permissible Exposure Limit			
SKIN_CONTACT: Wash skin immediately with water for 1 call a physician.	S minutes; then	<sup>a</sup> TLV-TVVA = ACGIH Threshold Limit Value - Time Weighted Average. <sup>b</sup> TLV-STEL = ACGIH Threshold Limit Value - Short-Term Exposure Limit.			
INHALATION: Remove to fresh air. If irritation or breathing problems persist, call a physician.					
		carcinogen lists.			
		V Transportation and Regulatory Data			
Hygienic Practices: Wash hands after direct contact. Do contaminated clothing for prolonged periods.	not wear product-	<u>DOT Proper Shipping Name</u> : Consumer Commodity ORM-D. IMO Proper Shipping Name: Dangerous goods in limited quantities of Class			
Engineering Controls:Not normally required if product us used as directed.5.1.However, if handling of product produces dust, local exhaust may be necessary.IAT.APersonal Protective Equipment:Wear safety glasses or goggles and rubber gloves. Respiratory equipment is not normally required if product is used as directed. However, if handling of product produces dust, respiratory equipment may be necessary.5.1.					
		Group II.			
		EPA - SARA Title III/CERCLA: This product is a hazardous chemical reportable under Sections 311/312; contains no chemicals regulated under Section 313; and contains no chemicals which are regulated under Section 304/CERCLA.			
VI Spill Procedures/Waste Disposal		VII Reactivity	/II Reactivity Data		
Spill Procedures: Wear appropriate protective gear and re protection. Sweep up material and place in a compatible disposal. Since material is toxic to fish, do not discharge i ponds or public water unless in accordance with NPDES p	container for nto lakes, streams,	rust remiovers, acids, hazardous gases, su	other household chemicals such as acid toilet bowl deaners, rs, acids, vinegar, and ammonia-containing products to produce jases, such as chlorine/bromine and other prominated compounds. Avoid contact with strong alkalis.		
<u>Waste Disposal</u> : Dispose of in accordance with all applica and local regulations.	able federal, state,	Material is an oxidizer. Avoid contact with readily-oxidizable materials. Stable under normal use and storage conditions.			
			_		
VIII Fire and Explosion Data		IX Physical D		*-	
Not flammable or explosive. Decomposes at 165 C. Do i fire extinguishers with fires involving this product.	not use ABC-type	Density (a granule)		0.77gr/cc	