




# SAFETY DATA SHEET

## 1. Identification

|   |   |
|---|---|
| <b>Product identifier</b>                                     | <b>Lecithin Mold Release</b>                      |
| <b>Other means of identification</b>                          |   |
| <b>Product code</b>   | 03306   |
| <b>Recommended use</b>  | Mold release                                      |
| <b>Recommended restrictions</b>                               | None known.                                       |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |   |
| <b>Manufactured or sold by:</b>                               |   |
| <b>Company name</b>   | CRC Industries, Inc.                              |
| <b>Address</b>  | 885 Louis Dr.<br>Warminster, PA 18974 US          |
| <b>Telephone</b>  |   |
| <b>General Information</b>                                    | 215-674-4300                                      |
| <b>Technical Assistance</b>                                   | 800-521-3168                                      |
| <b>Customer Service</b>                                       | 800-272-4620                                      |
| <b>24-Hour Emergency (CHEMTREC)</b>                           | 800-424-9300 (US)<br>703-527-3887 (International) |
| <b>Website</b>  | www.crcindustries.com                             |

## 2. Hazard(s) identification

|                              |   |   |
|------------------------------|---|---|
| <b>Physical hazards</b>      | Flammable aerosols  | Category 2                              |
|                              | Gases under pressure  | Liquefied gas                           |
| <b>Health hazards</b>        | Skin corrosion/irritation   | Category 2                              |
|                              | Serious eye damage/eye irritation   | Category 2                              |
|                              | Carcinogenicity   | Category 1B                             |
|                              | Reproductive toxicity   | Category 1B                             |
|                              | Specific target organ toxicity, single exposure                                     | Category 3 respiratory tract irritation |
|                              | Specific target organ toxicity, single exposure                                     | Category 3 narcotic effects             |
|                              | Specific target organ toxicity, repeated exposure                                   | Category 2                              |
| <b>Environmental hazards</b> | Hazardous to the aquatic environment, long-term hazard                              | Category 3                              |
| <b>OSHA defined hazards</b>  | Not classified.   |   |
| <b>Label elements</b>        |  |   |

**Signal word**

Danger

**Hazard statement**

Flammable aerosol. Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness. May cause cancer. May damage fertility or the unborn child. May cause damage to organs (liver, kidneys, nervous system) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.

## Precautionary statement

### Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Do not breathe gas. Do not breathe mist or vapor. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Avoid release to the environment.

### Response

If on skin: Wash with plenty of water. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. If exposed or concerned: Get medical attention.

### Storage

Store in a well-ventilated place. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Exposure to high temperature may cause can to burst.

### Disposal

Dispose of contents/container in accordance with local/regional/national regulations.

### Hazard(s) not otherwise classified (HNOC)

None known.

### Supplemental information

When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide.

## 3. Composition/information on ingredients

### Mixtures

| Chemical name  | Common name and synonyms | CAS number | %       |
|--|--------------------------|------------|---------|
| Dimethyl ether   |                          | 115-10-6   | 60 - 70 |
| n-Propyl bromide   |                          | 106-94-5   | 20 - 30 |
| Lecithins Polymers With Glycerol,<br>Oiticica Oil, Phthalic Anhydride And<br>Soybean Oil |                          | 68910-52-1 | 3 - 5   |

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

## 4. First-aid measures

|  |  |
|--|--|
| Inhalation   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.  |
| Skin contact   | Remove contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.  |
| Eye contact  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.  |
| Ingestion  | Do not induce vomiting. Give 1-2 glasses of water or milk and call a physician or poison control center immediately. Never give anything by mouth to a victim who is unconscious or is having convulsions.   |
| Most important symptoms/effects, acute and delayed                     | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects. |
| Indication of immediate medical attention and special treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.   |
| General information  | IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.   |

## 5. Fire-fighting measures

|                                |  |
|--------------------------------|--|
| Suitable extinguishing media   | Foam. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | Not established.                                 |

|  |  |
|--|--|
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure. Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide. |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.   |
| <b>Fire-fighting equipment/instructions</b>                          | In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.  |
| <b>General fire hazards</b>  | Flammable aerosol. Contents under pressure. Pressurized container may rupture when exposed to heat or flame.   |

## 6. Accidental release measures

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not breathe gas. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
| <b>Methods and materials for containment and cleaning up</b>               | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. The product is immiscible with water and will spread on the water surface. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Prevent entry into waterways, sewer, basements or confined areas.   |
| <b>Environmental precautions</b>   | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.  |

## 7. Handling and storage

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Do not breathe mist or vapor. Do not breathe gas. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices. For product usage instructions, please see the product label. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Level 2 Aerosol.<br><br>Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).  |

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. ACGIH Threshold Limit Values

| Components                      | Type | Value   |
|---------------------------------|------|---------|
| n-Propyl bromide (CAS 106-94-5) | TWA  | 0.1 ppm |

#### US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

| Components                    | Type | Value      |
|-------------------------------|------|------------|
| Dimethyl ether (CAS 115-10-6) | TWA  | 1880 mg/m3 |
|                               |      | 1000 ppm   |

|                                |  |
|--------------------------------|--|
| <b>Biological limit values</b> | No biological exposure limits noted for the ingredient(s). |
|--------------------------------|--|

## Exposure guidelines

### US - California OELs: Skin designation

n-Propyl bromide (CAS 106-94-5)

Can be absorbed through the skin.

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses with side shields (or goggles).

#### Skin protection

##### Hand protection

Wear protective gloves such as: Viton®. Silver Shield®

##### Other

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

#### Respiratory protection

Use a NIOSH-approved cartridge respirator with an organic vapor cartridge unless exposure is below the TLV. Air monitoring is needed to determine actual employee exposure levels. Use a self-contained breathing apparatus in confined spaces and for emergencies.

#### Thermal hazards

Wear appropriate thermal protective clothing, when necessary.

### General hygiene considerations

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

---

### Appearance

#### Physical state

Liquid.

#### Form

Aerosol.

#### Color

Colorless.

### Odor

Slight.

### Odor threshold

Not available.

### pH

Not available.

### Melting point/freezing point

< -50 °F (< -45.6 °C)

### Initial boiling point and boiling range

159.8 °F (71 °C) estimated

### Flash point

Not available.

### Evaporation rate

Not available.

### Flammability (solid, gas)

Not available.

### Upper/lower flammability or explosive limits

#### Flammability limit - lower (%)

4.6 %

#### Flammability limit - upper (%)

8.5 %

### Vapor pressure

139 mm Hg (70 °F (21.11 °C))

### Vapor density

Not available.

### Relative density

0.78

### Solubility (water)

Insoluble.

### Partition coefficient (n-octanol/water)

Not available.

### Auto-ignition temperature

914 °F (490 °C) estimated

### Decomposition temperature

Not available.

### Viscosity (kinematic)

Not available.

### Percent volatile

97 %

## 10. Stability and reactivity

---

### Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

### Chemical stability

Material is stable under normal conditions.

|   |  |
|---|--|
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.  |
| <b>Conditions to avoid</b>                | Heat, flames and sparks. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen bromide. Contact with incompatible materials. |
| <b>Incompatible materials</b>             | Alkaline earth metals. Bases. Powdered metal. Oxidizing agents. Natural rubber.  |
| <b>Hazardous decomposition products</b>   | Hydrogen bromide. Carbon oxides.   |

## 11. Toxicological information

### Information on likely routes of exposure

|   |  |
|---|--|
| <b>Ingestion</b>  | Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.  |
| <b>Inhalation</b>   | May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting. May cause irritation to the respiratory system. Prolonged inhalation may be harmful.                |
| <b>Skin contact</b>   | Causes skin irritation.  |
| <b>Eye contact</b>  | Causes serious eye irritation.   |
| <b>Symptoms related to the physical, chemical and toxicological characteristics</b> | May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause respiratory irritation. Skin irritation. May cause redness and pain. |

### Information on toxicological effects

|                       |   |
|-----------------------|---|
| <b>Acute toxicity</b> | Narcotic effects. May cause respiratory irritation. |
|-----------------------|---|

| Product               | Species | Test Results                     |
|-----------------------|---------|----------------------------------|
| Lecithin Mold Release |         |                                  |
| <b>Acute</b>          |         |                                  |
| <i>Dermal</i>         |         |                                  |
| LD50                  | Rabbit  | 6872.8521 mg/kg estimated        |
| <i>Inhalation</i>     |         |                                  |
| LC50                  | Rat     | 454.3446 mg/l, 4 Hours estimated |
| <i>Oral</i>           |         |                                  |
| LD50                  | Rat     | 14639.1748 mg/kg estimated       |

\* Estimates for product may be based on additional component data not shown.

|  |  |
|--|--|
| <b>Skin corrosion/irritation</b>         | Causes skin irritation.  |
| <b>Serious eye damage/eye irritation</b> | Causes serious eye irritation.   |
| <b>Respiratory sensitization</b>         | Not available.   |
| <b>Skin sensitization</b>                | This product is not expected to cause skin sensitization.  |
| <b>Germ cell mutagenicity</b>            | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |
| <b>Carcinogenicity</b>                   | May cause cancer.  |

### US. National Toxicology Program (NTP) Report on Carcinogens

n-Propyl bromide (CAS 106-94-5) Reasonably Anticipated to be a Human Carcinogen.

|   |   |
|---|---|
| <b>Reproductive toxicity</b>                              | May damage fertility or the unborn child.   |
| <b>Specific target organ toxicity - single exposure</b>   | May cause respiratory irritation. May cause drowsiness and dizziness.                                   |
| <b>Specific target organ toxicity - repeated exposure</b> | May cause damage to organs (liver, kidneys, nervous system) through prolonged or repeated exposure.     |
| <b>Aspiration hazard</b>                                  | Based on available data, the classification criteria are not met.                                       |
| <b>Chronic effects</b>                                    | Prolonged inhalation may be harmful. May cause damage to organs through prolonged or repeated exposure. |

## 12. Ecological information

|                    |  |
|--------------------|--|
| <b>Ecotoxicity</b> | Harmful to aquatic life with long lasting effects. |
|--------------------|--|

| Product                         | Species        | Test Results   |
|---------------------------------|----------------|--|
| Lecithin Mold Release           |                |  |
| <b>Aquatic</b>                  |                |  |
| Fish                            | LC50           | 231.2715 mg/l, 96 hours estimated                        |
| <b>Components</b>               | <b>Species</b> | <b>Test Results</b>                                      |
| n-Propyl bromide (CAS 106-94-5) |                |  |
| <b>Aquatic</b>                  |                |  |
| Fish                            | LC50           | Fathead minnow (Pimephales promelas) 67.3 mg/l, 96 hours |

\* Estimates for product may be based on additional component data not shown.

**Persistence and degradability** No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

**Partition coefficient n-octanol / water (log Kow)**

|                  |     |
|------------------|-----|
| Dimethyl ether   | 0.1 |
| n-Propyl bromide | 2.1 |

**Mobility in soil** No data available.

**Other adverse effects** No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

### 13. Disposal considerations

**Disposal of waste from residues / unused products** This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.

**Hazardous waste code** Not regulated.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

### 14. Transport information

#### DOT

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable, Limited Quantity                                   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Label(s)</b>                     | 2.1   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Special provisions</b>           | N82   |
| <b>Packaging exceptions</b>         | 306   |
| <b>Packaging non bulk</b>           | None  |
| <b>Packaging bulk</b>               | None  |

#### IATA

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | Aerosols, flammable, Limited Quantity                                   |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2.1   |
| <b>Subsidiary risk</b>              | -   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        | No.   |
| <b>ERG Code</b>                     | 10L   |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |
| <b>Other information</b>            |   |
| <b>Passenger and cargo aircraft</b> | Allowed.  |
| <b>Cargo aircraft only</b>          | Allowed.  |

**IMDG**

|                                     |   |
|-------------------------------------|---|
| <b>UN number</b>                    | UN1950  |
| <b>UN proper shipping name</b>      | AEROSOLS, LIMITED QUANTITY  |
| <b>Transport hazard class(es)</b>   |   |
| <b>Class</b>                        | 2   |
| <b>Subsidiary risk</b>              | -   |
| <b>Packing group</b>                | Not applicable.   |
| <b>Environmental hazards</b>        |   |
| <b>Marine pollutant</b>             | No.   |
| <b>EmS</b>                          | Not available.  |
| <b>Special precautions for user</b> | Read safety instructions, SDS and emergency procedures before handling. |

**15. Regulatory information**

---

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.

**TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)**

Not regulated.

**SARA 304 Emergency release notification**

Not regulated.

**US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)**

Not listed.

**US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance**

Not listed.

**CERCLA Hazardous Substance List (40 CFR 302.4)**

Not listed.

**CERCLA Hazardous Substances: Reportable quantity**

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

**Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Not regulated.

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Dimethyl ether (CAS 115-10-6)

**Safe Drinking Water Act (SDWA)** Not regulated.

**Food and Drug Administration (FDA)** Not regulated.

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

|                          |                        |
|--------------------------|------------------------|
| <b>Section 311/312</b>   | Immediate Hazard - Yes |
| <b>Hazard categories</b> | Delayed Hazard - Yes   |
|                          | Fire Hazard - Yes      |
|                          | Pressure Hazard - Yes  |
|                          | Reactivity Hazard - No |

**SARA 302 Extremely hazardous substance** No

**US state regulations**

**US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)**  
Not listed.

**US. New Jersey Worker and Community Right-to-Know Act**

n-Propyl bromide (CAS 106-94-5)  
Dimethyl ether (CAS 115-10-6)

**US. Massachusetts RTK - Substance List**

Dimethyl ether (CAS 115-10-6)  
n-Propyl bromide (CAS 106-94-5)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Dimethyl ether (CAS 115-10-6)



n-Propyl bromide (CAS 106-94-5)

#### US. Rhode Island RTK

Dimethyl ether (CAS 115-10-6)

#### US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

##### US - California Proposition 65 - CRT: Listed date/Developmental toxin

n-Propyl bromide (CAS 106-94-5) Listed: December 7, 2004

##### US - California Proposition 65 - CRT: Listed date/Female reproductive toxin

n-Propyl bromide (CAS 106-94-5) Listed: December 7, 2004

##### US - California Proposition 65 - CRT: Listed date/Male reproductive toxin

n-Propyl bromide (CAS 106-94-5) Listed: December 7, 2004

#### Volatile organic compounds (VOC) regulations

##### EPA

**VOC content (40 CFR 51.100(s))** 97 %

**Consumer products (40 CFR 59, Subpt. C)** Not regulated

##### State

**Consumer products** Not regulated

**VOC content (CA)** 97 %

**VOC content (OTC)** 97 %

#### International Inventories

| Country(s) or region        | Inventory name   | On inventory (yes/no)* |
|-----------------------------|--|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada                      | Domestic Substances List (DSL)   | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)             | No                     |
| Europe                      | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                       | Existing Chemicals List (ECL)  | Yes                    |
| New Zealand                 | New Zealand Inventory  | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                          | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information, including date of preparation or last revision

|                            |   |
|----------------------------|---|
| <b>Issue date</b>          | 02-10-2015  |
| <b>Revision date</b>       | 03-06-2015  |
| <b>Prepared by</b>         | Allison Cho   |
| <b>Version #</b>           | 02  |
| <b>Further information</b> | Not available.  |
| <b>HMIS® ratings</b>       | Health: 1*<br>Flammability: 2<br>Physical hazard: 0<br>Personal protection: B |
| <b>NFPA ratings</b>        | Health: 1<br>Flammability: 2<br>Instability: 0                                |



**NFPA ratings****Disclaimer**

CRC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries.