### MSDS 825385-002

Date: Mar 20, 2008

#### SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: PART NUMBER: COMPANY: ADDRESS:

**TELEPHONE:** 

HP2600 Toner - Black DPC2600B, CTG2500B, DPC2500B-S Dataproducts USA, LLC 2001 Anchor Court Thousand Oaks, CA 91320 (800) 232-2141

#### SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient Name	CAS No.	Weight %		
Resin	292629-36-8	80 – 90	Total dust	Inhalable
Wax	9002-88-4	5 - 15	15 mg/m <sup>3</sup>	10 mg/m <sup>3</sup>
Carbon Black	1333-86-4	5 - 10	Respirable	Respirable

SECTION 3 – HAZARDS IDENTIFICATION	
PRIMARY ENTRY ROUTES:	Inhalation
TARGET ORGANS:	N/A
ACCUTE EFFECTS:	N/A
INHALATION:	Slight irritation of respiratory
EYE:	Dust may cause irritation by mechanical abrasion.
SKIN:	Slight irritation.
INGESTION:	None Known
CARCINOGENICITY:	N/A
MEDICAL CONDITIONS AGGRAVATED BY	Accumulations of dust in the respiratory system may cause congestion.
LONG-TERM EXPOSURE:	
CHRONIC EFFECTS:	If these materials are used in a manner that could generate airbourne particles (dust), it is recommended that the dust be treated as a NUISANCE PARTICULATE according to the American Conference of Government Industrial Hygienists (ACGIH)(TLV=10mg/m3)

#### **SECTION 4 – FIRST AID MEASURES**

INHALATION:	Move to fresh air immediately. If symptoms occur, consult a physician.
EYE CONTACT:	In case of contact immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes. Remove any contact lenses to ensure thorough flushing. If irritation persists, consult a physician.
SKIN CONTACT:	Wash affected area thoroughly with soap and water. If irritation persists, consult a physician.
INGESTION:	Dilute stomach contents with several glasses of water. If irritation persists, consult a physician. <i>After first aid, get appropriate in-plant paramedic or community</i> <i>medical support if serious sign and symptoms persist.</i>
NOTE TO PHYSICIAN:	None when used as described by product literature.
SPECIAL PRECAUTIONS/PROCEDURES:	N/A

### SECTION 5 – FIRE FIGHTING MEASURES

FLASH POINT FLASH POINT METHOD: BURNING RATE: IGNITION TEMPERATURE: LEL: UEL: EXTINGUISHING MEDIA: FIRE OR EXPLOSION HAZARDS:	N/A N/A N/A N/A N/A Water spray, dry chemical, foam or carbon dioxide. Toner is a combustible powder. Like most organic materials in Powder form, it can form explosive mixtures when dispersed In the air.
SPECIAL FIRE-FIGHTING PROCEDURES:	Avoid inhalation of smoke. Wear protective clothing and self-
FIRE-FIGHTING EQUIPMENT:	contained breathing apparatus. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with full facepiece operated in pressure-demand or positive-pressure mode.
SECTION 6 – ACCIDENTAL RELEASE MEASURES	
SPILL/LEAK PROCEDURES:	Vacuum or sweep spilled toner and carefully transfer into a bag or other sealed waste container. If vacuum is used, the motor must be rated as dust tight. Sweep slowly to minimize generation of dust during clean up. A conductive hose bonded to the machine should be used to reduce static build up. (see Section V). Dispose of waste toner in accordance with local requirements. No special requirements.
REGULATORY REQUIREMENT:	Follow applicable OSHA regualtions (29 CFR 1910.120)
SECTION 7 – HANDLING AND STORAGE	
HANDLING PRECAUTIONS:	Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources.
STORAGE REQUIREMENTS: REGULATORY REQUIREMENTS:	Store at room temperature. Keep away from strong oxidizers. N/A

### SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

ENGINEERING CONTROLS:	
VENTILATION:	Provide general or local exhaust ventilation systems to maintain
	airbourne concentrations belowOSHA PELs (sec.2). Local exhaust ventillation is preferred because it prevents
	contaminent dispersion into the work area by conrolling it at its
	source.
ADMINISTRATIVE CONTROLS:	
<b>RESPIRATORY PROTECTION:</b>	Seek professional advise prior to respirator selection and use.
	Follow OSHA respirator regualations (29 CFR 1910.134) and,
	if necessary, wear a MSHA/NIOSH-approved repirator. Select
	Respiratorbased on its suitability to provide adequate worker protection for given working conditions, level of airbourne
	contamination, and presence of sufficient oxygen. For
	emergency or nonroutine operation (cleaning spills, reactor
	vessels, or starage tanks), wear an SCBA. Warning! Air-purified
	respirators do not protect workers in oxygen-deficient
PROTECTIVE CLOTHING (FOURDMENT)	atmospheres.
PROTECTIVE CLOTHING/EQUIPMENT:	Wear chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact. Wear protective
	Eyeglasses or chemical safety goggles, per OSHA eye-and face-
	protection regulations (29CFR 1910.133). Contact lenses are not
	eye protectiv devises. Appropriate protection must be worn
	instead of, or in conjuction with contact lenses.
SAFETY STATIONS:	Make emergency eyewash stations and washing facilities available in work area.
CONTAMINATED EQUIPEMENT:	Separate contaiminated work clothing from street clothes.
CONTARINATED EQUITERENT.	launder before re-use. Remove this material from your shoes
	and clean personal protective equipment.
COMMENTS:	Never eat, drink, or smoke in work areas. Pratice good personal
	hygiene after using this material, especially before eating,
	drinking using the toilet, or applying cosmetics.

#### SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	
APPEARANCE AND ODOR:	Black fine powder, faint odor
ODOR THRESHOLD:	N/A
VAPOR PRESSURE:	N/A
Vapor density (Air=1):	N/A
FORMULA WEIGHT:	N/A
DENSITY:	N/A
SPECIFIC GRAVITY:	~1.3
Ph:	N/A
WATER SOLUBILITY:	Negligible
OTHER SOLUBILITY:	Partial soluble in Toluene & Xylene
BOILING POINT:	N/A
FREEZING/MELTING POINT:	~100°C
VISCOSITY:	N/A
REFRACTIVE INDEX:	N/A
SURFACE TENSION:	N/A
%VOLATILE:	N/A
EVAPORATION RATE:	N/A

### SECTION 10 - STABILITY AND REACTIVITY

STABILITY:	This is a stable product.
POLYMERIZATION:	Will not occur
CHEMICAL INCOMPATIBLITIES	None
CONDITIONS TO AVOID:	N/A
HAZARDOUS DECOMPOSITION PRODUCTS:	Products of combustion may be toxic. Avoid breathing smoke.

#### SECTION 11 – TOXICOLOGICAL INFORMATION

Oral LD50:	>5g/kg (rats) practically non-toxic
Dermal LD50:	>5g/kg (rabbits) practically non-toxic
Inhalation LC50:	>5 mg/l (rats, 4hr exposure) practically non-toxic
	>20mg/l (rats, calculated 1hr exposure) non-poisonous, DOT
Skin Sensitization:	Not an irritant
Human Patch:	Non-irratating, non-sensitizing
Mutagenicity:	Non-mutagenic in Ames assay.
Carcinogens:	None present
Aquatic LC50:	>1000mg/l (rainbow trout) non-toxic

**Additional Information:** The results obtained from a Chronic Toner Inhalation Study, demonstrated no lung change in Rats for the lowest (1 mg/m<sup>3</sup>) exposure level (i.e. the level of most relevant to potential human exposure). A very slight degree of fibrosis was noted in 25% of the animals at the middle (4 mg/m<sup>3</sup>) exposure level, while a slight degree of fibrosis was noted in all the animals at the highest (16 mg/m<sup>3</sup>) exposure level. These finding are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged period. This study was conducted using a special toner to comply with EPA testing protocol. The test toner was ten times more respirable than commercially available toner, and would not be functionally suitable.

SECTION 12 – ECOLOG	GICAL I	NFORMATION		
ECOTOXICITY: ENVIRONMENTAL FAT			N/A N/A	
ENVIRONMENTAL DEG		-	N/A	
SOIL ABSORBTION/M	OBILIT	Y	N/A	
SECTION 13 – DISPOS	SAL COM	SIDERATIONS		
DISPOSAL:			Regulation Disposal re Consult wit	ial is not hazardous waste according to the Federal s 40 CFR 261 when disposed. State and local waste equirements however, may be more restrictive. Please th the appropriate State and local waste disposal . Incinerate only in closed container.
DISPOSAL REGULATO	RY REQ	UIREMENTS:	N/A	,
CONTAINER CLEANIN	-	•	N/A	
			•	
SECTION 14 - TRANS		NFORMATION		
DOT TRANSPORTATIO			Not regulat	ted as hazardous materials (dangerous goods) in
			Transporta	
IMO/IMDG:				ted as hazardous materials (dangerous goods) in
			Transporta	
ICAO/IATA				ted as hazardous materials (dangerous goods) in
SHIPPING NAME:	N/A	PACKAGING AUTHO		
SHIPPING SYMBOL:	Ń/A	a) Exceptions: N/A		a) Passenger, Aircraft, or Railcar: N/A
HAZARD CLASS:	Ń/A	b) Non-bulk Packaging	: N/A	
ID NO.:	Ń/A	c) Bulk Packaging: N/A	•	VESSEL STOWAGE REQUIREMENTS
PACKING GROUP:	Ń/A			a) vessel stowage: N/A
LABEL:	Ń/A			b) Other: N/A

SPECIAL PROVISIONS: N/A

**REVISION NOTES:** 

ADDITIONAL HAZARD RATING SYSTEM:

EPA REGUALTIONS:	
RCRA Hazardous Waste Number:	Not Listed (40 CFR 261.33)
RCRA Hazardous Waste Classification	(40 CFR 261): Not classified
CERCLA Hazardous Substance (40 CFR 30 CWA, Sec. 307(a),CAA,Sec.112 CERCLA Reportable Quantity(RQ), Not list	2.4) listed/unlisted specified per RCRA, sec. 3001;CWA sec.311 (b)(4);
SARA 311/312 Codes: N/A	
SARA toxic chemical (40 CFR 372.65):Not	Listed
· · · · · · · · · · · · · · · · · · ·	ce) (40 CFR 355): Not Listed, Threshold Planning Quantity (TPQ)
TSCA:	
All chemical substances in this proc	duct comply with all applicable rules and orders under TSCA
OSHA REGULATIONS:	
Air Contaminant (29 CFR 1910.100	0 <table not="" otherwise="" particulates="" regulated.<="" th="" z-1-a):=""></table>
STATE REGULATIONS:	
Check your states regulations that	may specifically list copy machine toner.
SECTION 16 - OTHER INFORMATION	
PREPARED BY:	N/A

N/A

N/A

The above information is believed to be accurate and represents the best information currently available Dataproducts USA, LLC. No warranty or representations with respect to such information is made, and no liability is assumed resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.