MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD 29CRF 1910.1200



EMERGENCY TELEPHONE NUMBER 1-800-356-2728
INFORMATION TELEPHONE NUMBER 1-919-774-3808
DATE PREPARED: 5/30/06 SIGNATURE OF PREPARER (OPTIONAL)

SECTION 1 CHEMICAL PRODUCT / NAME

Product/Chemical Name: Lexmark T-420 Odyssey Toner

CTG Product No: BCD0887
CAS Number: Mixture
Other Designations: N/A

General Use: Laser Printer

SECTION 2 COMPOSITION / INFORMATION ON INGREDIENTS							
Ingredient Name:	CAS NUMBER	EU NUMBER	%	OSHA	ACGIH	OTHER	
				PEL	TLV	LIMITS	
				Toner is regulated under OSH	is regulated under OSHA as particulate not		
				otherwise regu	otherwise regulated:		
Polyester Resin	Confidential		50-80				
Polyester/Styrene Acrylic Resin	Confidential		10-30				
Carbon Black	1333-86-4		5-10	3.5 mg/m ³	3.5 mg/m ³		
Wax	8015-86-9		1-5				
Charge Control Agent	42405-40-3		1-5				
Silica	67762-90-7		0-2				
Silicon Carbide	409-21-2		0-2				

NDA = NO DATA AVAILABLE N/A = NOT APPLICABLE

SECTION 3 HAZARDOUS IDENTIFICATION

Primary Entry Routes: Inhalation

Target Organs: N/A
Acute Effects: N/A

Inhalation: Slight irritation of respiratory tract.

Eye: Dust may cause irritation by mechanical abrasion.

Skin: Slight irritation.
Ingestion: None known.
Carcinogenicity: N/A

Medical Conditions Aggravated By Long-Term Exposure: Accumulation of dust in the respiratory system

may cause congestion.

Chronic Effects: If these materials are used in a manner that could generate airborne particles (dust), it is recommended that

the dust may be treated as a NUISANCE PARTICULATE according to the American Conference of Government

NFPA/HMIS

0

HEALTH

REACTIVITY

PPE (Sec.8)

Industrial Hygienists (ACGIH)(TLV=10mg/m³).

SECTION 4 FIRST AID MEASURES

Inhalation: Gargle with water, move to place in fresh air. If unsuccessful, get medical attention. **Eye Contact:** In case of contact immediately flush with plenty of low pressure water for at least

15 minutes. Remove any contact lenses to ensure thorough flushing.

Skin Contact: Wash well with soap and running water.

Ingestion: Dilute stomach contents with several glasses of water. If unsuccessful, get medical attention.

After first aid, get appropriate in-plant paramedic or community medical support

if serious signs and symptoms perist.

Note to Physicians: N/A

Special Precautions / Procedures: N/A

SECTION 5 FIRE FIGHTING MEASURES

Flash Point: Flash Point Method: N/A **Burning Rate:** N/A

Auto Ignition Temperature: Not Determined

LEL: N/A UEL: N/A

Flammability Classification: 1 Slight (HMIS, NFPA)

Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers.

Unusual Fire of Explosion Hazards: May form flammable dust-air mixture.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, nitrogen oxide and smoke.

Under certain conditions some aliphatic aldehydes and carboxylic acids

may form.

Fire-Fighting Instructions: Do not release runoff from fire controls methods to sewers or waterways. Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a

self-contained breating apparatus (SCBA) with full facepiece operated

in pressure-demand or positive-pressure mode.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Spill / Leak Procedures:

Small Spills: Scoop into a container for disposal, suction up remaining material with a high efficiency

vacuum cleaner.

Large Spills: Scoop into a container for disposal, suction up remaining material with a high efficiency

Containment: For large spills, avoid suspending particles, collect for later disposal. Do not release

into sewers or waterways.

Cleanup: No special requirements. Regulatory Requirement: N/A

SECTION 7 HANDLING AND STORAGE

Handling Precautions: Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources.

Storage Requirements: Store in a cool, dry location.

Regulatory Requirement: N/A

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Venilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations

below OSHA PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant

dispersion into the work area by controlling it at its source.

Administrative Controls:

Safety Stations:

Respiratory Protection: Seek professional advise prior to respirator selection and use.

> Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient

atmosheres.

Protective Clothing/Equipment: Wear chemically protective gloves, boots, aprons, and gauntlets to prevent

prolonged or repeated skin contact. Wear protective eyeglasses or chemical safety goggles, per OSHA eye and face protection regulations (29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate

protection must be worn instead of, or in conjunction with contact lenses.

Make emergency eyewash stations and washing facilities available in work area. Contaminated Equipment: Separate contaminated wprk clothing from street clothes. Launder before

re-use. Remove this material from your shoes and clean personal protective

equipment.

Comments: Never eat, drink, or smoke in works areas. Practice good personal hygiene after using this

material, especially before eating, drinking, using the toilet, or applying cosmetics.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Water Solubility: Insoluble Appearance and Odor: Black, free flowing powder, faint odor Other Solubilities: N/A Odor Threshold: N/A **Boiling Point:** N/A Vapor Pressure: N/A Freezing/Melting Point: N/A Vapor Density (Air=1): Heavier than air. Viscosity: N/A Formula Weight: Refractive Index: N/A N/A

Density:N/ASurface Tension:N/ASpecific Gravity: $(H_2O)=1$, at 4°C): 1.21% Volatile:N/A

pH: N/A Evaporation Rate: N/A

SECTION 10 STABILITY AND REACTIVITY

Stability: Stable
Polymerization: None

Chemical Incompatibilities: None applicable in normal use.

Conditions to Avoid: None applicable in normal use Hazardous Decomposition Products: Will not occur.

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity: Sensitization:

Acute Oral Toxicity: Rat:>= 5000mg/kg Acute Skin Irritation: Non-Irritant

Acute Dermal Toxicity: N/A Acute Eye Irritation: Not Applied

Acute Inhalation Toxicity: N/A Acute Acute

Special Effects:

In 1996 IARC reevaluated Carbon Black as a Group 2B carcinogen (possible human carcinogen). This evaluation is given to carbon black for which there is inadequate human evidence, but sufficient animal evidence. The latter is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that include particle overload of the lung. Studies performed in animal models other than rats have not demonstrated as association between carbon black and lung tumors. Moreover, 2-years cancer bioassay using a typical toner preparation

Carcinogenicity: containing carbon black did not demonstrate an association between toner exposure and tumor development in rats.

Negative

Productive System: No data is available on this product

N/A

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity: N/A

Environmental Fate: N/A
Environmental Degradation: N/A
Soil Absorption / Mobility: N/A

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal: Waste material may be incinerated / or recycled for its Iron Oxide under conditions which meet

all federal, state, and local environmental regulations.

Disposal Regulatory Requirements: N/A
Container Cleaning and Disposal: N/A

SECTION 14 TRANSPORT INFORMATION

DOT Transportation Data (49 CFR 172.101): Not specifically listed.

Shipping Name:N/APackaging AuthorizationsQuantity LimitationsShipping Symbol:N/Aa) Exceptions:N/Aa) Passenger, Aircraft, orHazard Class:N/Ab) Non-bulk Packaging:N/ARailcar:N/A

ID No: N/A c) Bulk Packaging: N/A

Packing Group: N/A Vessel Stowage Requirements

Label: N/A a) Vessel Stowage: N/A

Special Provisions: N/A b) Other: N/A

SECTION 15 REGULATORY INFORMATION

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification: (40 CFR 261): Not classified

CERCLA Hazardous Substance (40 CFR 302.4) listed unlisted specific per RCRA, sec. 3001;

CWA sec.311 (b)(4);

CWA, Sec. 307(a), CAA, Sec. 112

CERCLA Reportable Quantity(RQ), Not listed

SARA 311/312 Codes: N/A

SARA Toxic Chemical (40 CFR 372.65): Not listed

SARA EHS (Extremely Hazardous Substance) (40CFR 355): Not listed, Threshold Planning Quantity (TPQ)

OSHA Regulations:

Air Containment (29 CFR 1910.1000< Table Z-1-A): Particulates not otherwise regulated.

State Regulations: Check your states regulations that may specifically list copy machine toner.

SECTION 16 OTHER INFORMATION

Prepared By: N/A
Revision Notes: N/A

Additional Hazard Rating System: N/A

THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESS OR IMPLIED, REGARDLESS IT'S CORRECTNESS.

THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL, AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.