

3M

3M General Offices

3M Center

00-28  
8256

St. Paul, MN 55144-1000

1-800-364-3577 or (651) 737-6501 (24 hours)

I-352740 C-FT-31

MATERIAL SAFETY  
DATA SHEET

3M

HC#42

P.1

Copyright, 1999, Minnesota Mining and Manufacturing Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that:

- 1) the information is copied in full with no changes unless prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

DIVISION: OCCUPATIONAL HEALTH &amp; ENVIRON. SAFETY

TRADE NAME:

FT-31, Denatonium Benzoate Sensitivity Solution

ID NUMBER/U.P.C.: 70-0707-0965-7 +H-44446-9965N-0 78-8113-5577-1 - - -

ISSUED: JUNE 21, 1999

SUPERSEDES: APRIL 9, 1997

DOCUMENT: 07-6198-1

1. INGREDIENT	C.A.S. NO.	PERCENT
Water .....	7732-18-5	80 - 100
Sodium Chloride .....	7647-14-5	3 - 7
Denatonium Benzoate .....	5734-33-6	0 - 1

## 2. PHYSICAL DATA

BOILING POINT:..... N/A  
 VAPOR PRESSURE:..... N/A  
 VAPOR DENSITY:..... N/A  
 EVAPORATION RATE:..... N/A  
 SOLUBILITY IN WATER:..... complete  
 SP. GRAVITY:..... 1.034 Water = 1  
 PERCENT VOLATILE:..... N/A  
 pH:..... ca. 6.52  
 VISCOSITY:..... N/A  
 MELTING POINT..... N/A  
 APPEARANCE AND ODOR: Liquid, Clear, odorless solution with a bitter taste.  
 Freezing point = -4 degrees Centigrade

## 3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... N/A  
 FLAMMABLE LIMITS - LEL:..... N/A  
 FLAMMABLE LIMITS - UEL:..... N/A  
 AUTOIGNITION TEMPERATURE:..... N/A  
 EXTINGUISHING MEDIA:  
 Not applicable  
 SPECIAL FIRE FIGHTING PROCEDURES:  
 Not applicable  
 UNUSUAL FIRE AND EXPLOSION HAZARDS:  
 None known.  
 NFPA HAZARD CODES: HEALTH: 0 FIRE: 0 REACTIVITY: 0  
 UNUSUAL REACTION HAZARD: none  
 OSHA FIRE HAZARD CLASS: Not applicable

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MATERIAL SAFETY  
DATA SHEET

Hc # 42

MSDS: FT-31, Denatonium Benzoate Sensitivity Solution  
JUNE 21, 1999

PAGE: 2 of 4

---

**4. REACTIVITY DATA**

---

**STABILITY:** Stable**INCOMPATIBILITY - MATERIALS TO AVOID:**

None known.

**HAZARDOUS POLYMERIZATION:** Will Not Occur**HAZARDOUS DECOMPOSITION PRODUCTS:**

None known.

---

**5. ENVIRONMENTAL INFORMATION**

---

**SPILL RESPONSE:**

Observe precautions from other sections. Contain spill. Cover with absorbent material. Collect spilled material. Clean up residue with water. Place in a closed container.

**RECOMMENDED DISPOSAL:**

Small quantities (less than 5 gal. (19 L)) may be discharged to a wastewater treatment system. For larger quantities: Incinerate in an industrial or commercial facility in the presence of a combustible material.

**ENVIRONMENTAL DATA:**

Not determined.

**REGULATORY INFORMATION:**

Volatile Organic Compounds: N/A.

VOC Less H2O &amp; Exempt Solvents: N/A.

Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste Number = None (Not U.S. EPA Hazardous).

**EPCRA HAZARD CLASS:****FIRE HAZARD:** No **PRESSURE:** No **REACTIVITY:** No **ACUTE:** No **CHRONIC:** No

---

**6. SUGGESTED FIRST AID**

---

**EYE CONTACT:**

No need for first aid is anticipated.

**SKIN CONTACT:**

No need for first aid is anticipated.

**INHALATION:**

No need for first aid is anticipated.

**IF SWALLOWED:**

No need for first aid is anticipated.

MATERIAL SAFETY  
DATA SHEET

HC #42

MSDS: FT-31, Denatonium Benzoate Sensitivity Solution  
JUNE 21, 1999

PAGE: 3 of 4

---

**7. PRECAUTIONARY INFORMATION**

---

**EYE PROTECTION:**

Not applicable.

**SKIN PROTECTION:**

Not applicable.

**VENTILATION PROTECTION:**

Not applicable.

**RESPIRATORY PROTECTION:**

Avoid prolonged breathing of spray or mists.

**PREVENTION OF ACCIDENTAL INGESTION:**

Do not ingest.

**RECOMMENDED STORAGE:**

Store at room temperature. Keep out of the reach of children.

**FIRE AND EXPLOSION AVOIDANCE:**

Not applicable.

INGREDIENTS	EXPOSURE LIMITS		TYPE AUTH	SKIN*
	VALUE	UNIT		
Water .....	NONE	NONE	NONE NONE	
Sodium Chloride .....	NONE	NONE	NONE NONE	
Denatonium Benzoate .....	NONE	NONE	NONE NONE	

\* SKIN NOTATION: Listed substances indicated with "Y" under SKIN refer to the potential contribution to the overall exposure by the cutaneous route including mucous membrane and eye, either by airborne or, more particularly, by direct contact with the substance. Vehicles can alter skin absorption.

**SOURCE OF EXPOSURE LIMIT DATA:**

- AIHA: American Industrial Hygiene Assoc. Workplace Environmental Exposure Level
- NONE: None Established

---

**8. HEALTH HAZARD DATA**

---

**EYE CONTACT:**

No adverse health effects are expected from eye contact.

**SKIN CONTACT:**

No adverse health effects are expected from skin contact.

**INHALATION:**

No adverse health effects are expected from inhalation exposure.

**IF SWALLOWED:**

No adverse health effects are expected from swallowing.

MATERIAL SAFETY  
DATA SHEET

Hc #42

MSDS: FT-31, Denatonium Benzoate Sensitivity Solution  
JUNE 21, 1999

PAGE: 4 of 4

---

**8. HEALTH HAZARD DATA** (continued)

---

Denatonium Benzoate is a very bitter chemical used in many consumer products as an aversive agent against child ingestion.

---

**SECTION CHANGE DATES**

---

INGREDIENTS	SECTION CHANGED SINCE	APRIL 9, 1997 ISSUE
-------------	-----------------------	---------------------

---

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.