MATERIAL SAFETY DATA SHEET (Page 1 of 3) This form is regarded to be in compliance with 29 CFR Part 1910.1200

SECTION 1 : IDENTIFICATION

PRODUCT NAME:

CORETEX PRODUCTS, INC. SUNX, SPF 30 SUNSCREEN LOTION

Manufacturer's Name:

CoreTex Products, Inc.

Chemical Femily:

Proprietary Mix

Address:

5307 Cameron Court Bakersfield, CA 93309 CA5#:

N/A

City, State, Zip:

661-833-1572

Business Telephone: Emergency Telephone:

661-833-1572

SECTION 2 : PHYSIÇAL DATA

Specific Gravity 25/25:

0.981 N/A

**Bolling Point:** 

101 Deg C.

Vapor Pressure: Odor:

Fatty

Physical State: Vapor Density (Air =1): > 1

Lottor/Cream

Solubility in Water:

Parially Soluble

SECTION 3: FIRE AND EXPLOSION HAZARO DATA

Flash Point (Closed Cup F): 380 Deg F.

Extinguishing Media:

[X] Water: [ ] CO<sub>2 ;</sub> [ ] Dry Chemical: [ ] Foam. | ] Water Fog

Special Fire Fighting Procedures: None

NEPA FLAMMABILITY CODE:

SECTION 4: REACTIVITY DATA

Stability:

Presents no significant reactivity hazard, not pyrophotic nor reactive with water.

Incompatibility.

(Materials to avoid): Avoid strong oxidizers

Hazardous Combustion or Decomposition Products:

Burning liberates CO, CO2, and smoke. Does not form explosive mixtures with organic materials. Does not undergo explosive decomposition and is shock

stable. It is not an oxygen donor.

Hazardous Polymerization:

Will not undergo spontaneous exothermic polymerization.

NEPA REACTIVITY CODE: 0

I-524797 C-63291

661**93**4325±

PP35.02

#11

Date \$1/01/01 Forms mark and an

## MATERIAL SAFETY DATA SHEET (Page 2 of 3)

PRODUCT NAME:

CORETEX PRODUCTS, INC. SUNX, SPF 30 SUNSCREEN LOTION

SECTION 5: SPILL OR LEAKAGE PROCEDURES

Cleanup or spills or accidental release of material:

Flush with water or soak up with sultable absorbant.

Waste Disposal Methods:

Indineration or sanitary landfill to accordance with local state end federal regulations and consistent with good ecological practices

SECTION 5: SPECIAL PROTECTION INFORMATION

Respiratory:

Use NIOSH/OSHA Approved Respirator If TLV is exceeded

Ventiletion:

General Mechanical

Protective Gloves:

Volatile Resistant if skin contact is anticipated

Eye Protection:

Splash proof poggles if handling methods warrant them

Other Protective Equipment:

SECTION 7: EMERGENCY AND FIRST AID PROCEDURES

Eye (contact):

In the event of accidental contact with eyes, imgate copious amounts

of water; If imitation persists obtain medical advice.

Skin (contact);

If completely immersed, remove contaminated clothing. If desired flush

exposed areas with copious amounts mild soap and water. Product is

NON-IRRITATING to skin.

Ingestion:

In the event of accidental ingestion rinse the mouth with water. Give up

to one tumbler (half plnt) of milk or water. Obtain medical advice Immediately.

SECTION 8 : EXPOSURE DATA

Primary route of

exposure:

Skin Contact & Possible Inhalation. The approximated vapor pressure of

the mixture is sufficiently high enough to be a significant route of exposure.

OSHA PEL:

Not Determined

ACGIH TUV:

Not Determined

Material is not found on any known list of carcinogen such as NTP, IARC or by OSHA nor does it contain any carcinogens found in these lists.

#11

Dear District

## MATERIAL SAFETY DATA SHEET (Page 3 of 3)

PRODUCT NAME:

CORETEX PRODUCTS, INC. 8UNX, SPF 30 SUNSCREEN LOTION

## **SECTION 9: HEALTH HAZARDS**

The identity of the Individual components of this mixture is proprietary information and is regarded to be a TRADE SECRET.

In accordance with 29 CFR 1910,1200 we have to assume that the mixture presents the same health hazards as the individual components when they are present at greater than 10% concentration

Listed below are the health hazards for all of the materials present of 10% concentration and that undituted have health hazards associated with them. Please note that not all the components of the moture have health hazards associated with them. In the event of a medical emergency the identity of all the components will be divulged to a qualified health professional.

The following effects we concluded as a result of laboratory testing or one or more of the individual components. The relevancy to the mixture or to humans is unknown. Excessive exposure may cause similar effects.

REPEATED DAILY DOSES ORALLY CAUSED MINIMAL DAMAGE TO THE NERVOUS SYSTEM.

REPEATED DAILY ORAL DOSING OF LARGE AMOUNTS CAUSED LIVER DAMAGE.

REPEATED DAILY ORAL DOSING OF LARGE AMOUNTS CAUSED KIDNEY DAMAGE.

REPEATED ORAL DOSING INCREASED OCULAR TENSION.

REPEATED DAILY APPLICATION TO SKIN CAUSED NO REPRODUCTIVE EFFECTS.

The following effects were concluded as a result of human testing and observation of one or more of the individual components

LIQUID MAY BE MILDLY IRRITATING TO EYES.

May 25 100 14464

BOILING VAPOR MAY BE MILDLY IRRITATING TO THE SKIN AND EYES

BOILING VAPOR IS MILDLY IRRITATING TO THE THROAT AND LUNGS.

BREATHING HIGH CONCENTRATION OF BOILING VAPOR MAY CAUSE ANESTHETIC EFFECTS.

WILL NOT CAUSE DERMATITIS AFTER LONG TERM SKIN CONTACT IN SUNLIGHT.

REPEATED LONG TERM IMMERSION MAY CAUSE ALLERGIC DERMATITIS IN SENSITIVE INDIVIDUALS.