

Data Revised: Jul. 31, 2002 Data Issued: Jun. 1, 1998

Page: 1/4

MSDS NO. F-00831

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name : AL-100TD / DM-150TD / AL-110TD / AL-110DC (Black Toner)

Supplier Identification : Sharp Corporation

22-22 Nagaike-cho, Abeno-ku, Osaka, Japan

Local suppliers are listed below. Please contact the nearest supplier for additional information.

Area	(Country)	(Name and Telephone Number)				
North America	U.S.A.	Sharp Electronics Corporation Sharp Plaza, Mahwah, NJ Telephone number for information Emergency telephone number	: 1-800-237-4277 : 1-800-255-3924			
	Canada	Sharp Electronics of Canada Ltd. Telephone number for information Emergency telephone number	: 905-890-2100 : 1-800-255-3924			
Oceania	Australia	Sharp Corporation of Australia PTY. Ltd. No1 Huntingwood Drive Huntingwood Blacktown N.S.W. Telephone number for information : 1300-13-50-22				
Europe	Germany	Sharp Electronics (Europe) GMBH Sonninstrasse 3, 20097 Hamburg Telephone number to access MSDS For more information	: 040-2376-2185 : 040-2376-2613			
	United Kingdom	Sharp Electronics (U. K.) Ltd. Telephone number for information	: 08705-274-277			
	France	Sharp Electronics (France) S.A. Telephone number for information	: 01-49-90-34-00			
	Austria	Sharp Electronics GMBH Telephone number for information	: 01-727-19-0			
	Italy	Sharp Electronics (Italia) S.P.A. Telephone number for information	: 02895951			
	Spain	Sharp Electronics Espana S.A. Telephone number for information	: 93-581-97-00			
	Netherlands	Sharp Electronics Benelux B.V. Telephone number for information	: 30-6359500			
	Sweden	Sharp Electronics (Nordic) AB Telephone number for information	: 08-634-36-00			
	Switzerland	Sharp Electronics(Schweiz)AG Telephone number for information	: 01-846-6111			
Middle East	U.A.E	Sharp Middle East FZE P.O.Box 17115 Jebel Ali, Dubai Telephone number for information	: 04-815311			

2. COMPOSITION/INFORMATION ON INGREDIENTS

Substance[] Preparation[X]

Ingredient Styrene-Acrylate copolymer	CAS No. 29497-14-1	Proportion 35-45%	OSHA PEL Not listed	ACGIH TLV Not listed	MAK-TWA Not listed	Not listed
Styrene- homopolymer	9003-53-6	35-45%	Not listed	Not listed	Not listed	Not listed
Carbon black	1333-86-4	5-10%	3.5mg/m ³	$3.5 mg/m^{3}$	Not listed	3mg/m ³
Iron oxide	1309-38-2	5-10%	Not listed	Not listed	Not listed	Not listed
Polypropylene	9010-79-1	1-5%	Not listed	Not listed	Not listed	Not listed
parafrfine	8002-74-2	1-5%	Not listed	Not listed	Not listed	Not listed
Metal Complex dye*	109125-51-1 84179-66-8	<1%	0.5mg/m ³	0.5mg/m ³	Not listed	Not listed

*EC No.: 400-110-2, Symbol letter: F, R Phrase: R11



Data Revised: Jul. 31, 2002 Data Issued: Jun. 1, 1998

Page: 2/4

MSDS NO. F-00831

3. HAZARDS IDENTIFICATION

Most Important Hazards and Effects of the Products

Human Health Effects: There are no anticipated carcinogenic effects from exposure based on

animal tests performed using toner. When used as intended according to instructions, studies do not indicate any symptoms of fibrosis will occur.

Environmental Effects: No data are available.

Specific hazards :Dust explosion (like most finely divided organic powders)

Directive 1999/45/EC(Europe): Not classified as dangerous

4. FIRST-AID MEASURES

Route(s) of Entry : Inhalation? Skin? Ingestion?

Yes No Possible but very unusual.

Inhalation :Remove to fresh air. If symptoms occur, consult medical personnel.

Skin Contact : Wash with soap and water for 15 minutes or until particle is removed.

If irritation does occur, consult medical personnel.

Eye Contact :Flush eyes immediately with water for 15 minutes. If irritation does occur,

consult medical personnel.

Ingestion : Rinse with water and drink several glasses of water. If irritation or discomfort

does occur, consult medical personnel.

5. FIRE -FIGHTING MEASURES

Extinguishing Media :water, CO₂, foam and dry chemicals

Special Fire fighting Procedures : None

Fire and Explosion Hazards : Toner material, like most finely divided organic powders,

may form an explosive mixture.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions :None **Environmental Precautions** :None

Methods for Cleaning Up : Wipe off with paper or cloth. Do not use vacuum cleaner when a

large amount is released. It, like most finely divided organic

powders, is capable of creating a dust explosion.

7. HANDLING AND STORAGE

Handling

Technical Measures : None Precautions : None

Safe Handling Advice: Use of a dust mask is recommended when handling a large quantity of

toner or during long term exposure, as with any non-toxic dust. Try not

to disperse the particles.

Storage

Technical Measures : None

Storage Conditions : Keep container closed and Store in a cool and dry place.

Keep out of the reach of children.

Incompatible Products: None



Data Revised: Jul. 31, 2002 Data Issued: Jun. 1, 1998

Page: 3/4

MSDS NO. F-00831

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Measures

Ventilation :None required with intended use.

Exposure limit values
OSHA-PEL (USA) :15mg/m³ (Total Dust) , 5mg/m³ (Respirable Dust)
ACGIH-TLV (USA) :10mg/m³ (Total Dust) , 3mg/m³ (Respirable Dust)

Personal Protective Equipment

Respiratory Protection
Hand Protection
Eye Protection
Skin Protection

Other Protective equipment :Use of a dust mask and goggles are recommended when

handling a large quantity of toner or during long term exposure,

as with any non-toxic dust.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical State: Solid Form: Powder Color: Black Odor: odorless

Ph :Not applicable
Boiling/Melting Point :Not applicable
Softening Point (°C) :No data
Flash Point (°C) :Not applicable
Ignition Point (°C) :No data
Explosion Properties :No data

Density (g/cm³) :1.1 (bulk density : 0.34)

Solubility in water :Negligible

10. STABILITY AND REACTIVITY

Stability :Stable

Hazardous Reactions : Dust explosion, like most finely divided organic powders.

Conditions to avoid : Electric discharge, throwing into fire.

Materials to avoid :Oxidizing Materials Hazardous Decomposition Products:CO, CO₂ and NO_X

Further Information :None

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

 $\begin{array}{ll} \text{Ingestion (oral)} & : LD_{50} \!\!>\!\! 2000 \text{mg/kg (Rats)} \\ \text{Dermal} & : LD_{50} \!\!>\!\! 2000 \text{mg/kg (Rats)} \end{array}$

Inhalation :No data
Eye irritation :Not an irritant
Skin irritation :Not an irritant
Skin sensitizer :No sensitization
Mutagenicity :Negative (Ames Test)

Carcinogenicity: In 1996 the IARC reevaluated carbon black as a Group 2B carcinogen (possible human carcinogen). This classification is given to chemicals for which there is

human carcinogen). This classification is given to chemicals for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any association between carbon black and lung tumors. Moreover, a two-year cancer bioassay using a typical toner preparation containing carbon black demonstrated no association between toner

exposure and tumor development in rats.



Data Revised: Jul. 31, 2002 Data Issued: Jun. 1, 1998

Page: 4/4

MSDS NO. F-00831

Chronic Effect

:In a study in rats of chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of the rats in the high concentration (16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle (4mg/m³) exposure group, but no pulmonary change was reported in the lowest (1mg/m³) exposure group, the most relevant level to potential human exposures.

12. ECOLOGICAL INFORMATION

No data are available.

13. DISPOSAL CONSIDERATION

Waste from residues :Waste material may be dumped or incinerated under conditions

which meet all federal, state and local environmental regulations.

Contaminated Packaging: Waste may be disposed or incinerated under conditions which meet all federal, state and local environmental regulations.

14. TRANSPORT INFORMATION

UN Classification :None

Not classified as hazardous for transport.

15. REGULATORY INFORMATION

US Information

TSCA (Toxic Substances Control Act) :

All chemical substances in this product comply with all applicable rules or order under TSCA.

SARA (Superfund Amendments and Reauthorization Act) Title III

302 Extreme Hazardous Substance : None 311/312 Hazard Classification :None

EU Information

1999/45/FC and 67/548/FFC

Symbol & Indication :Not required R-Phrase :Not required

76/769/EEC : All chemical substances in this product comply with all applicable rules or order

under 76/769/FFC.

16. OTHER INFORMATION

:Health=1 NFPA Rating (USA) Flammability=1 Reactivity=0 WHMIS Legislation (Canada) :This product is not a controlled product.

List of R phrases :R11: Highly flammable

References

IARC (1996): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to

Humans, Vol. 65, Printing Process And Printing Inks, Carbon Black and Some

Nitro Compounds, Lyon, pp.149-261

H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie,

P.Morrow, U.Mohr.

S.Takenaka, and R.Mermelstein (1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats.

Fundamental and Applied Toxicology 17, pp.280-299.

The information on this data sheet represents our current data and best opinion as to the proper use in handling of this product under normal conditions. However, all materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we do not guarantee that these are the only hazards which exist.