


www.luxorfurn.com  
www.hwilson.com

### Parts List

### Tools Required

- Phillips Screwdriver


**G** x1



**H** x1




**K** x1



**L** x2




**M** x6




**N** x4


- 1** Lay the top shelf of your Tuffy cart upside down and install the four legs intended for this shelf.




- 2** Slide and align runner **H** & **G** onto the legs and tighten screw **N** with a screwdriver.



- 3** Take pullout shelf **K** and bracket **L** and screw together into the unfinished surface of shelf **K** with screw **M**.



- 4** Mount pullout shelf **K** to runner **H** & **G** so that the edge of the shelf snaps into the runner hooks.





You have now completed your pullout shelf.

[www.luxorfurn.com](http://www.luxorfurn.com)  
[www.hwilson.com](http://www.hwilson.com)


**Parts List**

**Tools Required**

- Rubber Mallet



## Parts List



## Tools Required


- Rubber Mallet

## Tuffy Cart Cabinet Pack Instructions


Please consult your Tuffy cart base unit instructions before starting

1


**IMPORTANT:** Flip shelf B, and lock the 2 locking casters D before assembling the unit.




2




3




4



5




6



## Electric Assembly Instructions



Number of outlets  
may vary.

### Parts List



### Tools Required

- Screwdriver



**1**

Push screw **C** through electric outlet **A**. Make sure the electric outlet **A** and cord wrap **B** align with the mounting surface screw holes. Push screw **C** through cord wrap **B** and the mounting surface screw holes. Use wing nut **D** and screwdriver to fasten.