

Product Information: Similac Expert Care® for Diarrhea

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Similac Expert Care® for Diarrhea

Infant formula for the dietary management of diarrhea

- 1 For dietary management of diarrhea to help firm loose and watery stools in infants older than 6 months and toddlers.
- 1 First and only nutritionally complete infant formula to contain added dietary fiber (soy) specifically for dietary management of diarrhea (6 g/L).
- 1 Clinically shown to reduce the duration of loose, watery stools during mild to severe diarrhea in older infants.
- 1 Clinically shown to be effective in the management of antibiotic-induced diarrhea.
- 1 A unique blend of two carbohydrates using two absorptive pathways to help maximize absorption and minimize malabsorption risks.
- 1 Low osmolality (240 mOsm/kg water) to reduce the risk of osmotic diarrhea.
- 1 Lactose-free.
- 1 Gluten-free.
- 1 Kosher.
- 1 Halal.



Safety Precautions

- 1 **Never use a microwave oven to warm formula.** Serious burns can result.
- 1 **This product should not be fed to infants and toddlers with constipation.**

Ingredients

Liquid Unflavored:

Water (86%), Corn Syrup (5%), Sugar (3%), Soy Oil (2%), Soy Protein Isolate (2%), Coconut Oil (1.4%), Soy Fiber (0.77%). Less than 0.5% of the Following: Calcium Citrate, Potassium Citrate, Calcium Phosphate, Potassium Phosphate, Potassium Chloride, Monoglycerides, Soy Lecithin, Magnesium Chloride, Carrageenan, Salt, Ascorbic Acid, Choline Chloride, L-Methionine, Taurine, Ferrous Sulfate, m-Inositol, Zinc Sulfate, d-Alpha-Tocopheryl Acetate, L-Carnitine, Niacinamide, Calcium Pantothenate, Cupric Sulfate, Thiamine Chloride Hydrochloride, Vitamin A Palmitate, Riboflavin, Pyridoxine Hydrochloride, Folic Acid, Potassium Iodide, Potassium Hydroxide, Phylloquinone, Biotin, Sodium Selenate, Vitamin D3, and Cyanocobalamin.

Allergens: Contains soy ingredients.

Availability

List Number	Item
51276	Similac Expert Care Diarrhea Ready to Feed / 8-fl-oz (237-mL) can / 24 ct
57768	Similac Expert Care Diarrhea Ready to Feed / 1-QT (946-mL) Bottle / 6 ct

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Similac Expert Care® for Diarrhea

Infant formula for the dietary management of diarrhea

Nutrition Information - Liquid Unflavored

	100 Cal	1000 mL
	Value	Value
Protein, % Cal	11	11
Protein Source	Soy Protein Isolate, L-Methionine	Soy Protein Isolate, L-Methionine
Fat, % Cal	49	49
Fat Source	Soy and Coconut Oils	Soy and Coconut Oils
Fat Ratio	60:40	60:40
Carbohydrate, % Cal	40	40
Carbohydrate Source	Corn Syrup Solids, Sugar	Corn Syrup Solids, Sugar
Carbohydrate Ratio	60:40	60:40
Osmolality, mOsm/kg H2O	240	240
Calories	100	676
Volume, mL	148	1000
Protein, g	2.66	17.99
Fat, g	5.46	36.93
Carbohydrate, g	10.1	68.3
Water, g	133	899
Linoleic Acid, mg	1300	8792
Potential Renal Solute Load, mOsm	24.0	162.6
Vitamin A, IU	300	2029
Vitamin D, IU	60	406
Vitamin E, IU	1.5	10.1
Vitamin K, mcg	11	74
Thiamin (Vitamin B1), mcg	60	406
Riboflavin (Vitamin B2), mcg	90	609
Vitamin B6, mcg	60	406
Vitamin B12, mcg	0.45	3.04
Niacin, mcg	1350	9130
Folic Acid, mcg	15	101
Pantothenic Acid, mcg	750	5072
Biotin, mcg	4.5	30.4
Vitamin C, mg	9	61
Choline, mg	12	81
Inositol, mg	5	33.8
Calcium, mg	105	710
Calcium, mEq	5.2	35.4
Phosphorus, mg	75	507
Magnesium, mg	7.5	50.7
Iron, mg	1.8	12.2
Zinc, mg	0.75	5.07
Manganese, mcg	25	169

For more information, contact your Abbott Nutrition Representative or visit www.abbottnutrition.com

Similac Expert Care® for Diarrhea

Infant formula for the dietary management of diarrhea

Nutrition Information - Liquid Unflavored

	100 Cal	1000 mL
	Value	Value
Copper, mcg	75	507
Iodine, mcg	15	101
Selenium, mcg	1.8	12.2
Sodium, mg	44	298
Sodium, mEq	1.9	12.9
Potassium, mg	108	730
Potassium, mEq	2.8	18.7
Chloride, mg	62	419
Chloride, mEq	1.8	11.8

Preparation

Ready-to-Feed

Your baby's health depends on carefully following these directions. Failure to follow these directions could result in severe harm. Ask your baby's doctor if you need to boil (sterilize) bottles, nipples and rings before use.

8-fl-oz can

- 1 **Do not add water.**
- 1 Rinse can lid; shake very well.
- 1 Lift and pull tab to open.
- 1 Pour formula into bottle or cup; attach nipple or lid; once feeding begins, **use within 1 hour or discard.**

1-QT bottle

- 1 **Do not add water.**
- 1 **Do not use if band around cap or inner foil seal is damaged.**
- 1 Shake very well before each use.
- 1 Remove protective band; twist off and clean cap.
- 1 Invert cap; press down to pierce foil, then turn cap a half turn.
- 1 Remove foil.
- 1 Pour formula into bottle or cup; attach nipple or lid.
- 1 Once feeding begins, **use within 1 hour or discard.**

Storage & Handling

Ready-to-Feed

8-fl-oz can

- 1 Cover opened cans and prepared bottles not used immediately.
- 1 Store in refrigerator and **use within 48 hours.**
- 1 Store unopened cans at room temperature; avoid extreme temperatures.

1-QT bottle

- 1 Once opened, store quart bottle in refrigerator.
- 1 Store prepared bottles in refrigerator and **feed to baby within 48 hours.**
- 1 Store unopened containers at room temperature; avoid extreme temperatures.
- 1 Prepare and feed all formula from this container **within 3 days after opening.**
- 1 Do not reuse container.

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com