



MATERIAL SAFETY DATA SHEET

LPS® Precision Clean (Ready-to-use)

Revision Date: July 20, 2011

Supersedes: July 18, 2008

Section 1 • Product and Company Identification

Product Name: LPS® Precision Clean (Ready-to-use)

Part Number(s): 02728, 02765, C02728, C02765

Chemical Name: Alkaline, aqueous solution

Product Use: An Industrial cleaner designed to remove grime, oils and light grease from metal, concrete and other durable surfaces.

Manufacturer Information: LPS Laboratories, 4647 Hugh Howell Road, Tucker, GA, USA 30084
TEL: USA & Canada: 1 800 241-8334
Outside USA and Canada: +1 770 243-8800
FAX: USA & Canada: 1 800 543-1563
Outside USA and Canada: +1 770 243-8899

Emergency Telephone Number: Chemtrec: USA & Canada: 1 800 424-9300
Outside USA and Canada: +1 703 527-3887

Website: <http://www.lpslabs.com>

Section 2 • Hazards Identification

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Emergency Overview: **Aerosol:** Not applicable
 Bulk: CAUTION: Mild eye irritant.

Primary route(s) of entry: Skin and eye contact.

Potential Acute Health Effects:

Eyes: Irritating to eyes.

Skin: Repeated exposure may cause skin dryness or cracking.

Inhalation: Inhalation of large quantities of spray mist may cause irritation of the respiratory tract.

Ingestion: Product has a low order of acute oral toxicity, but ingestion of large quantities may cause nausea, vomiting, and gastrointestinal irritation.

Potential Chronic Health Effects:

Carcinogenic Effects: **NTP:** No **IARC:** No **OSHA:** No **ACGIH:** No

Mutagenic Effects: None

Teratogenic Effects: None

Target Organs: None



MATERIAL SAFETY DATA SHEET
LPS® Precision Clean (Ready-to-use)

Revision Date: July 20, 2011

Supersedes: July 18, 2008

Medical conditions aggravated by exposure:

Persons with pre-existing skin disorders and/or chronic respiratory diseases should avoid exposure.

Signs and Symptoms

Stinging in eyes. Repeated or prolonged skin contact can cause redness, irritation, and scaling of the skin (dermatitis). Breathing of high mist concentrations may cause irritation of throat and eyes.

Section 3 • Composition / Information on Ingredients

Component	CASRN	Weight Percent
(2-Methoxymethylethoxy) Propanol	34590-94-8	0.5 - 1.5%
Disodium Metasilicate	6834-92-0	< 1%

The remaining ingredients are not classified as "hazardous" per 29 CFR 1910.1200 Subpart Z.

Section 4 • First Aid Measures

- Eyes:** Check for and remove contact lenses. Immediately, flush eyes with cool, clean, low-pressure water for at least 15 minutes. Hold eyelids apart to ensure complete irrigation of the eye and eyelid tissue. DO NOT use eye ointment. Seek medical attention immediately.
- Skin:** Remove contaminated shoes and clothing. Clean affected area thoroughly with mild soap and water. DO NOT use ointments. Seek medical attention if irritation persists or if chemical burns are present.
- Inhalation:** Immediately move victim to fresh air. If victim is not breathing, immediately begin rescue breathing. If heart has stopped, immediately begin cardiopulmonary resuscitation (CPR). If breathing is difficult, seek medical attention immediately.
- Ingestion:** DO NOT induce vomiting unless directed to do so by medical personnel. If conscious, give 2 to 3 glasses of water. Never give anything by mouth to an unconscious person. If spontaneous vomiting is about to occur, place victim's head below knees. If victim is drowsy or unconscious, place on the left side with head down. DO NOT leave victim unattended. Seek medical attention immediately.



MATERIAL SAFETY DATA SHEET
LPS® Precision Clean (Ready-to-use)

Revision Date: July 20, 2011

Supersedes: July 18, 2008

Section 5 • Fire Fighting Measures

Products of Combustion: Carbon monoxide and carbon dioxide.

General Fire Hazards: High heat will cause product to boil, evolving vapor that could cause explosive rupture of closed containers.

Firefighting media: SMALL FIRE: Use DRY chemical powder.
LARGE FIRE: Use CO₂, water spray, fog or foam. Cool containing vessels with water jet in order to prevent pressure build-up, auto-ignition or explosions.

Sensitivity to Impact: None **Sensitivity to Static Discharge:** None

Protection Clothing (Fire): None

Special Remarks on Explosion Hazards:
None

Section 6 • Accidental Release Measures

Containment Procedures:

Small Spill and Leak: Absorb with an inert material and dispose of properly.

Large Spill and Leak: Ventilate area. Block the path of any flowing material using soil, gravel, or other readily available material. Absorb with dry earth, sand or other non-combustible material and dispose of properly.

Clean-Up Procedures: Recover free product and place in a suitable container for disposal.

Evacuation Procedures: Ventilate area of leak or spill. Keep unnecessary and unprotected people away.

Special Procedures: Wear appropriate protective equipment during cleanup.

Section 7 • Handling and Storage

Handling: After handling, always wash hands thoroughly with soap and water. Use only with adequate ventilation. Avoid breathing vapors or spray mists. Avoid skin and eye contact.

Storage: Keep container in a cool, well-ventilated area. Store between 40°F and 120°F (4.4°C and 49°C).

Precautions to be taken in handling and storage:
Store all materials in a dry, well-ventilated area. Avoid breathing vapors. Avoid skin and eye contact.



MATERIAL SAFETY DATA SHEET
LPS® Precision Clean (Ready-to-use)

Revision Date: July 20, 2011

Supersedes: July 18, 2008

Section 8 • Exposure Controls / Personal Protection

Exposure Guidelines:

Component	CASRN	OSHA	ACGIH	NIOSH	Supplier
(2-Methoxymethylethoxy) Propanol	34590-94-8	100 ppm PEL	100 ppm TLV 150 ppm STEL	100 ppm TWA 150 ppm STEL	None reported
Disodium Metasilicate	6834-92-0	Not established	Not established	Not established	None reported

Engineering Controls: Provide general and/or local exhaust ventilation to keep exposures below the exposure guidelines listed above.

Personal protective equipment

Eye protection: Safety glasses with side shields conforming to appropriate regulations. Eye wash fountain and emergency shower facilities are recommended.

Hand protection: Use chemically resistant protective gloves. Please observe the instructions regarding permeability and breakthrough time that are provided by the supplier of the gloves. Take into consideration the specific local conditions under which the product is used, such as the danger of the cuts, abrasion and the contact time.

Respiratory protection: If airborne concentrations are above the applicable exposure limits (listed above), use NIOSH approved respiratory protection (i.e. organic vapor cartridge).

General Hygiene Considerations: Wash thoroughly after handling. Have eye-wash facilities immediately available.



MATERIAL SAFETY DATA SHEET
LPS® Precision Clean (Ready-to-use)

Revision Date: July 20, 2011

Supersedes: July 18, 2008

Section 9 • Physical and Chemical Properties

Appearance:	Liquid	Color:	Turquoise
Odor:	Citrus	Evaporation Rate:	1 (H ₂ O = 1)
Solubility Description:	100% in water	Flash Point:	None
Boiling Point:	100°C (212°F)	Flash Point Method:	Tag-Closed Cup
Specific Gravity (H₂O=1):	1.01 - 1.02 @ 20°C	Decomposition Temperature:	Not established
Vapor Density (air = 1):	> 1	Auto ignition temperature:	Not established
Vapor Pressure:	~ 24 mm Hg @ 20°C	Flammable limits (estimated):	LOWER: N.E. UPPER: N.E.
Rule 1171 PPc:	Not applicable	Partition Coefficient (octanol/water):	> 1
V.O.C. Content:	Aerosol: Not applicable Bulk: 1.2%, 13 g/L, 0.1 lb/gal	Odor Threshold:	Not established
Melting Point:	Not established	Viscosity:	< 3 cSt @ 25°C
pH:	12.5	Volatiles:	Not established
Heat of combustion:	Aerosol: Not applicable Bulk: Not established		

Section 10 • Stability and Reactivity

Chemical Stability:	Product is stable under recommended storage conditions.
Conditions to Avoid:	Avoid extreme heating or freezing and substances that react with water.
Incompatibility:	Reactive or incompatible with oxidizing agents.
Hazardous Decomposition:	These products are carbon oxides (CO, CO ₂).
Hazardous Polymerization:	Will not occur.



MATERIAL SAFETY DATA SHEET
LPS® Precision Clean (Ready-to-use)

Revision Date: July 20, 2011

Supersedes: July 18, 2008

Section 11 • Toxicological Information

Acute and Chronic Toxicity

A: General Product Information

An acute toxicity study of this product has not been conducted. Information given in this section relates only to individual constituents contained in this

B: Component Analysis

Component	CASRN	LC-50	LD-50
(2-Methoxymethylethoxy) Propanol	34590-94-8	Not established	5400 µL/kg / oral / rat 10 mL/kg / dermal / rabbit
Disodium Metasilicate	6834-92-0	Not established	1153 mg/kg / oral / rat

* Supplier Data

Section 12 • Ecological Information

Mobility: May absorb to sediments. **Persistence / Degradability:** Biodegradable
Bioaccumulative potential: No bioaccumulation potential **Other adverse effects:** Not established

Ecological studies have not been conducted for this product. The following information is available for component(s) of this product.

Ecotoxicity

Effects on Organisms	Component	CASRN	Test	Species	Results
Acute Toxicity on Fishes	(2-Methoxymethylethoxy) Propanol	34590-94-8	96-hr EC50	Pimephales Promelas	> 10000 mg/L
	Disodium Metasilicate	6834-92-0	96-hr EC50	Brachydanio Rerio	3,185 mg of 35% solution per liter
Acute Toxicity on Daphnia	(2-Methoxymethylethoxy) Propanol	34590-94-8	48-hr EC50	Daphnia Magna	1,919 mg/L
	Disodium Metasilicate	6834-92-0	96-hr EC50	Daphnia Magna	4,857 mg of 35% solution per liter
Bacterial Inhibition	No data available				
Growth inhibition of algae					
Bioaccumulation in fish					

* Supplier Data

Section 13 • Disposal Considerations

Waste Status: If disposed of in its received form, this item carries the waste code D002 (US).

Disposal: Waste must be disposed of in accordance with any and all applicable environmental control rules and/or regulations.

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information inaccurate, incomplete, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive than federal laws and regulations.



MATERIAL SAFETY DATA SHEET
LPS® Precision Clean (Ready-to-use)

Revision Date: July 20, 2011

Supersedes: July 18, 2008

Section 14 • Transport Information

This product is not regulated by any mode of transportation.

The preceding information is subject to change and must be verified prior to shipment. It is the responsibility of anyone offering hazardous materials for shipment to ensure compliance with all applicable regulations.

Section 15 • Regulatory Information

U.S. Federal Regulations

RCRA Hazardous Waste No.: D002

Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA):
None

Toxic Substances Control Act (TSCA):
All components of this product are TSCA inventory listed and/or are exempt.

Superfund Amendments and Reauthorization Act (SARA) Title III SARA Section 311/312 (40 CFR 370) Hazard Categories:
Immediate (Acute) Health Hazard.

This product contains the following toxic chemical(s) subject to reporting requirements of SARA Section 313 (40 CFR 372):
No individual section 313 component is present at or above 1%.

Section 112 Hazardous Air Pollutants (HAPs): None

State Regulations

California: This product does not contain chemical(s) known to the State of California to cause cancer, birth defects or other reproductive harm.

California and OTC States: This product conforms to consumer product regulations.
Note: This product qualifies as a "Clean Air Solvent" in the State of California.

New Jersey Right to Know:
Water 7732-18-5 • (2-Methoxymethylethoxy) Propanol 34590-94-8 • C10 - C16 Ethoxilated Alcohol 68002-97-1 • Disodium Metasilicate 6834-92-0 • Tetrapotassium Pyrophosphate 7320-34-5

International Regulations

Canadian Environmental Protection Act (CEPA):
All of the components of this product are included on the Canadian Domestic Substances list (DSL).

Canadian Workplace Hazardous Materials Information System WHMIS:
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

WHMIS Classification:

Bulk: Class D2B





MATERIAL SAFETY DATA SHEET
LPS® Precision Clean (Ready-to-use)


Revision Date: July 20, 2011

Supersedes: July 18, 2008

Other Regulations:

Montreal Protocol listed ingredients: None
Stockholm Convention listed ingredients: None
Rotterdam Convention listed ingredients: None
RoHS Compliant: Yes

Section 16 • Other Information

MSDS#: 12728 MSDS Preparation Responsible Name: Elena Badiuzzi Compliance Manager Telephone: +1 770 243-8800	HMIS 1996		HMIS III		NFPA Flammability  Health Reactivity Special
	Health:	1	Health:	[] 1	
	Flammability:	0	Flammability Concentrate:	0	
			Flammability Ready-to-use:	0	
		Physical Hazard Concentrate:	0		
		Physical Hazard Ready-to-Use:	0		

Notice to Reader:

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Elena Badiuzzi, Compliance Manager
LPS Laboratories, a division of Illinois Tool Works