## MATERIAL SAFETY DATA SHEET

MAY BE USED TO COMPLY WITH OSHA'S HAZARD COMMUNICATION STANDARD 29CRF 1910.1200



# EMERGENCY TELEPHONE NUMBER 800-361-1388

INFORMATION TELEPHONE NUMBER 800-361-1388

INFORMATION TELEPHONE NUMBER 800-361-1388							
		ARED: 5/31/06		SIGNATURE	OF PREPARER (OPTIONAL	)	
SECTION 1	CHEMICAL PROD	DUCT / NAME					
Product/Chen	nical Name:	Non mag	gnetic printer	toner-brot	her type TN		
CTG Product	No: BCTN460						
CAS Number:	Mixtu	е					
Other Designation	ations: N/A						
General Use:	Laser	Printer					
SECTION 2	COMPOSITION /	NFORMATION	ON INGREDI	ENTS			
		CAS	EU	%	OSHA	ACGIH	OTHER
Ingredient Na	me:	NUMBER	NUMBER	70	PEL	TLV	LIMITS
					Toner is regulated under OS	HA as particulat	e not
					otherwise reg	gulated:	
Carbon Black*		25767-47-9		7-9	3.5mg/m		
Styrene acrylic	resin	1333-86-4		78-85			
Silica		1309-38-2		.05-1			
Dye		25085-53-4		.05-2			
Polupropylene		7631-86-9		1-3			
*IARC listed as	s a suspected carcino	ogen					
*HAZARDOUS	DECOMPOSITION	OR BY PRODUC	TS: Carbon mor	noxide and o	ther decomposition products, in	n case of incomp	olete
combustion							
* OZONE DEP	LETING SUBSTANC	ES: None inprop	er use of produc	t			
NDA = NO DA	TA AVAILABLE						
N/A = NOT AF	PLICABLE						
SECTION 3	HAZARDOUS IDE	NTIFICATION					
Primary Entry	Routes: Inhala	tion				NFPA	/HMIS
Target Organs	s: N/A					HEALTH	1
Acute Effects	: N/A					FLMMBLTY.	1
Inhalation:	Slight irritation of re	spiratory tract.				REACTIVITY	· 1
Eye:	Dust may cause irri	ation by mechani	cal abrasion.			PPE (Sec.8)	-
Skin:	Slight irritation.						
Ingestion:	None known.						
Carcinogenic	ity: N/A						
Medical Cond	litions Aggravated E	By Long-Term Ex	posure:	Accumulation	n of dust in the respiratory syst	em	
	may cause c	ongestion.					
Chronic Effec	ts: If these mate	rials are used in a	a manner that co	ould generate	e airborne particles (dust), it is	recommended th	nat
	the dust may	be treated as a N	<b>NUISANCE PAR</b>	TICULATE a	according to the American Con	ference of Gover	mment
	Industrial Hy	gienists (ACGIH)(	TLV=10mg/m <sup>3</sup> ).				
<b>SECTION 4</b>	FIRST AID MEAS	URES					
Inhalation:	Remove to fresh air	. Treat any irritation	on symptomatica	ally. Call a ph	nysician if condition persists.		
Eye Contact:	In case of contact ir	-			-		
-	15 minutes. Remov	•		•			
Skin Contact:	Wash well with soap	-		<b>J</b>	-		
Ingestion:	N/A	0.121					
	After first aid, get a	propriate in-plant	paramedic or o	ommunitv m	edical support		
	if serious signs and		•	y ///			
Note to Physi	-	cymptoms penst.					
Special Precautions / Procedures: N/A							

SECTION 5	FIRE FIGHT	TING MEASURES		
Flash Point:	N/A			
Flash Point M				
Burning Rate				
-		: Not Determined		
LEL:	N/A			
UEL:	N/A N/A			
-		n ( Slight (HMIS NEDA)		
Flammability				
Extinguishing	-	Water spray, dry chemical, foam, carbon dioxide, or halon type extinguishers.		
Unusual Fire	-			
Hazardous Co	ompustion Pr	•		
		Under certain conditions some aliphatic aldehydes and carboxylic acids		
Fine Fishting	In	may form.		
		Do not release runoff from fire controls methods to sewers or waterways.		
Fire-Fighting	Equipment:	Because fire may produce toxic thermal decomposition products, wear a		
		self-contained breating apparatus (SCBA) with full facepiece operated		
		in pressure-demand or positive-pressure mode.		
Spill / Leak Pi		N/A		
Sman Spills:		a container for disposal, suction up remaining material with a high efficiency		
	vacuum clea			
Large Spills:		a container for disposal, suction up remaining material with a high efficiency		
Contoinmont	vacuum clea			
Containment		ills, avoid suspending particles, collect for later disposal. Do not release		
0		or waterways.		
Cleanup:		equirements.		
Regulatory R				
		AND STORAGE		
Handling Pred		Keep containers closed at all times. Avoid creating dust. Keep away from ignition sources.		
Storage Requi Regulatory R		Store in a cool, dry location.		
	-			
		E CONTROLS / PERSONAL PROTECTION		
Engineering (				
Venilation:	•	eral or local exhaust ventilation systems to maintain airborne concentrations		
		A PELs (sec.2). Local exhaust ventilation is preferred because it prevents contaminant		
A		nto the work area by controlling it at its source.		
Administrativ		Cool and coincide the second state collection and use		
Respiratory P	rotection:	Seek professional advise prior to respirator selection and use.		
		Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear		
		a MSHA/NIOSH-approved respirator. Select respirator based on its suitability		
		to provide adequate worker protection for given working conditions, level of		
		airborne contamination, and presence of sufficient oxygen. For emergency or		
		nonroutine operation (cleaning spills, reactor vessels, or storage tanks), wear		
		an SCBA. Warning! Air-purified respirators do not protect workers in oxygen-deficient		
		atmosheres.		
Protective Clo	otning/Equipi			
		prolonged or repeated skin contact. Wear protective eyeglasses or		
		chemical safety goggles, per OSHA eye and face protection regulations		
		(29CFR 1910.133). Contact lenses are not eye protective devices. Appropriate		
protection must be worn instead of, or in conjunction with contact lenses.				
Safety Stations: Make emergency eyewash stations and washing facilities available in work area.				
Contaminated Equipment: Separate contaminated wprk clothing from street clothes. Launder before				
		re-use. Remove this material from your shoes and clean personal protective		
		equipment.		
Comments:		rink, or smoke in works areas. Practice good personal hygiene after using this		
	material, esp	pecially before eating, drinking, using the toilet, or applying cosmetics.		

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State:		Water Solubility:	Insoluble
Appearance and Odor:	Black, free flowing powder, odorless	Other Solubilities:	N/A
Odor Threshold:	N/A	Boiling Point:	N/A
Vapor Pressure:	N/A	Freezing/Melting Point:	N/A
Vapor Density (Air=1):	Heavier than air.	Viscosity:	N/A
Formula Weight:	N/A	Refractive Index:	N/A
Density:	N/A	Surface Tension:	N/A
Specific Gravity:	(H <sub>2</sub> O)=1, at 4°C): 1.2	% Volatile:	N/A
pH:	N/A	Evaporation Rate:	N/A
-			

# SECTION 10 STABILITY AND REACTIVITY

 Stability:
 Stable

 Polymerization:
 N/A

 Chemical Incompatibilities:
 N/A

 Conditions to Avoid:
 N/A

Hazardous Decomposition Products: Carbon monoxide and other decompostion products in case of incomplete combustion

## SECTION 11 TOXICOLOGICAL INFORMATION

None

Eye Effects:	N/A	Toxicity Data:*	
Skin Effects:	N/A	Acute Inhalation Effects:	N/A
		Acute Oral Effects:	N/A
		Chronic Effects:	N/A
		Carcinogenicity:	N/A
		<b>Mutagenicity:</b> Ames Test Negative	(Estimated from the results of testing the constituent components)
		0	<b>o</b> 1 <i>,</i>
		Teratogenicity:	N/A

\*See NIOSH, RTECS for additional toxicity data.

### SECTION 12 ECOLOGICAL INFORMATION

N/A		
N/A		
Environmental Degradation:		
bility:	N/A	
	N/A	

#### SECTION 13 DISPOSAL CONSIDERATIONS

**Disposal:** Waste material may be incinerated / or recycled for its Iron Oxide under conditions which meet all federal, state, and local environmental regulations.

#### Disposal Regulartory Requirements: N/A

Container Cleaning and Disposal: N/A

## SECTION 14 TRANSPORT INFORMATION DOT Transportation Data (49 CFR 172.101):

Not specifically listed.

Shipping Name:	N/A
Shipping Symbol:	N/A
Hazard Class:	N/A
ID No:	N/A
Packing Group:	N/A
Label:	N/A
Special Provisions:	N/A

Packaging Authorizations:a) Exceptions:N/Ab) Non-bulk Packaging:N/Ac) Bulk Packaging:N/A

Quantity Limitationsa) Passenger, Aircraft, orRailcar:N/A

Vessel Stowage Requirements a) Vessel Stowage: N/A b) Other: N/A

## SECTION 15 REGULATORY INFORMATION

## EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33) RCRA Hazardous Waste Classification: (40 CFR 261): Not classified CERCLA Hazardous Substance (40 CFR 302.4) listed unlisted specific per RCRA, sec. 3001; CWA sec.311 (b)(4); CWA, Sec. 307(a),CAA,Sec.112 CERCLA Reportable Quantity(RQ), Not listed

SARA 311/312 Codes:

SARA Toxic Chemical (40 CFR 372.65): Not listed

N/A

SARA EHS (Extremely Hazardous Substance) (40CFR 355): Not listed, Threshold Planning Quantity (TPQ)

#### OSHA Regulations:

Air Containment (29 CFR 1910.1000< Table Z-1-A): Particulates not otherwise regulated.

**State Regulations:** Check your states regulations that may specifically list copy machine toner.

## SECTION 16 OTHER INFORMATION

Prepared By: N/A Revision Notes: N/A Additional Hazard Rating System: N/A

> THIS INFORMATION IN THIS MSDS WAS OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE. HOWEVER, THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY EXPRESS OR IMPLIED, REGARDLESS IT'S CORRECTNESS. THE CONDITIONS OR METHODS OF HANDLING, STORAGE, USE AND DISPOSAL OF THE PRODUCT ARE BEYOND OUR CONTROL, AND MAY BE BEYOND OUR KNOWLEDGE. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THE PRODUCT.