

Safety Data Sheet

Single-Enzymatic Surgical Instrument Detergent & Presoak

Section 1. Identification

Product Identifier

Synonyms

Single-Enzymatic Surgical Instrument Detergent & Presoak MDS88000B91; MDS88B9105; MDS88B9115; MSD SDS0154

MDS88000B91; MDS88B9105; MDS88B9115

Manufacturer Stock Numbers

Recommended use

Uses advised against

Cleaning agent.
Use only as directed.

Manufacturer Contact

Address

Medline

3 Lakes Drive

Northfield, IL, 60093

USA

Phone

Emergency Phone

(800) 424-9300

CHEMTREC

(847) 643-4436

Fax

Website

www.Medline.com

(800) 633-5463

Section 2. Hazards Identification

Classification SERIOUS EYE DAMAGE /EYE IRRITATION - Category 2B

Signal Word Warning

Pictogram

Hazard Statements Causes eye irritation

Precautionary Statements

Response Get medical advice/attention if you feel unwell.

If eye irritation persists: Get medical advice/attention.

If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

Prevention Do not handle until all safety precautions have been read and understood.

Wash affected area thoroughly after handling.

Wear protective gloves, eye protection.

Storage Store at temperatures not exceeding 30°C/86°F.

Disposal Dispose according to all local, state and federal regulations.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise Classified

None known.

Section 3. Ingredients

CAS		Ingredient Name	Weight %	
9014-01-1 Subtilisin			Trade Secret %	

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Eye contact: Immediately flush with plenty of water. Remove any contact lenses, continue

flushing for several minutes and call physician immediately.

Skin Contact: Wash off immediately with plenty of water for several minutes. Take off

contaminated clothing. Wash contaminated clothing before reuse. If skin

irritation or rash occurs: get medical advice/attention.

Inhalation: Move to fresh air and keep at rest in a comfortable position for breathing. If not

breathing, give artificial respiration. Consult a physician.

Do NOT induce vomiting. Never give anything by mouth to a person who is Ingestion

unconscious. Call a physician or Poison Control Center.

Symptoms: Skin contact can lead to drying, itching, stinging and irritation. Exposed

individuals may experience eye tearing, redness and discomfort.

Note to Physician: Treat symptomatically

Section 5. Fire Fighting Measures

Suitable Extinguishing

In case of fire, use Water, Carbon Dioxide (CO2), Dry Chemical or Foam for

extintion.

Unsuitable Extinguishing

N.D.

Media

Media

Specific Hazards Arising

from the Chemical:

N.D.

Protective equipment &

As in any fire, wear self-contained breathing apparatus pressure-demand,

precautions for firefighters: MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6. Accidental Release Measures

Personal Precautions.

Personal Precautions:

Protective Equipment and **Emergency Procedures:**

Use personal protective equipment as required.

For Emergency Responders:

Restrict access to spill area. Ventilate the area.

Environmental Precautions:

Prevent entry into waterways, sewers, basements or confined areas.

Methods and Materials for Methods for Containment:

up:

Containment and Cleaning Prevent further leakage or spillage if safe to do so.

Methods for Cleaning up:

Flush small spills with water. Dike to collect large liquid spills.

Section 7. Handling and Storage

Precautions for Safe

Advice on Safe Handling:

Handling:

Obtain special instructions before use. Read and understand all safety precautions prior to use. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Use only in well-ventilated areas.

Keep out of the reach of children and pets.

Conditions for Safe Storage, Including any Incompatibilities:

Storage Conditions:

Store in a closed container in a dry, cool and well-ventilated place away from

incompatible materials. Do not store above 86°F (30°C).

Incompatible Materials:

Avoid contact with strong acids, oxidizers and alkalis.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure

Limits

Subtilisin	Ceiling: 0.00006 mg/ m3		NIOSH IDLH: 0.00006 mg/m3 60 min.
Ingredient Name	ACGIH ILV	OSHA PEL	SIEL

Personal Protective

Equipment

Goggles, Gloves, Face Shield

Appropriate Engineering

Controls:

Ensure adequate ventilation. Eyewash stations.

Individual protection measures, such as

Eye/Face Protection:

personal protective

Wear goggles, chemical safety glasses or a face protection shield.

equipment:

Skin and Body Protection:

Chemical resistant, non-latex and impermeable gloves. Wear appropriate

clothing to prevent prolonged skin contact.

Respiratory Protection:

Under normal conditions a respirator is not normally required. A mask or respirator may be used if vapor concentration is high.

General Hygiene Considerations:

Handle with good industrial hygiene and safety practices.

Section 9. Physical and Chemical Properties

Color Green/ Clear Liquid Odor Fresh Odor Threshold N.D. Solubility Completely soluble Partition coefficient Water/n-octanol N.D. VOC% N/A Viscosity N.D. Specific Gravity 1.07 Density lbs/Gal N/A Pounds per Cubic Foot N/A Flash Point Not Flammable FP Method N.A. pH 7.4 - 8.3 Melting Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL N/A Evaporation Rate < 1 Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature N.D. Vapor Pressure N.D.	Physical State	Liquid
Dodor Fresh Odor Threshold N.D. Solubility Completely soluble Partition coefficient Water/n-octanol N.D. VOC% N/A Viscosity N.D. Specific Gravity 1.07 Density Ibs/Gal N/A Pounds per Cubic Foot N/A Flash Point Not Flammable FP Method N.A. pH 7.4 - 8.3 Melting Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL N/A Evaporation Rate < 1 Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature N.D. V.D. VAD. VAD. VAD. VAD. VAD. VAD. V		•
Odor Threshold N.D. Solubility Completely soluble Partition coefficient Water/n-octanol N.D. VOC% N/A Viscosity N.D. Specific Gravity 1.07 Density lbs/Gal N/A Pounds per Cubic Foot N/A Flash Point Not Flammable FP Method N.A. pH 7.4 - 8.3 Melting Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL N/A UEL N/A Evaporation Rate < 1 Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature N.D. VAD.	Color	
Odor Threshold Solubility Completely soluble Partition coefficient Water/n-octanol VOC% N/A Viscosity N.D. Specific Gravity Density lbs/Gal Pounds per Cubic Foot Flash Point Flash Point Not Flammable FP Method N.A. PH 7.4 - 8.3 Melting Point Soliling Point Boiling Range LEL N/A UEL VA Evaporation Rate Flammability Decomposition Temperature N.D. Auto-ignition Temperature Vapor Pressure N.D.		•
Solubility Completely soluble Partition coefficient Water/n-octanol VOC% Viscosity N.D. Specific Gravity 1.07 Density lbs/Gal Pounds per Cubic Foot N/A Flash Point Flammable FP Method N.A. pH 7.4 - 8.3 Melting Point Soliting Point Auto-ignition Temperature Vapor Pressure N.D. Completely soluble N.D. N/A N/A N/A N.D. N/A Viscosity N.D. N/A N/A N/A Viscosity N.D. N/A VA - 8.3 Not Flammable N.D. N/A Viscosity N.D. N/A VA-Liquid N.D. Not Flammable N.D.		
Partition coefficient Water/n-octanol VOC% Viscosity N.D. Specific Gravity Density Ibs/Gal Pounds per Cubic Foot Flash Point Flammable FP Method PH T.4 - 8.3 Melting Point Boiling Point Boiling Range LEL V/A UEL Evaporation Rate Flammabilet N.D. Let Nya Viscosity N.D. Not Flammable NA Not Flammability N.D. NA VA VA VA VA VA VA VA VA VA	Odor Threshold	
Partition coefficient Water/n-octanol VOC% Viscosity N.D. Specific Gravity Density Ibs/Gal Pounds per Cubic Foot Flash Point Flammable FP Method PH T.4 - 8.3 Melting Point Soiling Point Boiling Range LEL VA UEL Evaporation Rate Flammability Decomposition Temperature N.D. Nand N.D. N.D. Nand N.D. Nand N.D. Nand N.D. Nand N.D. Nand N.D. Nand Nand N.D. Nand N	Solubility	
VOC% Viscosity N.D. Specific Gravity 1.07 Density lbs/Gal Pounds per Cubic Foot N/A Flash Point Not Flammable FP Method N.A. PH 7.4 - 8.3 Melting Point Soiling Point Soiling Range LEL N/A UEL N/A Evaporation Rate Flammability Not Flammabile N.D. Auto-ignition Temperature N.D. VA VA VISCOME N/A VA		soluble
Viscosity Specific Gravity 1.07 Density Ibs/Gal Pounds per Cubic Foot Flash Point Flash Point Not Flammable FP Method N.A. PH 7.4 - 8.3 Melting Point Soiling Point Soiling Range LEL N/A UEL VAD Evaporation Rate Flammability Not Flammabile N.D. Auto-ignition Temperature N.D. VA	Partition coefficient Water/n-octanol	N.D.
Specific Gravity Density Ibs/Gal Pounds per Cubic Foot Flash Point Flammable FP Method PH T.4 - 8.3 Melting Point Soiling Point Boiling Range LEL N/A UEL Evaporation Rate Flammability Decomposition Temperature Not Flammable NA NA NA VA VA VA VA VA VA VA	VOC%	N/A
Density Ibs/Gal Pounds per Cubic Foot Flash Point Not Flammable FP Method Pounds Point Flammable FP Method N.A. Not Flammable FP Method N.A. PH 7.4 - 8.3 Melting Point 212°F/ 100°C Boiling Point Boiling Range N.D. LEL N/A UEL N/A Evaporation Rate Flammability Decomposition Temperature N.D. Not Flammable Vapor Pressure N.D.	Viscosity	N.D.
Pounds per Cubic Foot Flash Point Flammable FP Method PH Flammable FP Method N.A. Flammable FP Method N.A. Flammable N.A. Flammable N.D. Flammability Flammability Not Flammable Vapor Pressure Not Flammable N.D.	Specific Gravity	1.07
Flash Point Flammable FP Method N.A. pH 7.4 - 8.3 Melting Point -5°C Boiling Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL Evaporation Rate Flammability Decomposition Temperature Number Auto-ignition Temperature Vapor Pressure Not Flammable Vapor Pressure	Density lbs/Gal	N/A
Flammable FP Method N.A. pH 7.4 - 8.3 Melting Point -5°C Boiling Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL Evaporation Rate Flammability Decomposition Temperature Auto-ignition Temperature Vapor Pressure Flammable N.D.	Pounds per Cubic Foot	N/A
FP Method pH 7.4 - 8.3 Melting Point -5°C Boiling Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL N/A Evaporation Rate Flammability Decomposition Temperature Auto-ignition Temperature Vapor Pressure N.A. N.A. N.A. N.A. NA. NA. NA.	Flash Point	Not
PH 7.4 - 8.3 Melting Point		Flammable
Melting Point -5°C Boiling Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL Evaporation Rate Flammability Decomposition Temperature Auto-ignition Temperature Vapor Pressure -5°C N.D. N.D. N.D. VA -5°C N.D. N/A L120°C N/A -100°C N/A N/A N/A N/A Liquid N.D. Not Flammable N.D.	FP Method	N.A.
-5°C Boiling Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL N/A Evaporation Rate < 1 Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature Not Flammable Vapor Pressure N.D.	рН	7.4 - 8.3
Boiling Point 212°F/ 100°C Boiling Range N.D. LEL N/A UEL N/A Evaporation Rate < 1 Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature N.D. Vapor Pressure N.D.	Melting Point	< 23°F / <
Boiling Range N.D. LEL N/A UEL N/A Evaporation Rate Flammability Decomposition Temperature Auto-ignition Temperature Vapor Pressure N.D. N.D. Not Flammable N.D.		-5°C
LEL N/A UEL N/A Evaporation Rate < 1 Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature Not Flammable Vapor Pressure N.D.	Boiling Point	212°F/ 100°C
LEL N/A UEL N/A Evaporation Rate < 1 Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature Not Flammable Vapor Pressure N.D.	Boiling Range	N.D.
Evaporation Rate < 1 Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature Not Flammable Vapor Pressure N.D.	LEL	N/A
Flammability N/A-Liquid Decomposition Temperature N.D. Auto-ignition Temperature Not Flammable Vapor Pressure N.D.	UEL	N/A
Decomposition Temperature N.D. Auto-ignition Temperature Not Flammable Vapor Pressure N.D.	Evaporation Rate	< 1
Auto-ignition Temperature Not Flammable Vapor Pressure N.D.	Flammability	N/A-Liquid
Auto-ignition Temperature Not Flammable Vapor Pressure N.D.	Decomposition Temperature	N.D.
Vapor Pressure N.D.		Not
1		Flammable
Vapor Density > 1	Vapor Pressure	N.D.
and the control of th	Vapor Density	> 1

Section 10. Stability and Reactivity

Reactivity: Not reactive under normal conditions.

Chemical stability: Stable under recommended storage conditions.

Possibility of hazardous

reactions:

None under normal processing.

Hazardous polymerization: Hazardous polymerization will not occur.

Conditions to avoid: None under normal processing.

Incompatibility (Materials to Avoid contact with strong acids, oxidizers and alkalis.

Hazardous Decomposition None known.

Products:

Section 11. Toxicological Information

Route(s) of Exposure: Eyes; Skin; Inhalation; Ingestion Information on likely routes Eye contact: Causes eye irritation.

of exposure:

Skin contact: Causes mild skin irritation.

Inhalation: Avoid breathing vapors or mists. May cause allergy or asthma

symptoms or breathing difficulties if inhaled.

Ingestion: Do not taste or swallow.

Subtilisin (Protease) CAS-No. 9014-01-1

Oral LD50: 1800 mg/kg (Rat)

Dermal LD50: N.A. Inhalation LC50: N.A.

Delayed-immediate effects, Carcinogenicity:

also chronic effects from

The product as a whole has not been tested.

short & long term

exposure:

Numerical measures of

toxicity:

Section 12. Ecological Information

N.D.

Ecotoxicity: An environmental hazard cannot be excluded in the event of unprofessional

handling or disposal.

Subtilisin (Protease) CAS-No. 9014-01-1

Algae/aquatic plants: N.D.

Fish: N.D.

Toxicity to microorganisms: N.D.

Crustacea: N.D.

Persistence and degradability:

N.D.

Bioaccumulation: N.D. Mobility: N.D.

Other adverse effects: N.D.

Section 13. Disposal

Disposal of Wastes: Dispose according to all local, state and federal regulations. Contaminated Packaging: Dispose according to all local, state and federal regulations.

Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Not Regulated DOT Classification Not Regulated Packing Group Not Regulated

Section 15. Regulatory Information

SARA 311/312: Refer to Section 2 of the SDS.

SARA 302: N.A. SARA 304: N.A. SARA 313: N.A.

TSCA: All components are listed or exempt.

N.A.

CERCLA Hazardous

Substance List:

Clean Air Act (CAA) Section N.A.

112, 112 (r):

State Regulations: N.A.

Section 16. Other Information

Revision Date 2/7/2023

Legend N.A. - Not Applicable

N.E. - Not Established N.D. - Not Determined

National Fire Protection Association (U.S.A): Health

Hazard

National Fire Protection 0
Association (U.S.A): Fire

Hazard

National Fire Protection 0 Association (U.S.A):

Instability Hazard

Additional Information: The information contained herein is furnished without warranty or legal

responsibility of any kind. Employers should use this information only as a

supplement to other information gathered by them and must make

independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health

of employees.