

# **Safety Data Sheet**

### SurePrep Rapid Dry Barrier Film

#### Section 1. Identification

**Product Identifier** 

SurePrep Rapid Dry Barrier Film

**Synonyms** 

MSC1528; MSC1605; MSC1610; MSC1613; MSD\_SDS0277

Manufacturer Stock

MSC1528; MSC1605; MSC1610; MSC1613

**Numbers** 

N/A Recommended use Uses advised against N/A

Manufacturer Contact

Address Medline Industries. Inc.

> 3 Lakes Drive Northfield, IL, 60093

USA

Phone **Emergency Phone** Fax

(800) 633-5463 (800) 424-9300 (847) 643-4436

**CHEMTREC** 

Website

www.Medline.com

#### Section 2. Hazards Identification

Classification Signal Word **Pictogram** 

FLAMMABLE LIQUIDS - Category 2

Danger



Hazard Statements Highly flammable liquid and vapor

**Precautionary Statements** 

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin

with water/shower.

In case of fire: Use CO2, dry chemical or foam to extinguish.

Prevention Ground/bond container and receiving equipment.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Take precautionary measures against static discharge.
Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Wear eye protection/face protection. Wear protective gloves/protective clothing.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/containers in accordance with local, state and federal

regulations.

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

Health Hazards (Routes of Eyes: May cause eye irritation. Entry): Skin: May cause skin irritation.

Inhalation: May cause respiratory system irritation.

Ingestion: May be harmful if swallowed.

#### Section 3. Ingredients

CAS	Ingredient Name	Weight %
107-46-0	Hexamethyldisiloxane	>85 %

Occupational exposure limits, if available, are listed in Section 8.

#### Section 4. First-Aid Measures

Eye Contact: Remove contact lenses immediately. Wash with copious amounts of water for

at least 15 minutes. Do not rub eyes. Seek medical attention immediately.

Skin Contact: Wash thoroughly with soap and water. Remove contaminated clothing. Seek

medical attention immediately.

Inhalation: Move to fresh air if breathing. If not, give artificial respiration. Seek medical

attention immediately.

Ingestion: If swallowed, rinse mouth with water. Seek medical attention immediately.

#### Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Dry chemical, foam, carbon dioxide. Water fogs should be used to cool

containers exposed to extreme heat.

Unsuitable Extinguishing

Media

Cool fire-exposed containers with water. Use self-contained breathing

Special Fire Fighting Procedures:

: apparatus in confined areas.

N/A

Unusual Fire Fighting

Procedures:

Emits toxic fumes under fire conditions. Vapors are heavier than air and will collect in low areas. Vapors may travel considerable distances to sources of ignition and flash back.

## Section 6. Accidental Release Measures

Steps to be taken in case material is released or spilled:

For Large Spills:

Shut off all sources of ignition. Evacuate area and ventilate. Ensure adequate ventilation. Contain spill and prevent spilled material from entering sources of groundwater contamination. Dike if necessary. Mix into spill an inert material such as diatomaceous earth and vermiculite. Avoid dust formation. Using recommended protective equipment, pick up bulk of spill and containerize for recovery or disposal. Flush area with water to remove residues.

For Small Spills:

Same

#### Section 7. Handling and Storage

Precautions to be taken in Handling and Storage:

Use safety goggles and chemical resistant rubber gloves and clothes. Store in a tightly closed container in a dry, cool area. Store away from direct sunlight. Avoid the build-up of dust; provide appropriate exhaust ventilation at places where dust is formed. Avoid contact with the material. Avoid prolonged or repeated exposure. Lab should be equipped with a safety shower and eyewash station. Wash thoroughly after handling material. Keep away from heat and open flames. Material should only be handled by qualified, experienced professionals.

Other Precautions:

Always use proper grounding and bonding procedures when hadling this material.

#### Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits

Ingredient Name ACGIH TLV OSHA PEL STEL

Hexamethyldisiloxane N/A N/A N/A

Personal Protective Equipment

Goggles, Gloves, Apron

Ventilation Requirements: Ventilation should be designed in accordance with good engineering

practices. Mechanical exhaust preferred.

Personal Protective Equipment:

Respiratory Protection: Wear appropriate NIOSH/MSHA-approved respirator with organic vapor cartridge. Not applicable with local exhaust.

Eye Protection: Splash-proof glasses, goggles or face shield (ANSI Z87.1 or approved equivalent).

Dermal Protection: Protect all exposed skin from contact. Use gloves or neoprene or other chemically inert material. Use chemically resistant apron or other chemically impervious clothing to avoid prolonged or repeated skin contact.

Other: Eyewash and safety showers should be available in areas where this product is handled.

#### Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Colorless to
	slight yellow
Odor	Faint odor
Odor Threshold	N/A
Solubility	Negligible
Partition coefficient Water/n-octanol	N/A
VOC%	N/A
Viscosity	N/A
Specific Gravity	N/A
Density lbs/Gal	N/A
Pounds per Cubic Foot	N/A
Flash Point	0.56°C
	(33°F)
FP Method	N/A
рН	N/A
Melting Point	N/A
Boiling Point	N/A
Boiling Range	N/A
LEL	N/A
UEL	N/A
Evaporation Rate	N/A
Flammability	N/A
Decomposition Temperature	N/A
Auto-ignition Temperature	N/A
Vapor Pressure	N/A
Vapor Density	N/A

#### Section 10. Stability and Reactivity

Reactivity: This material is not considered reactive.

Chemical Stability: Stable under recommended conditions.

Hazardous Decomposition Oxides of carbon and silica; formaldehyde.

or Byproducts

Hazardous Polymerization: Will not occur.

Conditions/Materials to

Avoid elevated temperatures, reducing agents, oxidizers and metal salts.

Avoid:

#### Section 11. Toxicological Information

Acute Eye Effects: N/E
Acute Dermal Effects: N/E
Acute Inhalation Effects: N/E
Acute Oral Effects: N/E

NTP: Not Listed IARC: Not Listed OSHA: Not Listed

#### Section 12. Ecological Information

No information is available.

#### Section 13. Disposal

Waste Disposal Method: If reclamation is not possible, dispose of material in accordance with all

Federal, State and Local regulations.

#### Section 14. Transport Information

UN Number 1993

UN Proper Shipping Name Flammable liquids, n.o.s. (Hexamethyldisiloxane)

DOT Classification 3
Packing Group II
IMDG - UN Number: 1993

IMDG - UN Proper Shipping Flammable liquids, n.o.s. (Hexamethyldisiloxane)

Name

IMDG - Hazard Class: 3IMDG - Packing Group: IIIATA - UN Number: 1993

IATA - UN Proper Shipping Flammable liquids, n.o.s. (Hexamethyldisiloxane)

Name:

IATA - Hazard Class: 3
IATA - Packing Group: II

#### Section 15. Regulatory Information

SARA 311/312: Refer to Section 2 of the SDS.

SARA 302: N.A. SARA 304: N.A. SARA 313: N.A.

TSCA: All components are listed or exempt.

CERCLA Hazardous

N.A.

Substance List:

Clean Air Act (CAA) Section N.A.

112, 112 (r):

State Regulations: N.A.

#### Section 16. Other Information

Revision Date 10/4/2019

Legend N.A. - Not Applicable

N.E. - Not Established N.D. - Not Determined

National Fire Protection
Association (U.S.A): Health

Hazard

National Fire Protection 3
Association (U.S.A):

Flammability

National Fire Protection 1

Association (U.S.A):

Reactivity

National Fire Protection

Association (U.S.A): Special Hazard

Additional Information:

Flammable

The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a

supplement to other information gathered by them and must make

independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health

of employees.