



Safety Data Sheet

Sureprep Adhesive Remover Spray

Section 1. Identification

Product Identifier Sureprep Adhesive Remover Spray
Synonyms MSC1650; MSD_SDS0422
Manufacturer Stock Numbers MSC1650

Recommended use Medical Device
Uses advised against For external use only

Manufacturer Contact Medline
Address 3 Lakes Drive
Northfield, IL, 60093
USA

Phone
(800) 633-5463

Emergency Phone
(800) 424-9300
CHEMTREC

Fax
(847) 643-4436

Website
www.Medline.com

Section 2. Hazards Identification

Classification FLAMMABLE AEROSOLS - Category 1
Signal Word Danger
Pictogram



Hazard Statements	Extremely flammable aerosol Pressurized container; may burst if heated
Precautionary Statements	
Response	N/A
Prevention	Do not pierce or burn, even after use. Do not spray on an open flame or other ignition source. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Storage	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Disposal	Dispose of contents/container to an authorized waste treatment plant.
General	Keep out of reach of children
Ingredients of unknown toxicity	0%
Hazards not Otherwise Classified	
Other hazards:	This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.

Section 3. Ingredients

CAS	Ingredient Name	Weight %
107-46-0	Hexamethyldisiloxane	90% - 100%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

General Information:	Never give fluids or induce vomiting if patient is unconscious. Keep person warm and calm. In all cases of doubt, or when symptoms persist, seek medical advice.
Inhalation:	Remove to fresh air.
Skin Contact:	If skin irritation occurs: Wash with water and rinse the skin thoroughly.
Eye Contact:	Rinse immediately with water for several minutes. Remove potential contact lenses. Hold eyelids apart. Contact a doctor if the complaints persist.
Ingestion:	Rinse mouth with water and drink several glasses of water. Do not provoke vomiting. Contact a doctor if the complaints persist.
Most important symptoms and effects, both acute and delayed:	Inhalation: May be irritant by inhalation of spray/aerosol. Skin contact: Repeated or prolonged contact may cause defatting of skin leading to dermatitis. Eye contact: May be irritating to eyes. (Pain, redness, tearing) Ingestion: Ingestion may cause nausea and discomfort.

Indication of any immediate medical attention and special treatment needed: No additional information available.

Section 5. Fire Fighting Measures

Suitable Extinguishing Media	Foam, powder, sand, carbon dioxide, water spray, fog or mist.
Unsuitable Extinguishing Media	None known.
Special hazards arising from the substance or mixture:	Extremely flammable aerosol. Do not breathe fumes. During fire, gases hazardous to health may be formed. May form flammable/explosive vapor-air mixture. Vapors are heavier than air and can travel along ground to remote ignition sources.
Special protective equipment:	Wear appropriate breathing apparatus and protective clothing.
Additional Information:	Cool endangered containers with water in case of fire. Move containers from fire area if it can be done without risk.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:	Flammable. Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ensure adequate ventilation.
Environmental precautions:	Do not flush into surface water or sanitary sewer system.
Methods and material for containment and cleaning up:	Small quantities may be wiped up with a cloth. Contain larger spill with inert material. Absorb in vermiculite, dry sand or earth.
Reference to other sections:	See section 7 for proper handling and storage. For personal protection see section 8. For disposal of spillage, see section 13.

Section 7. Handling and Storage

Precautions for safe handling:	Normal precautions taken when handling chemicals should be observed. Do not mix with other chemicals. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Comply with the health and safety at work laws. Do not inhale vapors/aerosols. Ensure adequate ventilation.
Conditions for safe storage, including any incompatibilities:	Store in temperatures below 30 °C. Protect from direct sunlight.
Specific End use(s):	N.A.

Section 8. Exposure Controls/Personal Protection

Occupational Exposure Limits	Ingredient Name	ACGIH TLV	OSHA PEL	STEL
	Hexamethyldisiloxane	N/A	N/A	N/A
<p>Personal Protective Equipment</p> <p>Control parameters:</p>	<p>N/A</p> <p>Appropriate engineering controls: Provide adequate ventilation.</p> <p>Swedish limit values (AFS 2015:7) or limit values according to the European Commission: None established.</p>			
<p>Exposure controls:</p>	<p>General protective and hygiene measures: Do not inhale vapors/aerosols. Wash hands before breaks and after work. Do not eat, drink or smoke when handling. The usual precautionary measures for the handling of chemicals have to be observed.</p> <p>Individual protection measures, such as personal protective equipment: Always consult a competent person/supplier when selecting personal protective equipment.</p> <p>Respiratory protection: In accordance with instructions: not required. In inadequately ventilated places or in case of creation of aerosols, wear suitable respiratory equipment approved for this purpose. (P2)</p> <p>Eye protection: None required for normal use.</p> <p>Hand protection: None required for normal use.</p> <p>Body protection: None required for normal use.</p>			

Section 9. Physical and Chemical Properties

Physical State	Liquid
Color	Clear
Odor	Slight
Odor Threshold	N.D.
Solubility	Insoluble
Partition coefficient Water/n-octanol	N.D.
VOC%	N/A
Viscosity	N.D.
Specific Gravity	N/A
Density lbs/Gal	N/A

Pounds per Cubic Foot	N/A
Flash Point	-8 °C
FP Method	N.D.
pH	N.D.
Melting Point	-59 °C
Boiling Point	~100 °C
Boiling Range	N.D.
LEL	N/A
UEL	N/A
Evaporation Rate	N.D.
Flammability	Flammable
Decomposition Temperature	N.D.
Auto-ignition Temperature	N.D.
Vapor Pressure	10 hPa
Vapor Density	N.D.

Other information: No additional information available.

Section 10. Stability and Reactivity

Reactivity: Stable under recommended storage and handling conditions.
 Chemical stability: Stable under recommended storage and handling conditions.
 Possibility of Hazardous Reactions: None known.
 Conditions to avoid: Direct sunlight.
 Incompatible Materials: Strong acids. Strong oxidizing agents. Strong bases.
 Hazardous decomposition products: Product may emit formaldehyde vapors at temperatures above 150 °C in the presence of air.

Section 11. Toxicological Information

Information on toxicological effects: See also section 4. (Most important symptoms and effects, both acute and delayed)

Inhalation:
 May be irritating if inhaled.

Skin contact:
 May cause irritation by prolonged or repeated exposure.

Eye contact:
 May be irritating to eyes.

Ingestion:
 Ingestion may cause nausea and discomfort.

Toxicology data:
 Information/data about this preparation is not available.

Toxicology data for the containing components:	Hexamethyldisiloxane (107-46-0) LD50 Oral Rat >12000 mg/kg LD50 Dermal >2000 mg/kg LC50 Inhalation Rat 106 mg/l/4h ATE CLP (Vapors) 106.000 mg/l/4h ATE CLP (Dust, Mist) 106.000 mg/l/4h
Specific Target Organ Toxicity - Single Exposure:	No information available.
Specific Target Organ Toxicity - Repeated Exposure:	No information available.
Route(s) of Exposure:	Eyes Skin Inhalation Ingestion
Allergenic potential:	The product is not classified as allergenic by inhalation or skin contact.
Carcinogenicity, mutagenicity and toxicity for reproduction:	This product is not classified as carcinogen, mutagen and toxic for reproduction.
Aspiration hazard:	No aspiration hazard known.
Other Information:	N.A.

Section 12. Ecological Information

Toxicity:	Information about this preparation is not available.
Toxicology data for the containing components:	Hexamethyldisiloxane (107-46-0) LC50 Fish 96h: 0,46 mg/l EC50 Daphnia 48h: >0,37 mg/l EC50 Algae 24h: >0,55 mg/l
Persistence/degradability:	No information available.
Bioaccumulative potential:	No information available.
Mobility:	No information available.
Results of PBT and vPvB assessment:	This product is not considered to contain any substances that meet the criteria for classification as PBT or vPvB substances.
Other adverse effects:	No additional information available.

Section 13. Disposal

Waste treatment methods:	This product or residues of this product are classified as hazardous waste. Dispose of in accordance with local authority requirements.
EWC-code:	Depends on line of business and use. Suggested EWC-code: 18 01 06* chemicals consisting of or containing dangerous substances.
Disposal of packaging:	Empty packaging can be recycled, provided that all risks have been eliminated.

Section 14. Transport Information

UN Number 1950
UN Proper Shipping Name Aerosols, flammable
DOT Classification 2.1
Packing Group N/A
IMDG - UN Number: 1950
IMDG - UN Proper Shipping Name: Aerosols, flammable
IMDG - Hazard Class: 2
IATA - UN Number: 1950
IATA - UN Proper Shipping Name: Aerosols, flammable
IATA - Hazard Class: 2

Section 15. Regulatory Information

SARA 311/312: Refer to Section 2 of the SDS.
SARA 302: N.A.
SARA 304: N.A.
SARA 313: N.A.
TSCA: All components are listed or exempt.
CERCLA Hazardous Substance List: N.A.
Clean Air Act (CAA) Section 112, 112 (r): N.A.
State Regulations: N.A.

Section 16. Other Information

Revision Date 8/29/2022

Legend N.A. - Not Applicable
N.E. - Not Established
N.D. - Not Determined

Additional Information: The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees.