

1. IDENTIFICATION

Product Name: Sani-Prime™ Germicidal Spray

Date of Preparation: June 1, 2017

Recommended use of the chemical and restrictions on use:

Recommended use: Use as a disinfectant on hard, nonporous surfaces. Read and understand the entire label before using. Use only according to label directions. It is a violation of Federal law to use this product in a manner inconsistent to label directions.

Restrictions on use: For Professional and Hospital Use.

Manufacturer/Supplier: Nice-Pak/PDI, Inc.
Two Nice-Pak Park
Orangeburg, NY 10962-1376

Phone Number: 1-845-365-1700

Emergency Phone Number: PERS: 1-800-633-8253 (Domestic/Canada)
1-801-629-0667 (International)

2. HAZARD(S) IDENTIFICATION

GHS Classification:

Physical	Health	Environmental
Flammable Liquid Category 3	Acute Toxicity Category 4 Eye Irritant Category 2A Specific Target Organ Toxicity Single Exposure Category 3	Not Classified

Label Elements:

Warning!



Hazard Statements:

Flammable liquid and vapor.
Causes serious eye irritation.
Harmful if inhaled.
May cause drowsiness or dizziness.

Precautionary Statements:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Use non-sparking tools.
Take action to prevent static discharges.

Avoid breathing mist, vapors, or spray.

Wash thoroughly after handling.

Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical attention.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor if you feel unwell.

In case of fire: Use water fog, alcohol-resistant foam, carbon dioxide and dry chemical to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents and container in accordance with local and national regulations.

Other Hazards: None known.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS No.	Concentration
Non-Hazardous Components	Mixture	35-45%
Ethyl Alcohol (Ethanol)	64-17-5	25-35%
Isopropanol	67-63-0	20-30%
Didecyl dimethyl ammonium chloride	7173-51-5	<1%

4. FIRST-AID MEASURES

Description of First Aid Measures:

Eye: Immediately flush eyes with water for 15 minutes, while holding the eye lids open to be sure the material is washed out. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Get medical attention if irritation persists.

Skin: No first aid should be required. Wash skin with water. Get medical attention if irritation develops or persists.

Inhalation: If symptoms develop move victim to fresh air. Get medical attention if irritation or other symptoms persists.

Ingestion: Rinse mouth with water. Do not induce vomiting unless directed to do so by a medical professional. Get medical attention if you feel unwell.

Most Important Symptoms/Effects, Acute and Delayed: Direct contact may cause moderate eye irritation. Inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects. Swallowing large amounts of liquid may cause gastrointestinal irritation and central nervous system depression effects such as dizziness, drunkenness, and drowsiness.

Indication of Immediate Medical Attention and Special Treatment, If Necessary: None required under normal conditions of use.

5. FIRE-FIGHTING MEASURES

Suitable (and Unsuitable) Extinguishing Media: Use water fog, alcohol-resistant foam, carbon dioxide and dry chemical.

Specific Hazards Arising From the Chemical: Flammable liquid and vapor. Vapors are heavier than air and may flow along surfaces to remote ignition sources and flash back. Combustion may produce oxides of carbon, nitrogen, and ammonia. Flammable vapors may be invisible in daylight.

Special Protective Equipment and Precautions for Fire-Fighters: Wear an approved, positive pressure, self-contained breathing apparatus and full protective clothing. Cool fire exposed containers with water. Contain runoff.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: Evacuate spill area and keep unprotected personnel away. Remove all ignition sources such as open flames, spark producing equipment, pilot lights, etc. Minimize generation of static electricity which may cause sparking. Avoid contact with eyes. Wear appropriate protective clothing as described in Section 8. Avoid breathing vapors or mists. Ventilate area with explosion proof equipment.

Environmental Hazards: Avoid releases to the environment. Report spill as required by local and federal regulations.

Methods and Materials for Containment and Cleaning Up: Cover with an inert absorbent material and collect into an appropriate container for disposal. Use non-sparking tools and equipment.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Avoid contact with eyes. Wear protective clothing and equipment as described in Section 8. Avoid breathing vapors or mists. Use with adequate ventilation. Wash hands with soap and water after use. Keep product away from heat, sparks, flames and all other sources of ignition. No smoking in storage or use areas. Keep containers closed when not in use. Use with non-sparking tools and explosion proof equipment. Refer to product label for additional information on use and handling. Follow all SDS precautions in Section 13 when handling empty containers.

Conditions for Safe Storage, Including Any Incompatibilities: Store in a cool, dry location away from incompatible materials. Do not store near heat or open flame. Protect container from physical damage. Keep containers closed when not in use.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines:

Non-Hazardous Components	None Established
Ethyl Alcohol	1000 ppm STEL ACGIH TLV 1000 ppm TWA OSHA PEL
Isopropanol	200 ppm TWA, 400 ppm STEL ACGIH TLV

	400 ppm TWA OSHA PEL
Didecyl dimethyl ammonium chloride	None Established

Appropriate Engineering Controls: Use with adequate general or local exhaust ventilation to maintain exposure levels below the occupational exposure limits. Use explosion proof electrical equipment and wiring where required.

Individual Protection Measures, Such As Personal Protective Equipment:

Respiratory Protection: If the exposure levels are exceeded, use an approved organic vapor respirator. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with facility protocol, local regulations, and good Industrial Hygiene practice.

Skin Protection: Use impervious gloves or follow facility requirements to prevent prolonged skin contact.

Eye Protection: Wear safety goggles or other eye protection per facility protocol if splashing or exposure to spray mists is possible.

Other: None required under normal conditions of use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear colorless liquid	Flammable limits: LEL: 2.5% (Isopropanol) UEL: 19.0% (Ethanol)
Odor: Alcohol odor	Vapor pressure: Not available
Odor Threshold: Not applicable	Vapor density: Not available
pH: 11.08	Relative density: 0.8974
Melting point/freezing point: Not available	Solubility(ies): Soluble in water
Boiling point/range: 78°C (172.4°F) (Ethanol)	Partition coefficient (n-octanol/water): Not available
Flash point: 25°C (77°F)	Auto-ignition temperature: 363°C (685.40°F) (Ethanol)
Evaporation rate: Not available	Decomposition temperature: Not available
Flammability (solid, gas): Not applicable	

10. STABILITY AND REACTIVITY

Reactivity: Not reactive under normal conditions of use.

Chemical Stability: Stable under normal storage and handling conditions.

Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

Conditions To Avoid: Keep away from heat, sparks, flames and other sources of ignition.

Incompatible Materials: Avoid contact with strong oxidizing agents and anionic surfactants.

Hazardous Decomposition Products: Thermal decomposition may produce oxides of carbon, nitrogen, and ammonia.

11. TOXICOLOGICAL INFORMATION

Potential Health Effects:

Eye: This product is expected to cause moderate irritation to eyes based on test data from the OPPTS 870.2400 Acute Eye Irritation Study which resulted in Toxicity Category II.

Skin: Prolonged contact may cause minimal irritation with drying and dermatitis. This is based on test data from the OPPTS 870.2500 Acute Skin irritation study which resulted in Toxicity Category IV.

Inhalation: Inhalation of spray mists or vapors may cause upper respiratory tract irritation, headache, dizziness, drowsiness, confusion, and other central nervous system effects.

Ingestion: Swallowing may cause gastrointestinal irritation and central nervous system depression with symptoms similar to those described under inhalation.

Chronic Effects: None known.

Carcinogenicity: Ingestion of alcoholic beverages is known to cause cancer in humans. The carcinogen classification does not apply for this product. None of the components of this product are listed as a carcinogen or suspected carcinogen by OSHA, IARC, and NTP.

Reproductive Effects: Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the central nervous system of the fetus, resulting in fetal alcohol syndrome. These effects include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioral disorders and small head size. Reproductive harm is not expected from this product.

Mutagenic Effects: Not expected to cause mutagenic activity.

Acute Toxicity:

The following values are based on OPPTS Test Data:

Oral rat LD50: >2000 mg/kg, Dermal rabbit LD50: >5000 mg/kg, Inhalation rat LC50: >0.55-<2.33 mg/L/4hr (as mist)

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Ethanol: 96 hr LC50 Fathead minnow: 14.2 g/L, 48 hr LC50 Ceriodaphnia dubia: 5012 mg/L

Isopropanol: 96 hr LC50 Bluegill (Lepomis macrochirus) : >1400 mg/L, 48 hr EC50 Daphnia: 13299 mg/L, 72 hr IC50 Algae: 1000 mg/L

Didecyl dimethyl ammonium chloride: 96 hr LC50 Zebrafish: 0.49 mg/L, 48 hr EC50 Daphnia magna: 0.057 mg/L (M-Factor Acute: 10)

This product is expected to be harmful to the aquatic environment. Releases to the environment should be avoided.

Persistence and Degradability: Didecyl dimethyl ammonium chloride: Readily biodegradable- 85% after 14 days.

Bioaccumulative Potential: No data available

Mobility in Soil: No data available

Other Adverse Effects: None known.

13. DISPOSAL CONSIDERATIONS

For non-refillable containers: Do not reuse or refill this container. Offer for recycling. If recycling is not available, put in trash collection.

For refillable containers: Rinse cracked or broken containers and offer for recycling. If recycling is not available, discard in trash.

Empty containers or liners may retain some product residues. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. This material and its container must be disposed of in a safe manner. Dispose in accordance with all local, state and federal regulations.

14. TRANSPORT INFORMATION

The following applies to inner packages of ≤5 L / 1.3 Gal; package gross weight ≤30 kg.

	UN Number	Proper shipping name	Hazard Class	Packing Group	Environmental Hazard
US DOT	UN1987	Alcohols, n.o.s. (contains ethanol, Isopropanol) , Limited Quantity	3	III	Not applicable
IMDG	UN1987	Alcohols, n.o.s. (contains ethanol, Isopropanol), Limited Quantity. PRODUCT NOT PACKAGED FOR AIRFREIGHT	3	III	Not applicable
IATA	UN1987	Alcohols, n.o.s. (contains ethanol, Isopropanol), Limited Quantity	3	III	Not applicable

Special precautions: None known

15. REGULATORY INFORMATION

Safety, Health, and Environmental Regulations Specific for the Product In Question:

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Labeling:

Keep Out Of Reach of Children

WARNING

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

WARNING. Causes substantial but temporary eye injury. Harmful if inhaled or swallowed. Do not get in eyes or on clothing. Wear safety glasses. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Physical or chemical Hazard

Flammable. Keep away from heat and open flame.

CERCLA 103 Reportable Quantity: This product is not subject to reporting under CERCLA. Some states have more stringent reporting requirements. Report all spills in accordance with local, state, and federal regulations.

SARA TITLE III:

Hazard Category for Section 311/312: Acute Health, Fire Hazard

Section 313 Toxic Chemicals: This product contains the following chemicals subject to SARA Title III Section 313 Reporting requirements: None

Section 302 Extremely Hazardous Substances (TPQ): None

EPA Toxic Substances Control Act (TSCA) Status: This product is a EPA Registered product #9480-10. However, all of the ingredients of this product are listed on the TSCA inventory.

STATE REGULATIONS:

California Proposition 65: This product can expose you to chemicals including Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Massachusetts RTK: Ethyl Alcohol and Isopropanol are listed.

Pennsylvania RTK: Ethyl Alcohol and Isopropanol are listed.

Rhode Island RTK: Ethyl Alcohol and Isopropanol are listed.

New Jersey RTK: Ethyl Alcohol and Isopropanol are listed.

CANADIAN REGULATIONS

Canadian Environmental Protection Act: All of the components in this product are listed on the Domestic Substances List (DSL) or exempt.

16. OTHER INFORMATION

HMIS Ratings: Health – 2

Flammability – 3

Physical Hazard - 0

NFPA Ratings: Health – 2

Flammability – 3

Instability – 0

SDS Revision History: Revised Section 2, 4, 15.

Date of preparation: June 1, 2017

Date of last revision: April 27, 2017