

3M

Hc #27
p. 1MATERIAL SAFETY
DATA SHEET3M
3M Center
St. Paul, Minnesota
55144-1000
1-800-364-3577 or (651) 737-6501 (24 hours)

Copyright, 1999, Minnesota Mining and Manufacturing Company.
All rights reserved. Copying and/or downloading of this
information for the purpose of properly utilizing 3M products
is allowed provided that:

- 1) the information is copied in full with no changes unless
prior agreement is obtained from 3M, and
- 2) neither the copy nor the original is resold or otherwise
distributed with the intention of earning a profit thereon.

DIVISION: SKIN HEALTH DIVISION

TRADE NAME:

DURAPORE SURGICAL TAPE 1538, 1538S

ID NUMBER/U.P.C.:

70-2004-0777-6	-	-	-	70-2004-0778-4	-	-	-
70-2004-1946-6	-	-	-	70-2004-1947-4	-	-	-
70-2004-1948-2	-	-	-	70-2004-1949-0	-	-	-
70-2004-7241-6	+H-44402-08532-0			70-2004-7242-4	+H-44402-08633-0		
70-2004-9598-7	-	-	-	70-2005-0835-9	-	-	-
70-2005-0836-7	-	-	-	70-2005-0837-5	-	-	-
70-2005-2119-6	+H-44407-5593D-0			70-2005-2120-4	+H-44407-56035-0		
70-2005-2121-2	+H-44400-74432-0			70-2005-2122-0	+H-44400-74331-0		
70-2005-2123-8	+H-44400-74230-0			70-2005-2124-6	+H-44400-7413%-0		
70-2005-2250-9	-	-	-				

ISSUED: June 17, 1999

SUPERSEDES: February 05, 1998

DOCUMENT: 10-5838-7

1. INGREDIENT

C.A.S. NO.

PERCENT

ADHESIVE ACRYLATE; BACKING

RAYON/ACETATE; BACKSIZE URETHANE Unknown 100.0

2. PHYSICAL DATA

BOILING POINT:..... N/A
 VAPOR PRESSURE:..... N/A
 VAPOR DENSITY:..... N/A
 EVAPORATION RATE:..... N/A
 SOLUBILITY IN WATER:..... INSOLUBLE
 SPECIFIC GRAVITY:..... N/A
 PERCENT VOLATILE:..... 0
 pH:..... N/A
 VISCOSITY:..... N/A
 MELTING POINT:..... N/D

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

I-005774 C-1538-0
 I-005775 C-1538-1
 I-005776 C-1538-2

I-005777 C-1538-3
 I-006020 C-1538-1
 I-006021 C-1538-2

MSDS: DURAPORE SURGICAL TAPE 1538, 1538S
June 17, 1999

PAGE 2

2. PHYSICAL DATA (continued)

APPEARANCE AND ODOR:
OPAQUE; SLIGHT ACRYLIC ODOR

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT:..... N/A
FLAMMABLE LIMITS - LEL:..... N/A
FLAMMABLE LIMITS - UEL:..... N/A
AUTOIGNITION TEMPERATURE:..... N/D

EXTINGUISHING MEDIA:
Water

SPECIAL FIRE FIGHTING PROCEDURES:
None known.

UNUSUAL FIRE AND EXPLOSION HAZARDS:
None known.

4. REACTIVITY DATA

STABILITY: Stable

INCOMPATIBILITY - MATERIALS/CONDITIONS TO AVOID:
None known.

HAZARDOUS POLYMERIZATION: Hazardous polymerization will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS:
None known.

5. ENVIRONMENTAL INFORMATION

SPILL RESPONSE:
N/A

RECOMMENDED DISPOSAL:
DISPOSE OF IN NORMAL WASTE

ENVIRONMENTAL DATA:
N/A

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

MSDS: DURAPORE SURGICAL TAPE 1538, 1538S
June 17, 1999

PAGE 3

5. ENVIRONMENTAL INFORMATION (continued)

REGULATORY INFORMATION:

Volatile Organic Compounds: N/D.
VOC Less H2O & Exempt Solvents: N/D.

EPCRA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: No CHRONIC: No

6. SUGGESTED FIRST AID

EYE CONTACT:

No need for first aid is anticipated.

SKIN CONTACT:

If skin irritation occurs, discontinue use.

INHALATION:

No need for first aid is anticipated.

IF SWALLOWED:

No need for first aid is anticipated.

7. PRECAUTIONARY INFORMATION

EYE PROTECTION:

Not applicable.

SKIN PROTECTION:

Not applicable.

RECOMMENDED VENTILATION:

Not applicable.

RESPIRATORY PROTECTION:

Not applicable.

PREVENTION OF ACCIDENTAL INGESTION:

Do not ingest.

RECOMMENDED STORAGE:

Not applicable.

FIRE AND EXPLOSION AVOIDANCE:

Not applicable.

Abbreviations: N/D - Not Determined N/A - Not Applicable CA - Approximately

HC# 27
Pg. 5

MSDS: DURAPORE SURGICAL TAPE 1538, 1538S
June 17, 1999

PAGE 5

The information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the MSDS available directly from 3M.