

1 Identification

- **Product identifier**
- **Trade name:** URIC ACID Reagent R1
- **Article number:**
 - Envoy Vital Diagnostics article number : 55450
 - Eon Vital Diagnostics article number : 77450A / 79450A
- **Synonyms**
 - Envoy Vital Diagnostics Reagent(s) : Envoy 500 Uric Acid R1
 - Eon Vital Diagnostics Reagent(s) : Eon 100 Uric Acid R1, Eon 300 Uric Acid R1
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**
 - Reagent for IN VITRO diagnostic
 - Product included in kit(s) Envoy Vital Diagnostics :
 - Kit composed of two reagents : 55450
 - Product included in kit(s) Eon Vital Diagnostics :
 - Kit composed of two reagents : 77450 / 79450
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
 - Manufacturer :
 - ELITech Clinical Systems SAS
 - Zone Industrielle
 - 61500 Sées • France
 - Tel : +33 (0)2 33 81 21 00
 - Fax : +33 (0)2 33 28 77 51
 - www.elitechgroup.com
 - MSDS.ECS-SAS@elitechgroup.com
- US Supplier:
 - Vital Diagnostics Inc.
 - 27 Wellington Road
 - Lincoln, Rhode Island 02865 USA
 - (401) 642-8400
 - (855) 354-8324
 - www.vitaldiagnostics.com
- **Information department:** Product safety department
- **Emergency telephone number:** Contact your distributor or poison control center in your country.

2 Hazard(s) identification

- **Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008** The product is not classified according to the CLP regulation.
-
- **Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008 -**
 - **Hazard pictograms -**
 - **Signal word -**
 - **Hazard statements -**

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**
 - Mixture of substances.
 - Aqueous solution.
- **Dangerous components:** No dangerous component in reportable quantity.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Show this safety data sheet to the doctor in attendance.
- **After inhalation:**
 - Supply fresh air.
 - Move out of dangerous area.
 - If required, provide artificial respiration.
 - If symptoms appear, seek medical advice.
- **After skin contact:**
 - Rinse with water.
 - If symptoms appear, seek medical advice.
- **After eye contact:**
 - Protect unharmed eye.
 - Remove contact lenses, if present and easy to do.

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R1

(Contd. of page 1)

Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.

· **After swallowing:**

Never give anything by mouth to an unconscious person.

Induce vomiting, if person is conscious.

Rinse out mouth.

Have victim drink large quantities of water with active charcoal if possible.

Seek advice from a doctor or a poison control center.

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** Data not available

· **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

5 Fire-fighting measures

· **Extinguishing media**

· **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

Use fire fighting measures that suit the environment.

· **Special hazards arising from the substance or mixture**

Formation of hazardous vapours/gases is possible during heating or in case of fire.

Carbon oxides (CO_x)

Phosphorus oxides (PO_x)

Sodium compounds

· **Advice for firefighters**

· **Protective equipment:** As in any fire, wear a respiratory protective device, and full protective gear.

· **Additional information** Non-combustible liquid.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Ensure adequate ventilation

Avoid physical contact with material.

· **Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Clean the affected area carefully.

· **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· **Handling:**

· **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid physical contact with material.

· **Information about protection against explosions and fires:** No special measures required.

· **Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep container tightly closed.

Protect the product from light. Avoid exposure to heat.

· **Recommended storage temperature:** 2-8 °C

· **Specific end use(s)** Data not available

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Information on components:

(Contd. on page 3)

-USA-

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R1

(Contd. of page 2)

26628-22-8 sodium azide (< 0.1%)

REL (USA)	Ceiling limit value: 0.3** mg/m ³ , 0.1* ppm *as HN ₃ ; **as NaN ₃ ; Skin
TLV (USA)	Ceiling limit value: 0.29** mg/m ³ , 0.11* ppm *as HN ₃ vapor **as NaN ₃

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

· **Breathing equipment:**

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Penetration time : > 480 mm

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Goggles recommended during refilling.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or EN166 (EU).

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: Liquid

Color: Colorless

· **Odor:** Odorless

· **pH-value at 25 °C (77 °F):** 7.0

· **Change in condition**

Melting point/Melting range: Not applicable

Boiling point/Boiling range: Data not available

Solidification point: Data not available

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Data not available

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Vapor pressure:** Data not available

· **Density at 20 °C (68 °F):** 1.031 g/cm³ (8.604 lbs/gal)

· **Vapour density:** Data not available

· **Evaporation rate:** Data not available

· **Solubility in / Miscibility with**

Water: Fully miscible.

· **Partition coefficient (n-octanol/water):** Data not available

· **Viscosity:**

Dynamic: Data not available

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R1

(Contd. of page 3)

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** See § Possibility of hazardous reactions.
- **Chemical stability** Stable under recommended storage conditions.
- **Thermal decomposition / conditions to be avoided:** Data not available
- **Possibility of hazardous reactions**
Sodium azide, contains in the product (<0.1%), can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.
- **Conditions to avoid** Avoid heat, light and high temperature.
- **Incompatible materials:**
Strong acids.
Alkalis
Sodium azide (26628-22-8) : incompatible with acids, and some metals; forms explosion-sensitive compounds.
- **Hazardous decomposition products:**
Formation of hazardous vapours/gases is possible during heating or in case of fire.
Carbon oxides (COx)
Phosphorus oxides (POx)
Sodium compounds
- **Additional information:** Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**
Information on components:
- | 26628-22-8 sodium azide | | |
|-------------------------|------|-------------------|
| Oral | LD50 | 27 mg/kg (mouse) |
| Dermal | LD50 | 20 mg/kg (rabbit) |
| Inhalative | LC50 | 37 mg/m3 (rat) |
- **Primary irritant effect:**
 - **on the skin:** May cause irritating effect.
 - **on the eye:** May cause irritating effect.
 - **Inhalation:**
May cause irritating effect.
May be harmful by inhalation.
 - **Ingestion:** May be harmful if swallowed.
 - **Sensitization:** No sensitizing effects known.
 - **Additional toxicological information:**
Ingestion of large amount of sodium azide may cause nausea, vomiting and in certain circumstances respiratory difficulties, high pulse rate and/or hypersensitivity.
 - **Carcinogenic categories**
 - **IARC (International Agency for Research on Cancer)** Available information lists no component.
 - **NTP (National Toxicology Program)** Available information lists no component.
 - **CMR effects**
 - **Carcinogenic effects:** Data not available
 - **Mutagenicity:** Data not available
 - **Reproductive Effects:** Data not available
 - **Effects on development:** Data not available

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:**
Information on components:
- | 26628-22-8 sodium azide | |
|-------------------------|---------------------------------|
| EC50/48h | 4.2 mg/l (Daphnia) |
| LC50/96h | 0.68 mg/l (Lepomis macrochirus) |
- **Persistence and degradability** Data not available
 - **Behavior in environmental systems:**
 - **Bioaccumulative potential** Data not available
 - **Mobility in soil** Data not available
 - **Additional ecological information:**
 - **General notes:**
At present there are no ecotoxicological assessments.
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Disposal procedures have to be respected, see Section 13.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R1

(Contd. of page 4)

· **Other adverse effects** Contains phosphates: may contribute to the eutrophication of water supplies.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:**
Sodium azide, contained in the product (<0.1%), can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.
- **Primary packaging:** Plastic vial (composed of polyethylene high density).

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not applicable -
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	-
· Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class	-
· Packing group · DOT, ADR, IMDG, IATA	-
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

· SARA

· Section 302/304 (40CFR355.30 / 40CFR355.40):

26628-22-8	sodium azide
------------	--------------

· Section 313 (Specific toxic chemical listings): Not regulated.

· TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.

· Proposition 65

· Chemicals known to cause cancer: Available information lists none.

· Chemicals known to cause reproductive toxicity for females: Available information lists none.

· Chemicals known to cause reproductive toxicity for males: Available information lists none.

· Chemicals known to cause developmental toxicity: Available information lists none.

· Carcinogenic categories

· EPA (Environmental Protection Agency) Available information lists none.

· TLV (Threshold Limit Value established by ACGIH)

26628-22-8	sodium azide	A4
------------	--------------	----

· NIOSH-Ca (National Institute for Occupational Safety and Health) Available information lists none.

· OSHA-Ca (Occupational Safety & Health Administration) Available information lists none.

· U. S. State Regulations:

· PA-RTK

26628-22-8	sodium azide
------------	--------------

· NJ-RTK

26628-22-8	sodium azide
------------	--------------

· MA-RTK

26628-22-8	sodium azide
------------	--------------

· RI-RTK

26628-22-8	sodium azide
------------	--------------

· US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R1

(Contd. of page 5)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Product safety department

· **Contact:** Product safety department

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NOEC : No Observed Effect Concentration

EC50: Effective concentration, 50 percent

IC50 : Inhibitory concentration, 50 percent.

· *** Data compared to the previous version altered.**

USA

1 Identification

- **Product identifier**
- **Trade name:** URIC ACID Reagent R2
- **Article number:**
 - Envoy Vital Diagnostics article number : 55450
 - Eon Vital Diagnostics article number : 77450B / 79450B
- **Synonyms**
 - Envoy Vital Diagnostics Reagent(s) : Envoy 500 Uric Acid R2
 - Eon Vital Diagnostics Reagent(s) : Eon 100 Uric Acid R2, Eon 300 Uric Acid R2
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**

Reagent for IN VITRO diagnostic

Product included in kit(s) Envoy Vital Diagnostics :

 - Kit composed of two reagents : 55450

Product included in kit(s) Eon Vital Diagnostics :

 - Kit composed of two reagents : 77450 / 79450
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**

Manufacturer :

ELITech Clinical Systems SAS
Zone Industrielle
61500 Sées • France
Tel : +33 (0)2 33 81 21 00
Fax : +33 (0)2 33 28 77 51
www.elitechgroup.com
MSDS.ECS-SAS@elitechgroup.com

US Supplier:
Vital Diagnostics Inc.
27 Wellington Road
Lincoln, Rhode Island 02865 USA
(401) 642-8400
(855) 354-8324
www.vitaldiagnostics.com
- **Information department:** Product safety department
- **Emergency telephone number:** Contact your distributor or poison control center in your country.

2 Hazard(s) identification

- **Classification of the substance or mixture**
 - **Classification according to Regulation (EC) No 1272/2008** The product is not classified according to the CLP regulation.
-
- **Label elements**
 - **Labelling according to Regulation (EC) No 1272/2008 -**
 - **Hazard pictograms -**
 - **Signal word -**
 - **Hazard statements -**

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:**

Mixture of substances.
Aqueous solution.
- **Dangerous components:** No dangerous component in reportable quantity.

4 First-aid measures

- **Description of first aid measures**
- **General information:** Show this safety data sheet to the doctor in attendance.
- **After inhalation:**

Supply fresh air.
Move out of dangerous area.
If required, provide artificial respiration.
If symptoms appear, seek medical advice.
- **After skin contact:**

Rinse with water.
If symptoms appear, seek medical advice.
- **After eye contact:**

Protect unharmed eye.
Remove contact lenses, if present and easy to do.

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R2

(Contd. of page 1)

Rinse opened eye for several minutes under running water. If symptoms appear, seek medical advice.

- **After swallowing:**

Never give anything by mouth to an unconscious person.

Rinse out mouth.

Induce vomiting, if person is conscious.

Have victim drink large quantities of water with active charcoal if possible.

Seek advice from a doctor or a poison control center.

- **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed** Data not available

· **Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

Use fire fighting measures that suit the environment.

CO₂, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

- **Special hazards arising from the substance or mixture**

Formation of hazardous vapours/gases is possible during heating or in case of fire.

Phosphorus oxides (POx)

Sodium compounds

- **Advice for firefighters**

· **Protective equipment:** As in any fire, wear a respiratory protective device, and full protective gear.

· **Additional information** Non-combustible liquid.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Wear protective clothing.

Ensure adequate ventilation

Avoid physical contact with material.

· **Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Clean the affected area carefully.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- **Handling:**

- **Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid physical contact with material.

· **Information about protection against explosions and fires:** No special measures required.

- **Conditions for safe storage, including any incompatibilities**

- **Storage:**

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.

· **Information about storage in one common storage facility:** Not required.

- **Further information about storage conditions:**

Keep container tightly closed.

Protect the product from light. Avoid exposure to heat.

· **Recommended storage temperature:** 2-8 °C

· **Specific end use(s)** Data not available

8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Information on components:

26628-22-8 sodium azide (< 0.1%)

REL (USA)	Ceiling limit value: 0.3** mg/m ³ , 0.1* ppm
	*as HN ₃ ; **as NaN ₃ ; Skin

(Contd. on page 3)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R2

(Contd. of page 2)

TLV (USA)	Ceiling limit value: 0.29** mg/m ³ , 0.11* ppm *as HN ₃ vapor **as NaN ₃
-----------	--

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Wash hands before breaks and at the end of work.

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

· **Breathing equipment:**

Under normal conditions, the use of these products should not require respiratory protection. If overexposure should occur and ventilation is not adequate to maintain airborne concentrations at acceptable levels, the use of respiratory protection should be evaluated by a qualified professional.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

· **Material of gloves**

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Penetration time : > 480 mm

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**

Goggles recommended during refilling.

Use equipment tested and approved under appropriate government standards such as NIOSH (US) or EN166 (EU).

· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Liquid
· Color:	Yellowish up to brownish
· Odor:	Odorless

· **pH-value at 25 °C (77 °F):** 7.0

· **Change in condition**

· Melting point/Melting range:	Not applicable
· Boiling point/Boiling range:	~100 °C (~212 °F)
· Solidification point:	~ 0 °C (~ 32 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Ignition temperature:** Not applicable

· **Decomposition temperature:** Data not available

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Vapor pressure:** Data not available

· **Density at 20 °C (68 °F):** 1.013 g/cm³ (8.453 lbs/gal)

· **Vapour density:** Data not available

· **Evaporation rate:** Data not available

· **Solubility in / Miscibility with**

· **Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Data not available

· **Viscosity:**

· **Dynamic:** Data not available

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R2

(Contd. of page 3)

· **Other information** No further relevant information available.

10 Stability and reactivity

- **Reactivity** See § Possibility of hazardous reactions.
- **Chemical stability** Stable under recommended storage conditions.
- **Thermal decomposition / conditions to be avoided:** Data not available
- **Possibility of hazardous reactions**
Sodium azide, contains in the product (<0.1%), can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.
- **Conditions to avoid** Avoid heat, light and high temperature.
- **Incompatible materials:**
Strong acids.
Alkalis
Sodium azide (26628-22-8) : incompatible with acids, and some metals; forms explosion-sensitive compounds.
- **Hazardous decomposition products:**
Formation of hazardous vapours/gases is possible during heating or in case of fire.
Phosphorus oxides (POx)
Sodium compounds
- **Additional information:** Stable at the recommended storage temperature and if protected from light. Avoid exposure to heat.

11 Toxicological information

- **Information on toxicological effects**
 - **Acute toxicity:**
Information on components:
- | 26628-22-8 sodium azide | | |
|-------------------------|------|-------------------|
| Oral | LD50 | 27 mg/kg (mouse) |
| Dermal | LD50 | 20 mg/kg (rabbit) |
| Inhalative | LC50 | 37 mg/m3 (rat) |
- **Primary irritant effect:**
 - **on the skin:** May cause irritating effect.
 - **on the eye:** May cause irritating effect.
 - **Inhalation:**
May cause irritating effect.
May be harmful by inhalation.
 - **Ingestion:** May be harmful if swallowed.
 - **Sensitization:** No sensitizing effects known.
 - **Additional toxicological information:**
Ingestion of large amount of sodium azide may cause nausea, vomiting and in certain circumstances respiratory difficulties, high pulse rate and/or hypersensitivity.
 - **Carcinogenic categories**
 - **IARC (International Agency for Research on Cancer)** Available information lists no component.
 - **NTP (National Toxicology Program)** Available information lists no component.
 - **CMR effects**
 - **Carcinogenic effects:** Data not available
 - **Mutagenicity:** Data not available
 - **Reproductive Effects:** Data not available
 - **Effects on development:** Data not available

12 Ecological information

- **Toxicity**
 - **Aquatic toxicity:**
Information on components:
- | 26628-22-8 sodium azide | |
|-------------------------|---------------------------------|
| EC50/48h | 4.2 mg/l (Daphnia) |
| LC50/96h | 0.68 mg/l (Lepomis macrochirus) |
- **Persistence and degradability** Data not available
 - **Behavior in environmental systems:**
 - **Bioaccumulative potential** Data not available
 - **Mobility in soil** Data not available
 - **Additional ecological information:**
 - **General notes:**
At present there are no ecotoxicological assessments.
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Disposal procedures have to be respected, see Section 13.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R2

(Contd. of page 4)

· **Other adverse effects** Contains phosphates: may contribute to the eutrophication of water supplies.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Disposal must be made according to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:**
Sodium azide, contained in the product (<0.1%), can react with copper and lead plumbing to form explosive metal azides. If discharge in the canalisations, rinse with plenty of water.
- **Primary packaging:** Plastic vial (composed of polyethylene high density).

14 Transport information

· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not applicable -
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	-
· Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class	-
· Packing group · DOT, ADR, IMDG, IATA	-
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

· SARA

· Section 302/304 (40CFR355.30 / 40CFR355.40):

26628-22-8	sodium azide
------------	--------------

· Section 313 (Specific toxic chemical listings): Not regulated.

· TSCA (Toxic Substances Control Act): This product is regulated by the Food and Drug Administration; it is exempt from requirements of TSCA.

· Proposition 65

· Chemicals known to cause cancer: Available information lists none.

· Chemicals known to cause reproductive toxicity for females: Available information lists none.

· Chemicals known to cause reproductive toxicity for males: Available information lists none.

· Chemicals known to cause developmental toxicity: Available information lists none.

· Carcinogenic categories

· EPA (Environmental Protection Agency) Available information lists none.

· TLV (Threshold Limit Value established by ACGIH)

26628-22-8	sodium azide	A4
------------	--------------	----

· NIOSH-Ca (National Institute for Occupational Safety and Health) Available information lists none.

· OSHA-Ca (Occupational Safety & Health Administration) Available information lists none.

· U. S. State Regulations:

· PA-RTK

26628-22-8	sodium azide
------------	--------------

· NJ-RTK

26628-22-8	sodium azide
------------	--------------

· MA-RTK

26628-22-8	sodium azide
------------	--------------

· RI-RTK

26628-22-8	sodium azide
------------	--------------

· US Federal Regulation This mixture is a component of an FDA-regulated IN VITRO diagnostic medical device.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Safety Data Sheet

acc. to OSHA HCS

Printing date 06/02/2014

Reviewed on 06/02/2014

Trade name: URIC ACID Reagent R2

(Contd. of page 5)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing MSDS:** Product safety department

· **Contact:** Product safety department

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NOEC : No Observed Effect Concentration

EC50: Effective concentration, 50 percent

IC50 : Inhibitory concentration, 50 percent.

· *** Data compared to the previous version altered.**

USA