

MATERIAL SAFETY DATA SHEET

SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Pfizer Consumer Healthcare

Emergency telephone

(973) 385-2000

Pfizer Inc

2020, 616

Hours of operation

24 hours

201 Tabor Road

Morris Plains, New Jersey 07950

Trade names

LISTERINE®

Product name

Listerine* Antiseptic-Coolmint

Therapeutic use

Prevention of plaque, gingivitis and bad breath

Description

Blue Liquid

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Amount
Thymel*	89-83-8	0.064%
Eucalyptol	470-32-6	0.092%
Methyl salicylate	119-36-8	0.060%
Menthol*	89-7 8-1	0.042%
Deionized water	7732-18-5	>50%
Ethanol*	64-17-5	21.6%
Sorbitol solution	50-70-4	Proprietary
Flavor	Not assigned	Proprietary
Poloxemer 407	9003-11 -6	Proprietary
Benzoic Acid*	65-85-0	Proprietary
Sodium saccharin USP*	128-44-9	Proprietary
Sodium benzoate	532-32-1	Proprietary
FD&C Green No. 3*	2353-45-9	Proprietary

*Hazardous

Note:

Ingredient(s) indicated as hazardous have been assessed under US OSHA

Hazard Communication Standard for workplace safety (29 CFR

1910.1200),

SECTION 3 - HAZARDS IDENTIFICATION

Signal word

CAUTION!

I- 327444 C- 42755 I- 327444 C- 42703 I- 327446 C- 42750

SECTION 3 - HAZARDS IDENTIFICATION ... continued

Statements of hazard

FLAMMABLE!

MAY CAUSE EYE AND RESPIRATORY TRACT IRRITATION.

THIS PRODUCT CONTAINS ETHANOL WHICH CAN CAUSE LIVER CHANGES, CENTRAL NERVOUS SYSTEM EFFECTS, AND BIRTH DEFECTS IN THE DEVELOPING FETUS.

Eye effects

May cause eye imitation.

Skin effects

Not a skin irritant.

Inhalation effects

May cause respiratory tract irritation. Exposure to high concentrations may cause irritation, headache, drowsiness and symptoms of drankenness. An Occupational Exposure Limit has been established for one or more of the ingredients (see Section 8).

Ingestion effects

Ingestion of large quantities may cause may cause headache, dizziness, nausea, vomiting, diarrhea, dehydration, and symptoms of drunkenness. See 'Statements of hazard' and/or 'Other potential health effects' in this section.

Other potential health

effects.

Chronic ingestion of ethanol has been associated with an increased incidence of cancer, liver cirrhosis, and congenital malformations.

Additional data

For a more detailed discussion of potential health hazards and toxicity see

Section 11.

NOTE:

This document has been prepared in accordance with the US OSHA Hazard Communication Standard, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace. If your workplace is regulated by OSHA, this document must be used as a part of a complete hazard-training program.

SECTION 4 - FIRST ALD MEASURES

Eyes Immediately flush eyes with water for at least 15 minutes. If irritation

occurs or persists, get medical attention.

Skin Remove clothing and wash affected skin with soap and water. If irritation

occurs or persists, get medical attention.

Inhalation Remove to fresh air. If discomfort persists, get medical attention.

Ingestion Do not induce vomiting unless directed by medical personnel. Never give

anything by mouth to an unconscious person. Seek medical assistance if

symptoms occur or persist.

SECTION 5 - FIRE FIGHTING MEASURES

General hazard Flammable Vapors are heavier than air and can travel to a source of

ignition and flash back. Vapurs may form explosive mixture with air.

Fire fighting instructions Wear approved positive pressure, self-contained breathing apparatus and

full protective turn out gear.

Extinguishing media Use carbon dioxide, sand, extinguishing powder. Do not use water.

Flash point 33°C (<100°F)

Hazardous combustion Em

products

Emits furnes of carbon dioxide, nitrogen oxides, and hydrogen cyanide.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

General Review Sections 3, 8 and 12 before proceeding with clean up.

Small spill Use non-combustible absorbent material to wipe up spill and place in a

scaled container for disposal. Clean spill area thoroughly.

Large spill Contain the source of the spill or leak if it is safe to do so. Collect spill

with a non-combustible absorbent material and transfer to labeled

container for disposal. Close container and move it to a secure holding area.

SECTION 7 - HANDLING AND STORAGE

General handling Keep away from heat. Use with adequate ventilation. Avoid contact with

eyes, skin and clothing. Avoid contact with skin and clothing. Avoid

breathing vapor or mist.

Storage conditions Keep container tightly closed when not in use. Store in a cool, dry area.

Keep away from heat, sparks, flame, and other sources of ignition.

Temperature range

for storage

Store as directed by product packaging.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure limite

Compound Issuer Type OEL
Ethanol ACGIH TWA-8 Hr 1000 ppm

OSHA TWA-8 Hr 1000 ppm

Ventilation Keep airborne contamination levels below the exposure limits listed above

in this section. Engineering controls should be used as the primary means

to control exposures.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION ... continued

Eye protection Not required for the normal use of this product. Wear safety glasses or

goggles if eye contact is possible.

Skin protection Not required for the normal use of this product. Use protective clothing

(lab coats, disposable coveralls, etc.) in both production and laboratory

areas.

Hand protection Not required for the normal use of this product. Wear protective gloves

when working with large quantities.

Respiratory protection Not required for the normal use of this product. If the applicable

Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below

the OEL.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical form

Liquid

Color

Bluc

Molecular weight

Mixture

Molecular formula

Mixture

pН

4.2 at 20°C

Melting point

Not applicable

Water solubility

Soluble

Solvent solubility

Soluble in alcohol.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity

Stable

Conditions to avoid

Avoid direct sunlight, conditions that might generate heat, and sources of

ignition.

Incompatibilities

None known.

Hazardous decomposition None known

decomposition products

Hazardous

Not expected to occur

polymerization

SECTION 11 - TOXICOLOGY INFORMATION Toxicology summary The information included in this section describes the potential hazards of the individual ingredients. Acute toxicity Compound Туре Route Species Dosage Ethanol LD_{50} Orai Rat 7,060 mg/kg LCs₀ 10h Inhalation Rat 20,000 ppm Benzoic Acid LUsa Oral Rat $2350 \, \text{mg/kg}$ Sodium benzoate LDso. Oral Rat $4,070 \, \text{mg/kg}$ LD_{50} Oral Mouse $1,600 \, \text{mg/kg}$ F.ye Not determined for this product. May cause moderate eye intitation based on components. Skin Not expected to cause skin initation Inhalation Not determined for this product. However, moderate irritation may occur based on effects of individual components. Ingestion Not determined for this product. See Acute toxicity table. Mutagenicity Not determined for this product. Subchronic effects Not determined for this product. Chronic toxicity Chronic ingestion of ethanol has been reported to be associated with an increased incidence of cancer, liver cirrhosis, and congenital malformations. However, occupational handling of this product is not expected to result in relevant exposures. Chronic effects/ IARC (International Agency for Research on Cancer) has classified carcinogenicity Alcoholic Beverages as Group 1 (carcinogenic to humans). However, occupational handling of this product is not expected to result in relevant exposures. Carcinogen status Carcinogenicity of the mixture has not been determined. Alcohol is fisted as a carcinogen by IARC. The IARC monograph examines the carcinogenic potential of ethanol only as an alcoholic beverage. No other components are listed as careinogens by IARC, US OSHA or NTP. Reproductive effects Not determined for this product. Teratogenicity. Not determined for this product. Developmental effects have been reported in humans and experimental animals given large doses of ethanol. However, occupational handling of this product is not expected to result in relevant exposures. Target organs Liver, Central nervous system

SECTION 12 - ECOLOGICAL INFORMATION

Environmental overview

The environmental characteristics of this material have not been fully evaluated. Releases to the environment should be avoided.

SECTION 13 - DISPOSAL INFORMATION

Disposal procedure

Waste materials may be classified as hazardous due to the low flash point. Treatment, storage, transportation and disposal must be in accordance with applicable national and local regulations.

SECTION 14 - TRANSPORTATION INFORMATION

General shipping instructions Aqueous products containing ethanol at 24 percent or less are not subject to the requirements of the EU ADR, IATA, or IMDG. They are similarly exempt from US DOT requirements provided that they contain no less than 50 percent water.

SECTION 15 - REGULATORY INFORMATION

EU Classification

Irritant

EU Labelling

Χi

Risk phrases

R10 - Flammable.

R36 - Irritating to eyes.

Safety phrases

S26 - In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

\$36 - Wear suitable protective clothing.

Canadian WHMIS

Class B, Division 2 (flammable liquid)

Class D, Division 2, Subdivision B

EU Label Pictogram(s)



SECTION 16 - OTHER

Disclaimer

The information contained in this Material Safety Data Sheet is believed to be accurate, and while it is provided in good faith, it is without a warranty of any kind, express or implied.