

## MSDS AloeGuard<sup>®</sup>

#### Section 1

HealthLink 3611 St Johns Bluff Road South, Suite 1 Jacksonville, FL 32224

Name: AloeGuard<sup>®</sup> Product Catalog No: 7720, 7725, 7740, 7760 Emergency Phone at Infotrac: (800) 535-5053 Date Prepared: 02/18/00 Date Revised\*: 08/10/06

Health	Flammability	Reactivity	PPE
0	0	0	0
Health Hazard	Fire Hazard	Reactivity	Personal Protection
) = minimal	0 = will not burn	0 = none	0 = not necessary
l = slightly hazardous	1 = FP > 141 F	1 = mild	1 = glasses w/shields
2 = hazardous	2 = FP => 73F =< 141F	2 = strong	2 = glasses w/shields,gloves
3 = serious hazard	3 = FP < 73F		3 = glasses w/shields, gloves,
4 = severe hazard	4 = BP < 95F		protective clothes
	FP By PMCC		4 = glasses w/shields, gloves,
			& respirator

#### Section 2: Hazardous Ingredients / Identity Information Hazardous Components: None

#### Section 3: Health Hazard & First Aid

1. Acute Health Effect	None
2. Chronic Health Effects	None
3. Carcinogen	No
4. Primary Entry Routes:	
a) Skin & Eyes: Eye contact may be slight	ly irritating
b) Inhalation: Not a hazard	

c) Ingestion: May be harmful

5. First Aid:

a) Eyes: Wash eyes with large volumes of water for at least 15 minutes while lifting the upper and lower eyelids and rotating the eyeball. Get medical attention if irritation persists.

b) Ingestion: Drink large volumes of water. Do not induce vomiting. Get medical attention.

c) Inhalation: N/A

\*Changed due to customer request. No substantial changes since prepared date.

### For Technical Service Call 800-638-2625

# MSDS - AloeGuard (page 2) $^{(8)}$

<ul> <li>Section 5: Fire and Explosion Hazard</li> <li>1. Flash Point - None (will not burn)</li> <li>2. Extinguishing Media - N/A</li> <li>3. Special Fire Fighting Procedures - N/A</li> <li>4. Unusual Fire &amp; Explosion Hazard - Fire fighters should observe all precautions that apply to any fire where chemicals are stored.</li> </ul>	
<ol> <li>2. Extinguishing Media - N/A</li> <li>3. Special Fire Fighting Procedures - N/A</li> <li>4. Unusual Fire &amp; Explosion Hazard - Fire fighters should observe all precautions that apply to any fire</li> </ol>	
<ul> <li>Section 7: Spill or Leak Procedures</li> <li>1. If product leaks or spills - flood area with water - mop up &amp; dispose of in sanitary sewer</li> <li>2. Abide by Federal, State, and Local regulations.</li> </ul>	
<ul><li>Section 9: Special Precautions</li><li>1. Store containers tightly closed and in upright postion.</li><li>2. Do not destroy or deface label.</li></ul>	
a) oject to the reporting requirements of Section 313 of the Act of 1986 and of 40 CFR 372:	
Section 12: Ecological Information	
None	
Section 14: DOT Transport Information	
The product is Not Regulated	
Section 16: Other Information	
<ol> <li>N/A = Not Applicable</li> <li>HealthLink believes that the information given here is accurate. The suggested procedures are based on experience and common sense and are not necessarily all- inclusive of every conceivable circumstance.</li> </ol>	

## For Technical Service Call 800-638-2625