

....

...

. . .

#### SDS Revision Date: 06/15/2020

1. Identification					
1.1. Product identifier					
Product Identity	Instant Hand Sanitizer - Citrus				
Alternate Names	Instant Hand Sanitizer – Citrus Product Code: 467				
1.2. Relevant identified uses of the substance or mix	1.2. Relevant identified uses of the substance or mixture and uses advised against				
Intended use	Antiseptic; hand sanitizer to help reduce bacteria on the skin that could cause disease				
Application Method	Place enough product in your palm to thoroughly cover your hands, rub together briskly until dry.				
1.3. Details of the supplier of the safety data sheet					
Company Name	Hydrox Laboratories				
	825 Tollgate Rd.				
	Elgin, IL 60123				
Emergency					
24 hour Emergency Telephone No.	800-255-3924				
Customer Service: Hydrox Laboratories	847-468-9400				

# 2. Hazard(s) identification

### 2.1. Classification of the substance or mixture

Flam. Liq. 3;H226Flammable liquid and vapor.Aquatic Acute 2;H401Toxic to aquatic life.

#### 2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.

(Not required on OTC product or case labels per Occupational Safety and Health Standards 29 CFR 1910.1200(b)(5))



H226 Flammable liquid and vapor. H401 Toxic to aquatic life.



### SDS Revision Date: 06/15/2020

### [Prevention]:

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, face protection.

### [Response]:

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

### [Storage]:

P403+235 Store in a well ventilated place. Keep cool.

### [Disposal]:

P501 Dispose of contents or container in accordance with local and national regulations.

# 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Ethanol CAS Number: 0000064-17-5	50 - 75	Flam. Liq. 2;H225	[1][2]
Isopropyl Alcohol CAS Number: 0000067-63-0	1 - 5	Flam. Liq. 2;H225 Eye Irrit. 2;H319 STOT SE 3;H336	[1][2]

In accordance with paragraph (i) of §1910.1200, the specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

[1] Substance with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

[3] PBT-substance or vPvB-substance.

\*The full texts of the phrases are shown in Section 16.

# Section 4. First aid measures

#### 4.1. Description of first aid measures

GeneralIn all cases of doubt, or when symptoms persist, seek medical attention.<br/>Never give anything by mouth to an unconscious person.InhalationIf breathing is difficult move to fresh air.



#### SDS Revision Date: 06/15/2020

Eyes Flush with water.

Skin Flush with water.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Overview

Health Hazards (Acute and Chronic): Used as a hand sanitizer. Vapor irritates eyes. High concentration of vapor can irritate respiratory tract, are anesthetic and may cause CNS depression.

Signs and Symptoms of Exposure: Confusion, headache, dizziness, and nausea.

Medical Conditions Generally Aggravated by Exposure: Pre existing eye and respiratory disorders may be aggravated by exposure.

Treat symptomatically. Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage. Check section 2.2 (GHS Label Elements) for further details.

# Section 5. Fire-fighting measures

### 5.1. Extinguishing media

CO2, Dry Chemical, Foam, Sand.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

#### 5.3. Advice for fire-fighters



### SDS Revision Date: 06/15/2020

Large quantities of gel hand sanitizer are flammable and vapors form explosive mixtures with air. Dangerous when exposed to heat, sparks, flame or oxidants.

Handle as a flammable liquid. Dilution of burning liquid with water will effect extinguishment.

ERG Guide No. 127

# Section 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

### 6.2. Environmental precautions

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Collect in flammable waste container for disposal.

### 6.3. Methods and material for containment and cleaning up

Eliminate all sources of ignition, small spills should be flushed with large quantities of water, larger spills should be collected for disposal.

## Section 7. Handling and storage

### 7.1. Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Keep away from heat, sparks, and open flames. Store at normal room temperature away from reach of small children. Keep container closed. Avoid freezing conditions.

Check section 2.2 (GHS Label Elements) for further details. - [Prevention]:

### 7.2. Conditions for safe storage, including any incompatibilities

Incompatible materials: Incompatible with strong oxidizing agents

Check section 2.2 (GHS Label Elements) for further details. - [Storage]:

### 7.3. Specific end use(s)

No data available.

# Section 8. Exposure controls / personal protection

#### 8.1. Control parameters

		Exposi	lie	
CAS No.	Ingredient	Source	Value	
0000064-17-5	Ethanol	OSHA	TWA 1000 ppm (1900 mg/m3)	
		ACGIH	No Established Limit	
		NIOSH	TWA 1000 ppm (1900 mg/m3)	

Evnosuro



### SDS Revision Date: 06/15/2020

0000067-63-0	Isopropyl Alcohol	OSHA	TWA 400 ppm (980 mg/m3) STEL 500 ppm
		ACGIH	TWA: 200 ppm STEL: 400 ppm
		NIOSH	TWA 400 ppm (980 mg/m3) ST 500 ppm (1225 mg/m3)

8.2. Exposure controls	
Respiratory	If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.
Eyes	Safety Goggles
Skin	Wear overalls to keep skin contact to a minimum. Use neoprene or rubber gloves or PVC.
Engineering Controls	Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.
Other Work Practices	Eye bath and safety showers required Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

Check section 2.2 (GHS Label Elements) for further details.

# Section 9. Physical and chemical properties

Appearance	Clear, Colorless Gel
Odor	Citrus
Odor threshold	Not determined
рН	7.8-8.6
Melting point / freezing point	Not Measured
Initial boiling point and boiling range	82 deg. C (approx.)
Flash Point	86 deg. F
Evaporation rate (Ether = 1)	N/A
Flammability (solid, gas)	Not Applicable
Upper/lower flammability or explosive limits	Lower Explosive Limit: Not Measured
	Upper Explosive Limit: Not Measured
Vapor pressure (Pa)	Upper Explosive Limit: Not Measured N/A
Vapor pressure (Pa) Vapor Density	
	N/A
Vapor Density	N/A N/A
Vapor Density Relative Density	N/A N/A 0.864-0.904
Vapor Density Relative Density Solubility in Water	N/A N/A 0.864-0.904 Complete
Vapor Density Relative Density Solubility in Water Partition coefficient n-octanol/water (Log Kow)	N/A N/A 0.864-0.904 Complete Not Measured
Vapor Density Relative Density Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature	N/A N/A 0.864-0.904 Complete Not Measured Not Measured
Vapor Density Relative Density Solubility in Water Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature	N/A N/A 0.864-0.904 Complete Not Measured Not Measured Not Measured



### SDS Revision Date: 06/15/2020

No other relevant information.

## Section 10. Stability and reactivity

### 10.1. Reactivity

Hazardous Polymerization will not occur.

#### 10.2. Chemical stability

Stable under normal circumstances.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

High temperatures and fires.

#### 10.5. Incompatible materials

Incompatible with strong oxidizing agents

#### **10.6. Hazardous decomposition products**

High temperatures and fires may produce such toxic substances as carbon monoxide and carbon dioxide.

## Section 11. Toxicological information

#### Acute toxicity

Exposure to solvent vapor concentrations from the component solvents in excess of the stated occupational exposure limits may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms include headache, nausea, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness.

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis. Solvents may also be absorbed through the skin. Splashes of liquid in the eyes may cause irritation and soreness with possible reversible damage.

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Ethanol - (64-17-5)	10,470.00, Rat - Category: NA	17,100.00, Rabbit - Category: NA	124.70, Rat - Category: NA	No data available	No data available
Isopropyl Alcohol - (67-63-0)	5,840.00, Rat - Category: NA	12,800.00, Rabbit - Category: NA	72.60, Rat - Category: NA	No data available	No data available

#### Carcinogen Data

CAS No.	Ingredient	Source	Value



### SDS Revision Date: 06/15/2020

0000064-17-5	Ethanol	OSHA	Regulated (	Carcinogen: No			
		NTP Known: No;		Suspected: No			
		IARC	Group 1: Yes; Group 2a: No; Group 2b: No; Group 3: No; Group 4: No;				
		ACGIH A3					
0000067-63-0	Isopropyl Alcohol	OSHA	Regulated Carcinogen: No				
		NTP	Known: No	; Suspected: No			
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: Yes; Group 4: No;				
		ACGIH	A4				
Classificatio	on	Ca	tegory	Hazard Description			
Acute toxicity	/ (oral)			Not Applicable			
Acute toxicity	/ (dermal)			Not Applicable			
Acute toxicity	(inhalation)			Not Applicable			
Skin corrosic	n/irritation			Not Applicable			
Serious eye	damage/irritation			Not Applicable			
Respiratory s	sensitization			Not Applicable			
Skin sensitiz	ation			Not Applicable			
Germ cell mu	utagenicity			Not Applicable			
Carcinogenic	city			Not Applicable			
Reproductive	ctive toxicity			Not Applicable			
STOT-single	exposure			Not Applicable			
STOT-repea	ted exposure			Not Applicable			
Aspiration ha	zard			Not Applicable			

# Section 12. Ecological information

### 12.1. Toxicity

No additional information provided for this product. See Section 3 for chemical specific data. **Aquatic Ecotoxicity** 

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Ethanol - (64-17-5)	15,400.00, Lepomis macrochirus	> 10,000, Daphnia magna	17.921 (96 hr), Ulva pertusa
Isopropyl Alcohol - (67-63-0)	10,000.00, Pimephales promelas	Not Available	Not Available

### 12.2. Persistence and degradability

There is no data available on the preparation itself.

### 12.3. Bioaccumulative potential

Not Measured



SDS Revision Date: 06/15/2020 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

### 12.6. Other adverse effects

No data available.

# Section 13. Disposal considerations

### 13.1. Waste treatment methods

Destroy by liquid incineration. Use absorbent material and deposit in toxic landfill in accordance with local, state, and federal regulations.

## Section 14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1170	UN1170	UN1170
14.2. UN proper shipping name	UN1170, Ethanol solutions 3, III	Ethanol solutions	Ethanol solutions
14.3. Transport hazard class(es)	DOT Hazard Class: 3	IMDG: 3 Sub Class: Not Applicable	Air Class: 3
14.4. Packing group	III	III	III
14.5. Environmental hazard	ls		
IMDG Marin	ne Pollutant: No;		
14.6. Special precautions for	or user		
Not 4	Annlicable		

Not Applicable

## Section 15. Regulatory information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected
	regulations are represented.

Toxic SubstanceAll components of this material are either listed or exempt from listing on the TSCAControl Act (TSCA)Inventory.

**Note:** Ethanol (Ethyl alcohol) has been placed on the California Proposition 65 Cancer and Developmental Lists when in alcoholic beverages.

### EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### EPCRA 313 Toxic Chemicals:



### SDS Revision Date: 06/15/2020

Ethanol

Isopropyl Alcohol

### Proposition 65 - Carcinogens (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

#### **Proposition 65 Label Warning:**

This product contains no chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

## Section 16. Other information

### SDS Revision Date 6/15/2020

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

Disclaimer: The contents of this SDS are believed to be correct but do not purport to be all-inclusive and should only be used as a guide. Hydrox Laboratories, Inc. disclaims any express or implied warranty as to the accuracy of the above information and shall not be held liable for any direct, incidental or consequential damages resulting from the reliance on the above information.

End of Document