

**SAFETY DATA SHEET**
Clinitest Reagent tablets

122000003380

Version 1.1

Revision Date 06/29/2010

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**Product information****Product Name:** Clinitest Reagent tablets **MSDS Number:** 122000003380**Use** : In Vitro diagnostic reagent.**Company**BAYER HEALTHCARE LLC
Diabetes Care
555 White Plains Road
Tarrytown, NY 10591
UNITED STATES
(800) 348-8100**In case of emergency:** Call Chemtrec
Chemtrec: (800) 424-9300
BAYER INFORMATION PHONE: (800) 348-8100

2. HAZARDS IDENTIFICATION**Emergency Overview**

Colour: blue **Form:** solid tablet **Odour:** odourless.
Corrosive, when wet or dissolved can cause burns to the eyes and skin. Tablets are highly sensitive to moisture from air or water. Moisture may cause a chemical reaction and the glass bottle could explode.

Hazard Communication (29CFR 1910.1200)No Carcinogenic substances as defined by IARC, NTP and/or OSHA

3. COMPOSITION/INFORMATION ON INGREDIENTS

Weight percent	Components	CAS-No.
1 - 5%	Copper sulphate anhydrous	7758-98-7
30 - 60%	Sodium hydroxide	1310-73-2

4. FIRST AID MEASURES

General advice: Call a physician immediately. Arrange for transport to nearest emergency room.

If inhaled: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

In case of skin contact: After contact with skin, wash immediately with plenty of soap and water. Take off contaminated clothing and shoes immediately. Wash contaminated clothing before re-use.

In case of eye contact: In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

If swallowed: If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting. Give two glasses of water or milk for dilution.

Contact Number: Use the Bayer Emergency Number in Section 1

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Any

Specific hazards during fire fighting: Fire may cause evolution of: Carbon monoxide Carbon dioxide (CO₂)

Special protective equipment for fire-fighters: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment.

Methods for cleaning up: Place in closed containers. Label for proper disposal.

7. HANDLING AND STORAGE

Handling:
Avoid contact with skin, eyes and clothing.

Store at temperatures and conditions as indicated on the product label. Keep container tightly closed. Avoid contact with moisture/water. Moisture may cause a chemical reaction and the glass

SAFETY DATA SHEET
Clinitest Reagent tablets

122000003380

Version 1.1

Revision Date 06/29/2010

bottle could explode.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Sodium hydroxide (1310-73-2)

US. ACGIH Threshold Limit Values

Ceiling Limit Value: 2 mg/m³

US. NIOSH: Pocket Guide to Chemical Hazards

Ceiling Limit Value and Time Period (if specified): 2 mg/m³

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PEL: 2 mg/m³

Copper sulphate anhydrous (7758-98-7)

US. NIOSH: Pocket Guide to Chemical Hazards

Recommended exposure limit (REL): 1 mg/m³ as Cu (Dust and mist.)

Respiratory protection:

not required

Hand protection:

Chemically resistant gloves.

Eye protection:

Chemical safety goggles or glasses.

Other protective measures:

Wear suitable protective equipment.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	tablet
Colour:	blue
Odour:	odourless
Density:	no data available
Bulk density:	no data available
Vapour pressure:	not applicable
Water solubility:	soluble
pH:	Wet tablets are corrosive - prevent contact.
Partition coefficient (n-octanol/water):	no data available
Solubility in organic solvents:	no data available
Flash point:	
Ignition temperature:	not applicable

SAFETY DATA SHEET
Clinitest Reagent tablets

122000003380

Version 1.1

Revision Date 06/29/2010

Ignition temperature: no data available

10. STABILITY AND REACTIVITY

Conditions to avoid: Exposure to moisture

Materials to avoid: Strong acids, Metals, halogens
Action of humidity leads to formation of heat and overpressure., Protect from moisture.

Hazardous reactions: Decomposes in contact with water. Corrosive in contact with metals

Thermal decomposition:

no data available

Hazardous decomposition products:
Carbon monoxide, Carbon dioxide (CO₂)

11. TOXICOLOGICAL INFORMATION

Other information on toxicity:

If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute oral toxicity:
Copper sulphate anhydrous
LD50 rat: 300 mg/kg

LDL0 human: 50 mg/kg

Acute inhalation toxicity:
Inhalation of mist or dried residue causes irritation of respiratory system.

Skin irritation:
Acute dermal irritation/corrosion

Eye irritation:
May cause eye and skin irritation. Risk of blindness !

Genotoxicity in vitro:
Bacterial mutagenicity Escherichia coli
Result: negative

Copper sulphate anhydrous
Micronucleus test
Result: negative, No indication of mutagenic effects.

SAFETY DATA SHEET
Clinitest Reagent tablets

122000003380

Version 1.1

Revision Date 06/29/2010

Bacterial mutagenicity Escherichia coli
Result: negative, No indication of mutagenic effects.

12. ECOLOGICAL INFORMATION

General advice:

Do not allow to enter surface waters or groundwater.

Toxicity to fish:

Acute Fish toxicity: LC50 45.4 mg/l

Test species: Oncorhynchus mykiss (rainbow trout) Duration of test: 96 h

Acute Fish toxicity: LC50 99 mg/l

Test species: Lepomis macrochirus (Bluegill) Duration of test: 48 h

Copper sulphate anhydrous

LC50 0.11 mg/l

Test species: Oncorhynchus mykiss (rainbow trout) Duration of test: 96 h

Toxicity to daphnia and other aquatic invertebrates:

EC50 76 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 24 h

Copper sulphate anhydrous

EC50 0.024 mg/l

Test species: Daphnia magna (Water flea) Duration of test: 48 h

Toxicity to algae:

Copper sulphate anhydrous

EC50 0.1 mg/l

tested on: Scenedesmus quadricauda (Green algae) Duration of test: 4 h

Biodegradability:

The methods for determining biodegradability are not applicable to inorganic substances.

Copper sulphate anhydrous

The methods for determining biodegradability are not applicable to inorganic substances.

13. DISPOSAL CONSIDERATIONS

If discarded in its purchased form, this product would not be a hazardous waste either by listing or by characteristic. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste. (40 CFR 261.20-24)

Waste disposal should be in accordance with existing federal, state and local environmental control laws.

SAFETY DATA SHEET
Clinitest Reagent tablets

122000003380

Version 1.1

Revision Date 06/29/2010

14. TRANSPORT INFORMATION

Land transport (DOT)

Proper shipping name: Sodium hydroxide, solid
Hazard Class or Division: 8
UN/NA Number: UN1823
Packaging group: II
Hazard Label(s): Corrosive

Inland waterway transport

Proper shipping name: Sodium hydroxide, solid
Hazard Class or Division: 8
UN/NA Number: UN1823
Packaging group: II
Hazard Label(s): Corrosive

Railway transport

Proper shipping name: Sodium hydroxide, solid
Hazard Class or Division: 8
UN/NA Number: UN1823
Packaging group: II
Hazard Label(s): Corrosive

Sea transport (IMDG)

Proper shipping name: SODIUM HYDROXIDE, SOLID
Hazard Class or Division: 8
UN-Number: UN1823

Packaging group: II
Hazard Label(s): CORROSIVE
Marine pollutant: Marine pollutant

Air transport (ICAO / IATA cargo aircraft only)

Proper shipping name: Sodium hydroxide, solid
Hazard Class or Division: 8
UN-Number: UN1823
Packaging group: II
Hazard Label(s): CORROSIVE

Air transport (ICAO / IATA passenger and cargo aircraft)

Proper shipping name: Sodium hydroxide, solid
Hazard Class or Division: 8
UN-Number: UN1823
Packaging group: II
Hazard Label(s): CORROSIVE

15. REGULATORY INFORMATION

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A) Components

SAFETY DATA SHEET
Clinitest Reagent tablets

122000003380

Version 1.1

Revision Date 06/29/2010

None

US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required

Components

Copper sulphate anhydrous

US. EPA CERCLA Hazardous Substances (40 CFR 302) Components

Copper sulphate anhydrous

Reportable quantity: 10 lbs

Sodium hydroxide

Reportable quantity: 1000 lbs

Marine pollutant Components

Copper sulphate anhydrous

Severe marine pollutant.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists

Weight percent	Components	CAS-No.
1 - 5%	Copper sulphate anhydrous	7758-98-7
30 - 60%	Sodium hydroxide	1310-73-2

New Jersey Environmental Hazardous Substances List and/or New Jersey RTK Special Hazardous Substances Lists

Weight percent	Components	CAS-No.
1 - 5%	Copper sulphate anhydrous	7758-98-7

California Prop. 65

To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive harm.

OSHA Hazcom Standard Rating Hazardous

16. OTHER INFORMATION

HMIS Rating

Health	2
Flammability	0
Physical Hazard	2
Personal protective equipment	B

0=Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

* = Chronic Health Hazard

A = Safety Glasses

B = Safety Glasses, Gloves

C = Safety Glasses, Gloves, Apron

SAFETY DATA SHEET
Clinitest Reagent tablets

122000003380

Version 1.1

Revision Date 06/29/2010

- D = Face Shield, Gloves, Apron
- E = Safety Glasses, Gloves, Dust Respirator
- F = Safety Glasses, Gloves, Apron, Dust Respirator
- G = Safety Glasses, Gloves, Vapor Respirator
- H = Splash Goggles, Gloves, Apron, Vapor Respirator
- J = Splash Goggles, Gloves, Apron, Dust and Vapor Respirator
- K = Air Line Hood or Mask, Gloves, Full Suit, Boots
- L = Situation Requiring Special Handling

Further information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.