

Product Information: Jevity® 1 Cal

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com



- 1 JEVITY 1 CAL is a fiber-fortified tube-feeding formula.
- 1 For tube feeding.
- 1 For supplemental or sole-source nutrition.
- 1 May be used for oral feeding of patients with altered taste perception.
- 1 Use under medical supervision.
- 1 Complete, Balanced Nutrition® for long-term tube feeding.
- 1 14.4 g of total dietary fiber/L. Fiber helps maintain normal bowel function and may be useful in the dietary management of diarrhea and constipation.
- 1 Meets or exceeds 100% of the RDI for 24 essential vitamins and minerals in 1400 Cal (1321 mL).
- 1 Provides protein to help support lean body mass and wound healing.
- 1 Halal.
- 1 Kosher.
- 1 Gluten-free.
- 1 Suitable for lactose intolerance.

Safety Precautions

- 1 Not for IV use.
- 1 Not for people with galactosemia.

Ingredients

Liquid Unflavored:

Water, Corn Maltodextrin, Corn Syrup Solids, Sodium & Calcium Caseinates, Soy Fiber, Soy Protein Isolate, Canola Oil, Corn Oil, Medium-Chain Triglycerides, Calcium Phosphate, Potassium Citrate, Magnesium Chloride, Soy Lecithin, Sodium Citrate, Ascorbic Acid, Choline Chloride, Magnesium Phosphate, Potassium Chloride, Carrageenan, Taurine, L-Carnitine, Zinc Sulfate, dl-Alpha-Tocopheryl Acetate, Ferrous Sulfate, Niacinamide, Calcium Pantothenate, Manganese Sulfate, Cupric Sulfate, Thiamine Chloride Hydrochloride, Pyridoxine Hydrochloride, Riboflavin, Vitamin A Palmitate, Folic Acid, Biotin, Chromium Chloride, Sodium Molybdate, Potassium Iodide, Sodium Selenate, Phylloquinone, Cyanocobalamin, and Vitamin D3.

Allergens: Contains milk and soy ingredients.

Availability

List Number	Item
00143	Jevity 1 Cal / 8-fl-oz (237-mL) Can / 24 ct
62685	Jevity 1 Cal Ready-To-Hang / 1000-mL (1.1-QT) Bottle / 8 ct
62687	Jevity 1 Cal Ready-To-Hang / 1500-mL (1.6-QT) Bottle / 6 ct

Nutrition Information - Liquid Unflavored

	8 fl oz (237 mL)		1000 mL		1500 mL	
	Value	%RDI* / % DV	Value	%RDI* / % DV	Value	%RDI* / % DV
Nutrient Density, Cal/mL	1.06		1.06		1.06	
Protein, % Cal	16.7		16.7		16.7	
Carbohydrate, % Cal	54.3		54.3		54.3	
Fat, % Cal	29.0		29.0		29.0	
MCT:LCT	19:81		19:81		19:81	
Cal to Meet 100% RDIs	1400		1400		1400	
mL to Meet 100% RDIs	1321		1321		1321	
Total Cal:g Nitrogen	150:1		150:1		150:1	
Nonprotein Cal:g Nitrogen	125:1		125:1		125:1	
Osmolality, mOsm/kg H ₂ O	300		300		300	
Renal Solute Load, mOsm/L	370		370		370	
Viscosity	Nectar-Like (Room Temperature and Chilled)		Nectar-Like (Room Temperature and Chilled)		Nectar-Like (Room Temperature and Chilled)	
Minimum Tube Size for Gravity/Pump Feeding (Fr)	10/8		10/8		10/8	
Protein, g	10.4		44.3		66.4	
Fat, g	8.2		34.7		52.1	
Carbohydrate, g	36.5 [†]		154.7 [†]		231.9 [†]	
Dietary Fiber, g	3.4 [†]		14.4 [†]		21.6 [†]	
L-Carnitine, mg	28		115		175	
Taurine, mg	28		115		175	
Water, g/mL/cc	197		835		1244	
Calories	250		1060		1590	
Vitamin A, IU	895	18	3790	76	5690	115
Vitamin D, IU	72	18	305	76	460	115
Vitamin E, IU	8.3	28	35	115	53	175
Vitamin K, mcg	15	19	61	76	92	115
Vitamin C, mg	55	92	230	385	345	575
Folic Acid, mcg	110	28	455	115	690	175
Thiamin (Vitamin B1), mg	0.41	27	1.7	115	2.6	175
Riboflavin (Vitamin B2), mg	0.48	28	2.0	120	3.0	175
Vitamin B6, mg	0.55	28	2.3	115	3.5	175
Vitamin B12, mcg	1.7	28	6.9	115	11	185
Niacin, mg	5.5	28	23	115	35	175
Choline, mg	110	Not established	455	Not established	685	Not established
Biotin, mcg	82	27	345	115	520	175
Pantothenic Acid, mg	2.9	29	12	120	18	180

For more information, contact your Abbott Nutrition Representative or visit
www.abbottnutrition.com

Nutrition Information - Liquid Unflavored

	8 fl oz (237 mL)		1000 mL		1500 mL	
	Value	%RDI* / % DV	Value	%RDI* / % DV	Value	%RDI* / % DV
Sodium, mg	220	Not established	930	Not established	1400	Not established
Sodium, mEq	9.6		40.4		60.9	
Potassium, mg	375	Not established	1570	Not established	2360	Not established
Potassium, mEq	9.6		40.2		60.5	
Chloride, mg	310	9	1310	39	1970	58
Chloride, mEq	8.8	22	37.0		55.6	
Calcium, mg	215	22	910	91	1370	135
Phosphorus, mg	180	18	760	76	1140	115
Magnesium, mg	72	18	305	76	460	115
Iodine, mcg	28	19	115	77	175	115
Manganese, mg	0.90	45	3.8	190	5.7	285
Copper, mg	0.37	19	1.6	80	2.4	120
Zinc, mg	4.3	29	18	120	27	180
Iron, mg	3.3	18	14	78	21	115
Selenium, mcg	13	19	54	77	81	115
Chromium, mcg	22	18	91	76	140	115
Molybdenum, mcg	28	37	115	155	175	235

Liquid Unflavored Footnotes & References

Per 8 fl oz (237 mL)
*RDI percentages for adults and children 4 or more years of age.
†3.4 g of total dietary fiber from soy fiber.

Per 1000 mL
*RDI percentages for adults and children 4 or more years of age.
†14.4 g of total dietary fiber from soy fiber.

Per 1500 mL
*RDI percentages for adults and children 4 or more years of age.
†21.6 g of total dietary fiber from soy fiber.

Preparation

Instructions for Use: Ready-To-Hang Container

All liquid medical foods, regardless of type of administration system, require careful handling because they can support microbial growth. Follow these instructions for clean technique and proper setup to reduce the potential for microbial contamination. NOTE: Failure to follow the **Instructions for Use** increases the potential for microbial contamination and may reduce hangtime.

- 1 Pump feeding is recommended; use an 8 Fr or larger tube. If gravity feeding use a 10 Fr or larger tube.
- 1 Administer product at room temperature.
- 1 THOROUGHLY wash hands with soap and water before handling container or feeding set.
- 1 Turn container upside down and SHAKE VIGOROUSLY, using a twisting motion for at least 10 seconds.
- 1 DO NOT touch any part of the container or feeding set that comes into contact with the formula.
- 1 When initiating feeding, follow physician's instructions. Adjust flow rate and volume according to patient's condition and tolerance.
- 1 Additional fluid requirements should be met by giving water between or after feedings or when flushing the tube.
- 1 Always follow directions for use provided with feeding set.

For Use with Enteral Feeding Set:

- 1 Remove the dust cover from the Abbott RTH Safety Screw Cap.
- 1 Remove the dust cover from the safety connector on the feeding set.
- 1 Insert the safety connector into the port on the Abbott RTH Safety Screw Cap, completely pierce foil.
- 1 Turn the safety connector clockwise until it is securely fastened.
- 1 Close clamp on set before inverting container.
- 1 Invert container and suspend, using the hanging ring on the bottom of the container.
- 1 Unless a shorter hang time is specified by the set manufacturer, hang product for up to 48 hours after initial connection when clean technique and only one new set are used. Otherwise hang for no more than 24 hours.

1 **Instructions for Use: 8-fl-oz can**

- 1 Store unopened at room temperature; avoid extreme temperatures.
- 1 Shake well. Jevity 1.0 is ready to use.
- 1 Clean top of container thoroughly before opening.
- 1 Once opened, cover, refrigerate and **use within 48 hours**.

Oral Feeding

- 1 May be used for total or supplemental nutrition.
- 1 May be fed at room temperature or chilled.

Tube Feeding

- 1 Follow physician's instructions
- 1 Adjust flow rate and volume according to patient's condition and tolerance.
- 1 Feed at room temperature.
- 1 Pump feeding is recommended; use an 8 Fr or larger tube. For gravity feeding use a 10 Fr or larger tube.
- 1 Additional fluid requirements should be met by giving water between or after feedings or when flushing the tube.
- 1 Avoid contamination during preparation and use.