Product Information: ProMod® Liquid Protein

- 1 PROMOD LIQUID PROTEIN is a great-tasting medical food that provides a concentrated source of protein for people with increased protein needs. Indications include wounds, protein-energy malnutrition (PEM), involuntary weight loss (IWL), pre- and post-surgery, anorexia, stress, trauma, cancer and burns.
- 1 Use orally or with tube feeding.
- 1 Collagen protein hydrolysate has been clinically shown to help improve pressure ulcer healing. 1
- PROMOD LIQUID PROTEIN can be given to people with diabetes: One 1-oz serving = 1 starch + 1 very-lean meat exchange.
- 1 Use under medical supervision.
- 1 100 Cal and 10 g of protein per oz.
- 1 Hydrolyzed collagen as a protein source.
- 1 Provides all essential amino acids.
- 1 Glycerine as a carbohydrate source, and no simple sugars.
- 1 55 mg sodium per oz, making it low in sodium.
- 1 Fortified with tryptophan, an essential amino acid.
- 1 Contains no fruit juice.
- 1 No fat.
- Lactose-free.
- Gluten-free.
- Low-residue.

Safety Precautions

- 1 Not for IV use.
- 1 PROMOD LIQUID PROTEIN is not a balanced diet and is not for use as a sole source of nutrition.

Ingredients

Liquid Fruit Punch:

Glycerine, Hydrolyzed Beef Collagen, Water, Malic Acid, Citric Acid, Phosphoric Acid, Natural & Artificial Flavors, L-Tryptophan, Potassium Sorbate, and Sodium Benzoate.

Availability

List Number	Item
59721	ProMod Liquid Protein Fruit Punch / 1-QT (946-mL) bottle / 6 ct



¹ Lee SK, et al. Adv Skin Wound Care 2006;19:92, 94-96.

Nutrition Information - Liquid Fruit Punch

	1 oz (30 mL)	100 g Protein	
	Value	Value	
Protein, % Cal	40	40	
Carbohydrate, % Cal	60	60	
Fat, % Cal	0.0	0.0	
Nutrient Density, Cal/mL	3.3	3.3	
Viscosity	Nectar-like (Room Temperature)	Nectar-like (Room Temperature)	
Renal Solute Load, mOsm/L	59.9	59.9	
Protein, g	10		
Fat, g	0		
Carbohydrate, g	14		
Glycerine, g	13		
Calories	100		
Sodium, mg	55 [*]		
Potassium, mg	20 [*]		
Chloride, mg	3 [*]		
Phosphorus, mg	95		
Isoleucine, g		1.3	
Leucine, g		2.9	
Lysine, g		3.4	
Methionine, g		0.7	
Phenylalanine, g		1.8	
Threonine, g		1.8	
Tryptophan, g		0.5	
Valine, g		2.3	
Alanine, g		9.4	
Aspartic Acid, g		5.4	
Glycine, g		24.1	
Proline, g		13.1	
Serine, g		3.0	
Hydroxyproline, g		12.5	
Hydroxylysine, g		0.9	
Tyrosine, g		0.2	
Arginine, g		6.6	
Cystine, g		0.0	
Glutamic Acid, g		9.7	
Histidine, g		0.4	

Liquid Fruit Punch Footnotes & References

Per 1 oz (30 mL)

*Not to exceed.



Preparation

Recommended Preparation for Tube Feeding

- 1 Place one oz of Liquid ProMod in a clean 4-6 ounce container.
- 1 Add 1-2 oz (30-60 mL) water.
- 1 Mix well with disposable spoon or tongue blade.
- 1 Flush feeding tube with 30 mL water.
- 1 Administer Liquid ProMod with 60 cc or larger syringe.
- 1 Flush with additional 30 mL water.

Exchanges for 1 serving PROMOD LIQUID PROTEIN

Exchanges	Cal	Carbohydrate (g)	Protein (g)	Fat (g)
1 starch	80	15	3	_
1 very-lean meat	35	_	7	0-1
Total from Exchanges	115	15	10	0-1

Storage & Handling

Discard 3 months after opening.

